



GLOBAL REFINISH
SYSTEM



May 2006

Product Information



ENVIROBASE ADDITIVE

Envirobase Additive - BOC5-138

PRODUCT

This additive is to improve the levelling properties of Envirobase basecoats with high aluminium content, leading to a smoother paint film.

This additive is especially useful in conditions of higher humidity.

PRODUCT USE

This additive should be added to Envirobase mixing colour formulas, before thinning.

2% by weight is the recommended addition.

Do not exceed this level, as higher levels will potentially impact the colour effect.

STORAGE & HANDLING



Envirobase Additive should be stored in a cool, dry place away from sources of heat. During storage and transportation temperatures must be maintained at a minimum of +5°C and a maximum of +35°C. Avoid exposure to frost or freezing conditions.




Envirobase should be mixed in clean, dry containers and equipment. Do not use mixing vessels or spray equipment that contains solvent residues. Mixing vessels should ideally be plastic - if metallic they should have an internal anti-corrosion coating.

VOC INFORMATION

This product falls outside of the scope of EU Directive 2004/42 and therefore does not have a VOC product category classification. This product can be used by professional motor vehicle repairers.

WASTE HANDLING & DISPOSAL / HEALTH & SAFETY



These products are for professional use only, and are not to be used for purposes other than those specified. The information on this TDS is based on present scientific and technical knowledge, and it is the responsibility of the user to take all necessary steps in order to ensure the suitability of the product for the intended purpose. For Health and Safety information please refer to the material Safety Data Sheet, also available at: http://www.ppg.com/PPG_MSDS

Store waterborne & solventborne wastes separately. All wastes must be handled by a competent agent with appropriate certification. Waste **must** not be disposed of into drains or watercourses.

PPG Industries (UK) Limited.
Auto Refinish
Customer Service and Sales Group,
Needham Road,
Stowmarket,
Suffolk.
IP14 2AD,
England.
Tel: 01449 771775
Fax: 01449 773480

