SAFETY DATA SHEET

Date of issue/Date of revision

: 17 May 2023

Version : 4

: 4.15

SECTION 1: Identification of the substance/mixture and of the company/

undertaking

1.1 Product identifier	
------------------------	--

Product name	: GORI 91 OPAQUE
Product code	: 10130DSC13X91

Other means of identification

00359757; 00359758; 00359759; 00359760; 00359761; 00359762; 00359763; 00359832; 00359833; 00359834; 00359835; 00360222; 00360224; 00360225; 00360226; 00360228; 00360230; 00360232; 00360234; 00360236; 00360237; 00360238; 00360239; 00360277; 00360284; 00420766; 00420767; 00422389; 00422391; 00422392

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Consumer applications, Professional applications, Application by non spray methods
Use of the substance/ mixture	: Coating.

1.3 Details of the supplier of the safety data sheet

rton Noord 1456
: PS.ACEMEA@ppg.com

1.4 Emergency telephone : +27 51 444 2134 number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

:	Not applicable.			
:	Not applicable.			
1	Not applicable.			
:	Keep out of reach of children. label at hand.	If medical advice	e is needed, have prod	uct container or
:	No known significant effects o	or critical hazards.		
1	No signal word.			
		: Keep out of reach of children.	 No known significant effects or critical hazards. Keep out of reach of children. If medical advice label at hand. Not applicable. Not applicable. 	 No known significant effects or critical hazards. Keep out of reach of children. If medical advice is needed, have prod label at hand. Not applicable. Not applicable.

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OPA	AQUE		

SECTION 2: Hazards identification

Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations. P102, P101, P501
Hazardous ingredients	: Not applicable.
Supplemental label elements	 Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-1,2-benzothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requiren	nents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
propane-1,2-diol	REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6	≥1.0 - ≤5.0	Not classified.	-	[2]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.050	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	ATE [Oral] = 1020 mg/ kg ATE [Inhalation (dusts and mists)] = 0.4 mg/l Skin Sens. 1, H317: C $\ge 0.05\%$ M [Acute] = 1	[1]
2-methyl-1,2-benzothiazol-3 (2H)-one	CAS: 2527-66-4 Index: 613-336-00-3	<0.0015	Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	ATE [Oral] = 175 mg/ kg ATE [Dermal] = 1100 mg/kg Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 1	[1]
	1	English	(GB) South	n Africa	2/12

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OPA	QUE		

SECTION 3: Composition/information on ingredients

			EUH071		
2-methylisothiazol-3(2H)- one	REACH #: 01-2120764690-50 EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 235 mg/ kg ATE [Dermal] = 242 mg/kg ATE [Inhalation (dusts and mists)] = 0.19 mg/l Skin Sens. 1, H317: C \geq 0.0015% M [Acute] = 10 M [Chronic] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

This mixture contains \geq 1% of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Note 10.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health eff	<u>ects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>iptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Code : 10130DSC13	3X91 Date of issue/Date of revision : 17 May 2023
GORI 91 OPAQUE	
SECTION 4: First ai	d measures
4.3 Indication of any immed	diate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	nting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to Europea standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OPA	AQUE		

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene	 Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values			
titanium dioxide	DOL OEL (South Africa, 3/2021). TWA: 10 mg/m ³ 8 hours.			
procedures Standard EN by inhalation strategy) Eu application a biological age requirements agents) Refe	hould be made to monitoring standards, such as the following: European 689 (Workplace atmospheres - Guidance for the assessment of exposure to chemical agents for comparison with limit values and measurement ropean Standard EN 14042 (Workplace atmospheres - Guide for the nd use of procedures for the assessment of exposure to chemical and ents) European Standard EN 482 (Workplace atmospheres - General for the performance of procedures for the measurement of chemical erence to national guidance documents for methods for the determination substances will also be required.			

English (GB)	South Africa	5/12

2020/878		
Code : 10130DSC13X	Date of issue/Date of revision : 17	May 2023
GORI 91 OPAQUE		
8.2 Exposure controls		
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure contaminants.	to airborne
Individual protection measu		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical proceeding, smoking and using the lavatory and at the end of the working per Appropriate techniques should be used to remove potentially contaminate Wash contaminated clothing before reusing. Ensure that eyewash static showers are close to the workstation location.	iod. ted clothing.
Eye/face protection Skin protection	Safety glasses with side shields.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved stand worn at all times when handling chemical products if a risk assessment i necessary.	
Gloves	For prolonged or repeated handling, use the following type of gloves:	
	Recommended: nitrile rubber	
Body protection	Personal protective equipment for the body should be selected based on performed and the risks involved and should be approved by a specialist handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should based on the task being performed and the risks involved and should be specialist before handling this product.	
Respiratory protection	Use with adequate ventilation. In case of insufficient ventilation, wear surrespiratory equipment. Wear a respirator conforming to EN140. Respiration must be based on known or anticipated exposure levels, the hazards of a and the safe working limits of the selected respirator. Mask type: full-face mask Filter type: organic vapour filter (Type A) particulate filter PS properly fitted, air-purifying or air-fed respirator complying with an approximation a risk assessment indicates this is necessary.	ator selection the product ce mask half- 3 Use a
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked they comply with the requirements of environmental protection legislation cases, fume scrubbers, filters or engineering modifications to the process will be necessary to reduce emissions to acceptable levels.	n. In some

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Various
Odour	: Characteristic.
Odour threshold	: Not available.
Melting point/freezing point	: May start to solidify at the following temperature: 0°C (32°F) This is based on data for the following ingredient: water. Weighted average: -3.97°C (24.9°F)
Initial boiling point and boiling range	: >37.78°C
Flammability	: Not available.
Upper/lower flammability or explosive limits	: Øreatest known range: Lower: 2.6% Upper: 12.6% (propane-1,2-diol)
Flash point	: 🗭osed cup: Not applicable.
Auto-ignition temperature	

English (GB)

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OPA	AQUE		

SECTION 9: Physical and chemical properties

	Ingredient name		°C	°F	I	Method	
	[(butoxymethylethoxy)me propan-1-ol	ethylethoxy]	202	395.6	D	IN 51794	
	Stable under recomr Not available.	mended st	orage a	nd handling c	onditions	(see Sec	tion 7).
/iscosity :	Kinematic (40°C): >2	Kinematic (40°C): >21 mm²/s					
Solubility(ies) :							
Media	Result						
∞old water	Partially soluble						
Partition coefficient: n-octanol/ : water	Not applicable.						
Vapour pressure :		Vapor	ur Press	sure at 20°C	Vapo	our press	sure at 50°C
	Ingredient name	mm Hg	kPa	Method	mm	kPa	Method

					Hg			
	water	23.8	3.2					
Evaporation rate	: 0.01 (propa	ne-1,2-diol) comp	ared with l	outyl acetate				
Relative density	: 1.24							
Vapour density	: Highest known value: 2.6 (Air = 1) (propane-1,2-diol).							
Explosive properties		t itself is not explo ust with air is pos		ne formation o	of an expl	osible mix	xture of	
Oxidising properties	: Product doe	es not present an	oxidizing h	azard.				
Particle characteristics								
Median particle size	: Not applical	ble.						

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.		
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.		
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides		

Code	: 10130DSC13X91
GORI 91 O	PAQUE

Date of issue/Date of revision :

: 17 May 2023

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name		Result	Species	Dos	se Exposure
propane-1,2-diol	LD50 Derm	al	Rabbit	20800 mg/	/kg -
	LD50 Oral		Rat	20 g/kg	-
1,2-benzisothiazol-3(2H)-one	LC50 Inhala mists	ation Dusts and	Rat	0.4 mg/l	4 hours
	LD50 Oral		Rat	1020 mg/k	
3(2H)-Isothiazolone, 2-methyl-		ation Dusts and	Rat	0.19 mg/l	4 hours
	mists		. lat	0.10 mg/1	1 Houro
	LD50 Derm	al	Rat	242 mg/kg	-
	LD50 Oral		Rat - Male	235 mg/kg	-
Eyes : Ther	e are no data availa e are no data availa e are no data availa	able on the mixtur	e itself.		
Product/ingredient na	me	Route of exposure	Spec	cies	Result
1,2-benzisothiazol-3(2H)-one		skin	Guinea pig	S	Sensitising
Conclusion/Summary		•			
Skin : The	re are no data avail	able on the mixtu	re itself.		
– • • • –			10.10		

SKIII	
Respiratory	: There are no data available on the mixture itself.
Mutagenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Carcinogenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Reproductive toxicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Teratogenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Specific target organ toxic	city (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely
routes of exposure: Not available.Potential acute health effectsInhalation: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Eye contact: No known significant effects or critical hazards.

English (GB)

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OPA	AQUE		

SECTION 11: Toxicological information

Symptoms related to the	physical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.
Delayed and immediate e	ffects as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effec	ts : Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effec	ts : Not available.
Potential chronic health e	effects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.
Contains isothiazolinones.	May cause allergic reaction.
11.2 Information on other	hazards
11.2.1 Endocrine disrup	ting properties
Not available.	

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol 1,2-benzisothiazol-3(2H)-one	Acute LC50 40613 mg/l Acute EC50 0.11 mg/l Chronic NOEC 0.09 mg/l	Fish Algae Fish	96 hours 72 hours 28 days

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary	: There are no data available on the mixture itself.
--------------------	--

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
propane-1,2-diol 1,2-benzisothiazol-3(2H)-one	-	-	Readily Readily

12.3 Bioaccumulative potential

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OP/	AQUE		

SECTION 12: Ecological information

Product/ingredient name	LogPow	BCF	Potential
propane-1,2-diol	-1.07	-	low
1,2-benzisothiazol-3(2H)-one	0.7		low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation	
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Type of packaging	European waste catalogue (EWC)	
Container	15 01 06 mixed packaging	
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.	

Code	: 10130DSC13X91	Date of issue/Date of revision	: 17 May 2023
GORI 91 OPAQUE			

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

: Not applicable.

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain

dangerous substances, mixtures and articles

Other national and international regulations.

Ozone depleting substances (1005/2009/EU)

Not listed.

VOC for Ready-for-Use	: IIA/e. Interior/exterior trim varnishes and woodstains, including opaque woodstains. EU
Mixture	limit values: 130 g/l (2010.)
	This product contains a maximum of 50 g/l VOC.

English	(GB)
---------	------

Code: 10130DSC13X91Date of issue/Date of revision: 17 May 2023GORI 91 OPAQUE

SECTION 15: Regulatory information

15.2 Chemical safety assessment

: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

	has changed north previously is	
Abbreviations and acronyms	: ATE = Acute Toxicity Esti CLP = Classification, Lab 1272/2008] DNEL = Derived No Effec EUH statement = CLP-sp PNEC = Predicted No Effe RRN = REACH Registrati	elling and Packaging Regulation [Regulation (EC) No. et Level ecific Hazard statement ect Concentration
Full text of abbreviated H statements	H315Causes skin irriH317May cause an aH318Causes seriousH330Fatal if inhaled.H400Very toxic to aqH410Very toxic to aq	owed. with skin. act with skin. skin burns and eye damage. tation. Illergic skin reaction. eye damage. uatic life. uatic life with long lasting effects. b life with long lasting effects.
Full text of classifications [CLP/GHS]	: Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 Eye Dam. 1 Skin Corr. 1B Skin Corr. 1C Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1B SKIN CORROSION/IRRITATION - Category 1C SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1
<u>History</u>		
Date of issue/ Date of revision	: 17 May 2023	
Date of previous issue	: 6 May 2023	
Prepared by	: EHS	
Version	: 4.15	
_		

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.