SAFETY DATA SHEET

Date of issue/Date of revision

: 26 October 2023

: 8.02

Version

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name Product code : PROMINENT ULTRA SHIELD M TO O

: 12509DSA0029

Other means of identification

00376850; 00376851

1.2 Relevant identified uses of the substance or mixture and uses advised against

	Identified uses
Professional spray pa	ainting, indoor (Level I & II)
Product use	: Consumer applications, Professional applications, Used by spraying, Application by non spray methods

1.3 Details of the supplier of the safety data sheet

Prominent Paints	
11 Dan Jacobs Street,	
Alrode, PO Box 136166, Alber	ton North 1456
South Africa	
Tel: 0027 113 89 46 00	
Fax: 0027 113 89 46 41	
e-mail address of person responsible for this SDS	: Customercare@prominentpaints.co.za
1.4 Emergency telephone	: +27 86 177 66 46

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Skin Sens. 1, H317

Aquatic Chronic 2, H411

number

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms

Signal word

: Warning

South Africa

Conforms to Regulation (EC) No.	1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU)	
2020/878		

Code : 12509DSA0029	Date of issue/Date of revision	: 26 October 2023
PROMINENT ULTRA SHIELD M TO O		

SECTION 2: Hazards identification

Hazard statements	: May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
Response	: Collect spillage. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
	P102, P101, P280, P273, P261, P391, P362 + P364, P302 + P352, P333 + P313, P501
Hazardous ingredients	 Øils, pine octhilinone (ISO) 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) 1,2-benzisothiazol-3(2H)-one
Supplemental label elements	: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	ients
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: May cause endocrine disruption.

SECTION 3: Composition/information on ingredients

		Eng	lish (GB)	South Africa	2/15
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Reg	julation (EU)
2020/878	

Code	

: 12509DSA0029

PROMINENT ULTRA SHIELD M TO O

Date of issue/Date of revision

: 26 October 2023

SECTION 3: Composition/information on ingredients

Diss, pine CAS: 8002-09-3 S0.30 Fram. LR, 3, FL226 - [1] 4-Nonylphenol, branched, ethoxylated EC: 500-315-8 S0.30 Skin Irtit 2, H315 - [1] [3] 4-Nonylphenol, branched, ethoxylated EC: 500-315-8 S0.30 Skin Irtit 2, H315 - [1] [3] 4-Nonylphenol, branched, ethoxylated EC: 500-315-8 S0.30 Skin Irtit 2, H315 - [1] [3] 6 diuron (ISO) EC: 206-354-4 S0.30 Skin Irtit 2, H315 - [1] [3] carbendazim (ISO) EC: 234-232-0 CAS: 10605-21-7 Skin Sens. 1, H317 M [Acute] = 10 [1] [1] octhilinone (ISO) EC: 247-761-7 CAS: 10605-21-7 Skin Sens. 1, H317 M [Chronic] = 125 mg/ [1] octhilinone (ISO) EC: 247-761-7 CAS: 2653-020-1 Skin Sens. 1, H317 M [Chronic] = 01 [1] order EX.247-761-7 CAS: 2652-02-04 Skin Sens. 1, H317 M [Chronic] = 027 mg1 [1] order EX.247-761-7 CAS: 2652-02-04 Skin Sens. 1, H317 M [Chronic] = 100 [1] [1] order EX.247-761-7 CAS: 26530-20-1 Skin Sens. 1, H317 </th <th></th> <th></th> <th></th> <th></th> <th>1</th> <th>[4]</th>					1	[4]
ethoxylated CAS: 127087-87-0 Eye Dam. 1, H318 ATE [Oral] = 1000 mg/ kg [1] [2] diuron (ISO) EC: 206-354.4 CAS: 330.54.4 CAS: 330.54.4 CAS: 330.54.4 CAS: 330.54.4 CAS: 330.54.4 CAS: 330.54.4 CAS: 10605-21.7 Index: 613-048-00-8 \$0.10 Acute Tox. 4, H302 Carc. 2, H351 STOT FE 2, H373 Aquatia Acute 1, H400 Aquatic Chronic 1, H410 ATE [Oral] = 100 mg/ M [Chronic] = 10 [1] octhilinone (ISO) EC: 247.761.7 CAS: 26530-20-1 Index: 613-112-00-5 <0.10	Øîls, pine	CAS: 8002-09-3	≤0.30	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Asp. Tox. 1, H304	-	[1]
CAS: 330-54-1 Index: 006-015-00-9 Carc. 2; H351 STOT RE 2; H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Kacute] = 10 M [Acute] = 10 [1] carbendazim (ISO) EC: 234-232-0 CAS: 10605-21-7 Index: 613-048-00-8 <0.10			≤0.30		-	[1] [3]
CAS: 10605-21-7 Index: 613-048-00-8 Muta. 18, H340 Rept. T. B. H360FD Aquatic Acute 1, H410 M [Chronic] = 10 octhilinone (ISO) EC: 247-761-7 CAS: 26530-20-1 Index: 613-112-00-5 <0.10	diuron (ISO)	CAS: 330-54-1	≤0.10	Carc. 2, H351 STOT RE 2, H373 Aquatic Acute 1, H400	kg M [Acute] = 10	[1] [2]
$ \begin{array}{c} \text{CAS: } 26530-20-1 \\ \text{Index: } 613-112-00-5 \\ \text{Skin Corr. } 1, H314 \\ \text{Eye Dam. } 1, H316 \\ \text{Eye Dam. } 1, H317 \\ \text{Aquatic Chronic } 1, H410 \\ \text{EUH071} \\ \text{Index: } 613-326-00-9 \\ \text{CAS: } 2682-20-4 \\ \text{Index: } 613-326-00-9 \\ \text{CAS: } 55965-84-9 \\ \text{Index: } 613-167-00-5 \\ \text{CAS: } 55965-84-9 \\ \text{Index: } 613-167-00-5 \\ \text{Index: } 613-167-00-5 \\ \text{CAS: } 55965-84-9 \\ \text{Index: } 613-167-00-5 \\ \text{CAS: } 5066666666666666666666666666666666666$	carbendazim (ISO)	CAS: 10605-21-7	<0.10	Muta. 1B, H340 Repr. 1B, H360FD Aquatic Acute 1, H400		[1]
one $1-2120764690-50$ EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9 reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1) REACH #: 1-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5 REACH #: 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5 Index: 613-167-00-5 1-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5 1-2120764691-48 EC: 910-4 1-2120764691-48 EC: 910-4 1-212076469-5 EC: 910-4 1-212076469-5 EC: 910-4 1-212076469-5 EC: 910-4 1-212076469-5 E	octhilinone (ISO)	CAS: 26530-20-1	<0.10	Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	kg ATE [Dermal] = 311 mg/kg ATE [Inhalation (dusts and mists)] = 0.27 mg/l Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 100	[1]
2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1) 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5 Acute Tox. 2, H310 Acute Tox. 2, H310 Kin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 ATE [Dermal] = 50 mg/ kg ATE [Dermal] = 50 mg/ kg ATE [Dermal] = 50 mg/ kg Skin Corr. 1C, H314 Eye Dam. 1, H318 ATE [Inhalation (vapours)] = 0.5 mg/l Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Irrit. 2, H315: 0.06% $\leq C < 0.6\%$ Eye Dam. 1, H318: C $\geq 0.6\%$ Eye Irrit. 2, H319: 0.06% $\leq C < 0.6\%$ Skin Sens. 1, H317: C $\geq 0.0015\%$ M [Acute] = 100		01-2120764690-50 EC: 220-239-6 CAS: 2682-20-4	<0.010	Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	kg ATE [Dermal] = 242 mg/kg ATE [Inhalation (dusts and mists)] = 0.19 mg/l Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 10	[1]
English (GB) South Africa 3/15	2-methyl-2H-isothiazol- 3-one and 2-methyl-2H-	01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9	≤0.033	Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Dermal] = 50 mg/ kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Skin Irrit. 2, H315: 0.06% ≤ C < 0.6% Eye Dam. 1, H318: C ≥ 0.6% Eye Irrit. 2, H319: 0.06% ≤ C < 0.6% Skin Sens. 1, H317: C ≥ 0.0015%	[1]
	1		English	(GB) South	Africa	3/15

Code : 12509DSA0029			Date of issue/Date of rev	rision : 26	: 26 October 2023	
PROMINENT ULTRA SHIELD M TO O						
SECTION 3: Com	position/inform	ation on	ingredients			
				M [Chronic] = 10	00	
1 2-benzisothiazol-3(2H)-	EC: 220-120-9	<0.050	Acute Tox 4 H302	$\Delta TE [Oral] = 10^{\circ}$	20 mg/ [1]	

Index: 613-088-00-6 Skin Irrit. 2, H315 ATE [Inhalation (du Eye Dam. 1, H318 and mists)] = 0.4 m	ng/ [1]	
Skin Sens. 1, H317 Skin Sens. 1, H317	-	
Aquatic Acute 1, H400 ≥ 0.05%		
Aquatic Chronic 2, H411 M [Acute] = 1		
See Section 16 for		
the full text of the H		
statements declared		
above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance of equivalent concern

This mixture contains \geq 1% of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Note 10.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact : Remove contact lens

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.	,
	In case of accidental eye contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delay – get medical attention if pain, irritation or blistering occurs after contact.	
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by train personnel.	ed
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and wate or use recognised skin cleanser. Do NOT use solvents or thinners.	ər
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.)
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It ma be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Was contaminated clothing thoroughly with water before removing it, or wear gloves.	

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effect	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.

Code	: 12509DSA0029	Date of issue/Date of revision	: 26 October 2023
PROMINENT	ULTRA SHIELD M TO O		

SECTION 4: First aid measures

Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon oxides metal oxide/oxides
5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	To action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist Provide adequate ventilation. Wear appropriate respirator when ventilation is nadequate. Put on appropriate personal protective equipment.	
For emergency responders	specialised clothing is required to deal with the spillage, take note of any information Section 8 on suitable and unsuitable materials. See also the information in "For non- mergency personnel".	
6.2 Environmental precautions	woid dispersal of spilt material and runoff and contact with soil, waterways, drains an ewers. Inform the relevant authorities if the product has caused environmental ollution (sewers, waterways, soil or air). Water polluting material. May be harmful to ne environment if released in large quantities. Collect spillage.	

6.3 Methods and material for containment and cleaning up

English (GB)	South Africa	5/15

Code: 12509DSA0029Date of issue/Date of revision: 26 October 2023PROMINENT ULTRA SHIELD M TO O

SECTION 6: Accidental release measures

SECTION 6. Accidental release measures		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.	
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Code : 12509DSA0029		Date of issue/Date of revision: 26 October 2023	
PROMINENT ULTRA SHIELD	М ТО О		
Product/ingredient name		Exposure limit values	
Manium dioxide		DOL OEL (South Africa, 3/2021). TWA: 10 mg/m³ 8 hours.	
Talc , not containing asbestife	orm fibres	DOL OEL (South Africa, 3/2021). TWA: 4 mg/m ³ 8 hours. Form: Respirable fraction	
calcium carbonate		ACGIH TLV (United States). TWA: 3 mg/m ³ Form: Respirable TWA: 10 mg/m ³ Form: Total dust	
Recommended monitoring procedures	Standard EN 68 by inhalation to strategy) Europ application and biological agent requirements fo agents) Refere	Id be made to monitoring standards, such as the following: European 89 (Workplace atmospheres - Guidance for the assessment of exposur chemical agents for comparison with limit values and measurement bean Standard EN 14042 (Workplace atmospheres - Guide for the use of procedures for the assessment of exposure to chemical and s) European Standard EN 482 (Workplace atmospheres - General r the performance of procedures for the measurement of chemical nce to national guidance documents for methods for the determination ibstances will also be required.	
8.2 Exposure controls			
Appropriate engineering controls	: Good general ve contaminants.	entilation should be sufficient to control worker exposure to airborne	
Individual protection measu	res		
Hygiene measures	eating, smoking Appropriate tecl Contaminated v contaminated cl	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection <u>Skin protection</u>	: Safety glasses v	with side shields.	
Hand protection	worn at all times necessary. Cor during use that noted that the ti glove manufacto protection time frequently repea (breakthrough ti When only brief (breakthrough ti The user must of product is the m	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.	
Gloves	: polyethylene		
Body protection		tive equipment for the body should be selected based on the task being the risks involved and should be approved by a specialist before oduct.	
Other skin protection	based on the ta	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	:		

Code	: 12509DSA0029	Date of issue/Date of revision : 26 October 2023
PROMINENT	ULTRA SHIELD M	то о
		Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3
Environmei controls	ntal exposure :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

		vapour or dust with a	ar is possi	JIE.				
Explosive properties	:	The product itself is i	not explos	ive, but	the formation of	of an exp	olosible m	ixture of
Vapour density	:	Highest known value 2,2,4-trimethylpentar			obutyric acid, r	nonoest	er with	
Relative density	1	1.34						
Evaporation rate	:	Not available.						
		water	17.5	2.3				
		ingrouient nume	mm Hg	kPa	Method	mm Hg	kPa	Method
Vapour pressure	÷	Ingredient name	Vapou	Vapour Pressure at 20°C		Vapour pressure at 50		sure at 50°
Partition coefficient: n-octanol water	1:	Not applicable.	T			1		
cold water		-	Partially soluble					
Solubility(ies) Media		Result						
Viscosity Solubility/ios)	÷	> 100 s (ISO 6mm)						
Viscosity	:	Kinematic (40°C): >21 mm ² /s						
pH	1	8.8						
Decomposition temperature		Stable under recommended storage and handling conditions (see Section 7).						
		sobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol393739.4						
Auto-ignition temperature	÷	Ingredient name		°C	°F		Nethod	
Flash point	÷	Closed cup: Not app	licaple.					
explosive limits		2,2,4-trimethylpentar	ne-1,3-diol				, c i	
Upper/lower flammability or		Greatest known rang	e: Lower:	0.6% l	Joper: 4.2% (is	obutvric	acid. mo	noester witl
boiling range Flammability	ι.	Not available.						
Initial boiling point and	- :	>37.78°C	>37.78°C					
Melting point/freezing point	-	May start to solidify at the following temperature: 0°C (32°F) This is based on data for the following ingredient: water. Weighted average: -2.83°C (26.9°F)						
Odour threshold		Not available.	lot available.					
Odour		Faint odour. [Slight]						
Colour	:	Various						
		Liquid.						

Conforms 2020/878		6 (REACH), Annex II, as amended by Commission	n Regulation (EU)
Code	: 12509DSA0029	Date of issue/Date of revision	: 26 October 2023

PROMINENT ULTRA SHIELD M TO O

SECTION 9: Physical and chemical properties

Oxidising properties Particle characteristics

Median particle size

: Product does not present an oxidizing hazard.

: Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
: No specific test data related to reactivity available for this product or its ingredients.		
: The product is stable.		
: Under normal conditions of storage and use, hazardous reactions will not occur.		
: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.		
: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.		
: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides		

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Øils, pine	LD50 Dermal	Rabbit	5 g/kg	-
	LD50 Oral	Rat	2.1 g/kg	-
diuron (ISO)	LD50 Dermal	Rat	>5 g/kg	-
	LD50 Oral	Rat	1 g/kg	-
carbendazim (ISO)	LD50 Dermal	Rabbit	8500 mg/kg	-
	LD50 Dermal	Rat	2 g/kg	-
	LD50 Oral	Rat	>5050 mg/kg	-
octhilinone (ISO)	LC50 Inhalation Dusts and	Rat	0.27 mg/l	4 hours
	mists		_	
	LD50 Dermal	Rabbit	311 mg/kg	-
	LD50 Oral	Rat	125 mg/kg	-
3(2H)-Isothiazolone, 2-methyl-	LC50 Inhalation Dusts and	Rat	0.19 mg/l	4 hours
	mists			
	LD50 Dermal	Rat	242 mg/kg	-
	LD50 Oral	Rat - Male	235 mg/kg	-
reaction mass of: 5-chloro-2-methyl-	LD50 Oral	Rat	53 mg/kg	-
4-isothiazolin-3-one [EC no. 247-500-7]				
and 2-methyl-2H-isothiazol-3-one [EC no.				
220-239-6] (3:1)				
1,2-benzisothiazol-3(2H)-one	LC50 Inhalation Dusts and	Rat	0.4 mg/l	4 hours
	mists			
	LD50 Oral	Rat	1020 mg/kg	-

Conclusion/Summary : There are no data available on the mixture itself.

 Code
 : 12509DSA0029
 Date of issue/Date of revision
 : 26 October 2023

 PROMINENT ULTRA SHIELD M TO O

SECTION 11: Toxicological information

Irritation/Corrosion

Conclusion/Summary	
Skin	: There are no data available on the mixture itself.
Eyes	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.

Sensitisation

Product/ingredient name	Route of exposure	Species	Result
octhilinone (ISO)	skin	Mouse	Sensitising
1,2-benzisothiazol-3(2H)-one	skin	Guinea pig	Sensitising

Conclusion/Summary

· · · · · · · · · · · · · · · · · · ·	
Skin	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
Mutagenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Carcinogenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Reproductive toxicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Teratogenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Specific target organ tox	<u>icity (single exposure)</u>
Not available.	

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
diuron (ISO)	Category 2	-	-

Aspiration hazard

Produ	ct/ingredient name	Result
Oils, pine		ASPIRATION HAZARD - Category 1
Information on likely routes of exposure	: Not available.	
Potential acute health ef	fects	
Inhalation	: No known significant effects o	r critical hazards.
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: May cause an allergic skin reaction.	
Eye contact	: No known significant effects or critical hazards.	
Symptoms related to the	physical, chemical and toxicologic	cal characteristics
Inhalation	: No specific data.	
Ingestion	: No specific data.	
Skin contact	: Adverse symptoms may inclue irritation redness	de the following:
Eye contact	: No specific data.	

Code : 12509DSA0029 PROMINENT ULTRA SHIELD M TO O Date of issue/Date of revision

: 26 October 2023

SECTION 11: Toxicological information

	-
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>cts</u>
Not available.	
Conclusion/Summary	: Not available.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.

Contains isothiazolinones. May cause allergic reaction. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. In case of accidental skin contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation, rash or blistering occurs after contact.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
díuron (ISO)	Acute EC50 0.031 mg/l	Algae	72 hours
	Acute EC50 0.022 mg/l	Algae	96 hours
	Acute EC50 0.018 mg/l	Aquatic plants	72 hours
	Acute EC50 1.4 mg/l	Daphnia	48 hours
	Acute LC50 14.7 mg/l	Fish	96 hours
	Chronic NOEC 0.0032 mg/l	Algae -	72 hours
	Fresh water	Desmodesmus	
		subspicatus	
	Chronic NOEC 0.56 mg/l	Daphnia	21 days
	Chronic NOEC 0.41 mg/l	Fish	28 days
carbendazim (ISO)	Acute LC50 0.019 mg/l Fresh	Fish	96 hours
	water		
	Chronic NOEC 0.0015 mg/l	Daphnia	21 days
	Fresh water		-
1,2-benzisothiazol-3(2H)-one	Acute EC50 0.11 mg/l	Algae	72 hours
	Chronic NOEC 0.09 mg/l	Fish	28 days

Conclusion/Summary

: There are no data available on the mixture itself.

ith Africa
J

11/15

Code: 12509DSA0029Date of issue/Date of revision: 26 October 2023PROMINENT ULTRA SHIELD M TO O

SECTION 12: Ecological information

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.				
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
carbendazim (ISO) 1,2-benzisothiazol-3(2H)-one	-	-	Not readily Readily	

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
diuron (ISO)	2.84	14.13	Low
carbendazim (ISO)	1.52	2.51	Low
octhilinone (ISO)	2.45	-	Low
1,2-benzisothiazol-3(2H)-one	0.7	-	Low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

May cause endocrine disruption.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation	
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	

Conforms to Regulation (EC) No. 1907/2	2006 (REACH), Annex II, as amended by Commission Regulation (EU)
2020/878	

Code : 12509DSA0029

Date of issue/Date of revision

: 26 October 2023

PROMINENT ULTRA SHIELD M TO O

SECTION 13: Disposal considerations

Type of packaging	European waste catalogue (EWC)	
Container	15 01 06	mixed packaging
Special precautions	taken when Empty conta	I and its container must be disposed of in a safe way. Care should be handling emptied containers that have not been cleaned or rinsed out. iners or liners may retain some product residues. Avoid dispersal of spilt runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oils, pine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	Ш	Ш	
14.5 Environmental hazards	Yes.	Yes.	Yes.
Marine pollutant substances	Not applicable.	(Oils, pine)	Not applicable.

Additional information

	D	
14.7 Transport in according to IMO instruments		: Not applicable.
14.6 Special prec user	autions for	: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
ΙΑΤΑ		uct is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, he packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
IMDG		uct is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, he packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
ADR/RID Tunnel code		uct is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, he packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

Code : 12509DSA0029

PROMINENT ULTRA SHIELD M TO O

Date of issue/Date of revision

: 26 October 2023

SECTION 15: Regulatory information

Intrinsic property	Ingredient name	Status	Reference number	Date of revision
ndocrine disrupting properties for environment	4-nonylphenol, branched and linear, ethoxylated substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof		43	7/3/2017

Substances of very high concern

Intrinsic property	Ingredient name	Status	Reference number	Date of revision
Endocrine disrupting properties for environment	4-nonylphenol, branched and linear, ethoxylated substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof	Recommended	ED/69/2013	7/3/2017

Annex XVII - Restrictions : Not applicable. on the manufacture,

placing on the market

and use of certain

dangerous substances, mixtures and articles

Other national and international regulations.

Ozone depleting substances (1005/2009/EU)

Not listed.

Biocidal products regulation	: Contains a biocidal product; C(M)IT/MIT (3:1)
-------------------------------------	---

15.2 Chemical safety	: No Chemical Safety Assessment has been carried out.	
assessment		

SECTION 16: Other information

Indicates information that has changed from previously issued version.					
Abbreviations and acronyms	ATE = A CLP = C 1272/20 DNEL = EUH sta PNEC = RRN = F	ו (EC) No.			
Full text of abbreviated H statements	: H226 H301 H302 H304 H310 H311 H314 H315 H317 H318	Flammable liquid and vapour. Toxic if swallowed. Harmful if swallowed. May be fatal if swallowed and ent Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and ey Causes skin irritation. May cause an allergic skin reaction Causes serious eye damage.	<i>v</i> e damage.		
		English (GB)	South Africa	14/15	

Code : 12509DSA002 PROMINENT ULTRA SHIELD		Date of issue/Date of revision	: 26 October 2023
SECTION 16: Other i	nformation		
	 H319 Causes serious eye irritation. H330 Fatal if inhaled. H340 May cause genetic defects. H351 Suspected of causing cancer. H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. 		
Full text of classifications [CLP/GHS]	: Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 Asp. Tox. 1 Carc. 2 Eye Dam. 1 Eye Irrit. 2 Flam. Liq. 3 Muta. 1B Repr. 1B Skin Corr. 1 Skin Corr. 1 Skin Corr. 1C Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A Skin Sens. 1B STOT RE 2	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 SHORT-TERM (ACUTE) AQUATIC LONG-TERM (CHRONIC) AQUAT LONG-TERM (CHRONIC) AQUAT ASPIRATION HAZARD - Category CARCINOGENICITY - Category 2 SERIOUS EYE DAMAGE/EYE IRF SERIOUS EYE DAMAGE/EYE IRF FLAMMABLE LIQUIDS - Category GERM CELL MUTAGENICITY - Cat SKIN CORROSION/IRRITATION - SKIN CORROSION/IRRITATION - SKIN CORROSION/IRRITATION - SKIN CORROSION/IRRITATION - SKIN SENSITISATION - Category SKIN SENSITISATION - Category SKIN SENSITISATION - Category SKIN SENSITISATION - Category SKIN SENSITISATION - Category SPECIFIC TARGET ORGAN TOX EXPOSURE - Category 2	IC HAZARD - Category 1 IC HAZARD - Category 2 1 RITATION - Category 1 RITATION - Category 2 3 ategory 1B • Category 1 • Category 1 • Category 1 • Category 1 • Category 2 1 1 1A 1B
<u>History</u> Date of issue/ Date of revision	: 26 October 2023		
Date of previous issue	: 15 February 2023		
Prepared by Version	: EHS : 8.02		

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.