SAFETY DATA SHEET

Date of issue/Date of revision

: 15 February 2023 Version

: 6.01

PROMINENT

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PROMINENT ULTRA MATT
Product code	: 12509DSA0094
Product type	: Liquid.
Other means of identification	tion

00377367; 00377368; 00377369; 00377370

1.2 Relevant identified uses of the substance or mixture and uses advised against

	Identified uses
Professional spray pa	ainting, indoor (Level I & II)
Product use	: Consumer applications, Professional applications, Used by spraying, Application by non spray methods

1.3 Details of the supplier of the safety data sheet

Prominent Paints	
11 Dan Jacobs Street,	
Alrode, PO Box 136166, Alber	ton North 1456
South Africa	
Tel: 0027 113 89 46 00	
Fax: 0027 113 89 46 41	
e-mail address of person responsible for this SDS	: Customercare@prominentpaints.co.za
1.4 Emergency telephone	: +27 86 177 66 46

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

: Mixture **Product definition** Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Skin Sens. 1, H317 Aquatic Chronic 3, H412 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms Signal word : Warning

Hazard statements

number

: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
: Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
: Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
: Not applicable.
: Dispose of contents and container in accordance with all local, regional, national and international regulations.
: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)
: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
: Not applicable.
ents
: Not applicable.
: Not applicable.
: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
propylidynetrimethanol	REACH #: 01-2119486799-10 EC: 201-074-9 CAS: 77-99-6	≤0.30	Repr. 2, H361	-	[1]
reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1)	REACH #: 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.025	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/kg ATE [Dermal] = 50 mg/ kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Skin Irrit. 2, H315: $0.06\% \le C < 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319:	
		English	(GB) South	n Africa	2/12

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II			
Code : 12509DSA0094	Date of issue/Date of revis	ion : 15 February 2023	
PROMINENT ULTRA MATT			
SECTION 3: Composition/informat	tion on ingredients		
	See Section 16 for the full text of the H statements declared above.	0.06% ≤ C < 0.6% Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 100 M [Chronic] = 100	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health ef	fects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sy</u>	mptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Code : 12509DSA0094 PROMINENT ULTRA MATT Date of issue/Date of revision

for fire-fighters (including helmets, protective boots and gloves) conforming to European

standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides Formaldehyde.
5.3 Advice for firefighters	
Special precautions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Code : 12509DSA0094

PROMINENT ULTRA MATT

Date of issue/Date of revision

SECTION 6: Accidental release measures

6.4 Reference to other	: See Section 1 for emergency contact information.
sections	See Section 8 for information on appropriate personal protective equipment.
	See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

	-
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.2 Specific and use(a)	

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2 Exposure controls

Code : 12509DSA0094

Date of issue/Date of revision

PROMINENT ULTRA MATT

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.					
Individual protection measures						
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.					
Eye/face protection Skin protection	: Safety glasses with side shields.					
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.					
Gloves	: nitrile rubber, butyl rubber, PVC, Viton®					
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.					
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.					
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.					
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.					

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

	English (CD) Couth Africa 6/42
Initial boiling point and boiling range	: >37.78°C
Melting point/freezing point	: May start to solidify at the following temperature: 0°C (32°F) This is based on data for the following ingredient: water. Weighted average: -2.07°C (28.3°F)
Odour threshold	: Not available.
Odour	: Faint odour.
Colour	: Various
Physical state	: Liquid.
<u>Appearance</u>	

SECTION 9: Physical and chemical properties Flammability : Not available. Upper/lower flammability or explosive limits : Greatest known range: Lower: 0.6% Upper: 4.2% (isobutyric acid, monoester with 2.2.4-trimethylpentane-1,3-diol) Flash point : Closed cup: Not applicable. Auto-ignition temperature : Ingredient name °C °F Method boutyric acid, monoester with 2.2.4-trimethylpentane-1,3-diol 393 739.4	Code: 12509DSA0094PROMINENT ULTRA MATT			Date of	issue/[Date of revision	on	: 15 Fe	ebruary 2023
Upper/lower flammability or explosive limits : Greatest known range: Lower: 0.6% Upper: 4.2% (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol) Flash point : Closed cup: Not applicable. Auto-ignition temperature : Ingredient name °C °F Method isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol 393 739.4	SECTION 9: Physical a	nd	chemical prop	perties					
explosive limits 2,2,4-trimethylpentane-1,3-diol) Flash point : Closed cup: Not applicable. Auto-ignition temperature : Ingredient name °C °F Method isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol 393 739.4	Flammability	:	Not available.						
Auto-ignition temperature : Ingredient name °C °F Method isobutyric acid, monoester with 2.2.4-trimethylpentane-1,3-diol 393 739.4		:				Jpper: 4.2% (is	sobutyrio	c acid, mo	noester with
Decomposition temperature : Stable under recommended storage and handling conditions (see Section 7). pH : 8 Viscosity : Kinematic (40°C): >21 mm²/s Viscosity : Xinematic (40°C): >21 mm²/s Viscosity : > 100 s (ISO 6mm) Solubility(ies) : Media Result cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour Pressure at 20°C Vapour pressure at 50°C Vapour pressure : Ingredient name Water Vapour density : 1.3 : 1.3 : 2.4.trimethylpentane-1,3-diol) Explosive properties : The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible. Oxidising properties : Product does not present an oxidizing hazard.	Flash point	:	Closed cup: Not app	licable.					
2,2,4-trimethylpentane-1,3-diol Decomposition temperature pH : Stable under recommended storage and handling conditions (see Section 7). pH : Wiscosity : Viscosity : Media cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour pressure at 20°C Vapour pressure at 50°C Ingredient name Water water 23.8 : Ingredient name water 23.8 : 1.3 Vapour density : : Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol). : The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible. Oxidising properties : Product does not present an oxidizing hazard.	Auto-ignition temperature	:	Ingredient name		°C	°F		Method	
pH : 8 Viscosity : Kinematic (40°C): >21 mm²/s Viscosity : > 100 s (ISO 6mm) Solubility(ies) : Media Result cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour pressure at 20°C Vapour pressure at 50°C Vapour pressure : Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C Vapour pressure : Ingredient name Water 23.8 3.2 Imm Evaporation rate : Not available. : 1.3 : Immediation in the product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible. Oxidising properties : Product does not present an oxidizing hazard.					393	739.4			
Viscosity : Kinematic (40°C): >21 mm²/s Viscosity : > 100 s (ISO 6mm) Solubility(ies) : Image: Solubility (1es) Media Result Cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour pressure at 20°C Vapour pressure at 50°C Vapour pressure : Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C water 23.8 3.2 Image: Solubile Image: Solubile Evaporation rate : Not available. Image: Solubile Image: Solubile Evaporation rate : Not available. Image: Solubile Image: Solubile Image: Solubile Vapour density : 1.3 Image: Solubile Image: Solubile Image: Solubile Image: Solubile Image: Solubile Vapour density : 1.3 Image: Solubile Image:				nended st	orage a	nd handling co	onditions	s (see Sec	tion 7).
Solubility(ies) : Media Result cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour pressure : Vapour pressure : Method mm kPa Method Hg water 23.8 3.2 June Method Evaporation rate : Not available. : 1.3 Vapour density : 1.3 Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol). Explosive properties : The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible. Oxidising properties : Product does not present an oxidizing hazard.		:	Kinematic (40°C): >2	21 mm²/s					
Media Result cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour Pressure at 20°C Vapour pressure at 50°C Vapour pressure : Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C Water 23.8 3.2 Immediate Method Mm Evaporation rate : Not available. Image: Solution content is solution of the solution of th	-	:	> 100 s (ISO 6mm)						
cold water Partially soluble Partition coefficient: n-octanol/ : Not applicable. water Vapour pressure : Vapour pressure : Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C water vapour pressure : Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C water 23.8 3.2 Method mm Hg KPa Method water 23.8 3.2 i i i Evaporation rate : Not available. : : Relative density : 1.3 : : : : Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2.2,4-trimethylpentane-1,3-diol). : : : The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible. : Product does not present an oxidizing hazard. Oxidising properties : Product does not present an oxidizing hazard. : Product does not present an oxidizing hazard.	Solubility(ies)	:							
Partition coefficient: n-octanol/ : Not applicable. Vapour pressure : Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C mm Hg kPa Method mm water 23.8 3.2 Image: Second	Media		Result						
water Vapour pressure Ingredient name Vapour Pressure at 20°C Vapour pressure at 50°C mm Hg kPa Method mm kPa Method Hg Method water 23.8 3.2 Imm Imm kPa Method Hg Method Hg Evaporation rate : Not available. : 1.3 : 1.3 Vapour density : 1.3 : : Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol). : The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible. Oxidising properties : Product does not present an oxidizing hazard.	cold water		Partially soluble						
Ingredient nameTopon rotocol a color		1/:	Not applicable.						
Ingredient name mm Hg kPa Method mm kPa Method water 23.8 3.2 a <td< td=""><td>Vapour pressure</td><td>:</td><td></td><td colspan="2">Vapour Pressure at 20°C</td><td>Vap</td><td>our press</td><td>sure at 50°C</td></td<>	Vapour pressure	:		Vapour Pressure at 20°C		Vap	our press	sure at 50°C	
water23.83.2Evaporation rate Relative density: Not available.Relative density: 1.3Vapour density: Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol).Explosive properties: The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible.Oxidising properties: Product does not present an oxidizing hazard.			Ingredient name	-		1	mm	- 1 -	1
Relative density: 1.3Vapour density: Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol).Explosive properties: The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible.Oxidising properties: Product does not present an oxidizing hazard.			water	23.8	3.2				
Relative density: 1.3Vapour density: Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol).Explosive properties: The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible.Oxidising properties: Product does not present an oxidizing hazard.	Evaporation rate	:	Not available.						
2,2,4-trimethylpentane-1,3-diol).Explosive propertiesCoxidising propertiesarticle characteristics		:	1.3						
Oxidising properties : Product does not present an oxidizing hazard. article characteristics	Vapour density	:				obutyric acid,	monoes	ter with	
Particle characteristics	Explosive properties	:				the formation	of an ex	plosible m	nixture of
	Oxidising properties	1	Product does not pre	esent an o	kidizing	hazard.			
Median particle size : Not applicable.	article characteristics								
	Median particle size	1	Not applicable.						
0.2 Other information	No additional information								

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Code : 12509DSA0094

PROMINENT ULTRA MATT

Date of issue/Date of revision

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products

: Depending on conditions, decomposition products may include the following materials: carbon oxides Formaldehyde. metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredien	t name	Result	Species	Dose	Exposure
propylidynetrimethanol reaction mass of: 5-chloro- 4-isothiazolin-3-one [EC nc and 2-methyl-2H-isothiazol 220-239-6] (3:1)	0. 247-500-7]	LD50 Dermal LD50 Oral LD50 Oral	Rabbit Rat Rat	10 g/kg 14000 mg/kg 53 mg/kg	- - -
Conclusion/Summary	: There are	no data available on the mixtur	e itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are r	no data available on the mixture	e itself.		
Eyes	: There are r	no data available on the mixture	e itself.		
Respiratory	: There are r	no data available on the mixture	e itself.		
Sensitisation					
Conclusion/Summary					
Skin	: There are	no data available on the mixtur	e itself.		
Respiratory	: There are	no data available on the mixtur	e itself.		
Mutagenicity					
Conclusion/Summary	: There are	no data available on the mixtur	e itself.		
Carcinogenicity					
Conclusion/Summary	: There are	no data available on the mixtur	e itself.		
Reproductive toxicity					
Conclusion/Summary	: There are	no data available on the mixtur	e itself.		
Teratogenicity					
Conclusion/Summary	: There are	no data available on the mixtur	e itself.		
Specific target organ toxi	<u>city (single exp</u>	<u>osure)</u>			
Not available.					
Specific target organ toxi	city (repeated ex	xposure)			
Not available.		<u>, , , , , , , , , , , , , , , , , , , </u>			
Aspiration hazard Not available.					
Information on likely routes of exposure	: Not availat	ble.			
Potential acute health effe	ects				
Inhalation	: No known	significant effects or critical ha	zards.		
Ingestion	: No known	significant effects or critical ha	zards.		
Skin contact	: May cause	an allergic skin reaction.			
Eye contact	: No known	significant effects or critical ha	zards.		
Symptoms related to the	physical, chemi	cal and toxicological charact	teristics		
Inhalation	: No specific	c data.			
Ingestion	: No specific	c data.			
		English (GB)	Sout	h Africa	8/12
			oouu		0/12

Conforms to Regulation (EC)	Nc	. 1907/2006 (REACH), Annex II
Code : 12509DSA0094		Date of issue/Date of revision : 15 February 2023
PROMINENT ULTRA MATT		
SECTION 11: Toxicol	0	gical information
Skin contact	:	Adverse symptoms may include the following: irritation redness
Eye contact	:	No specific data.
Delayed and immediate effe	cts	as well as chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	2
Not available.		
Conclusion/Summary	:	Not available.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.

Other information : Not available.

Sanding and grinding dusts may be harmful if inhaled. Contains isothiazolinones. May cause allergic reaction. Contains a substance that may emit formaldehyde if stored beyond its shelf life and/or during cure at curing temperatures greater than 60C/140F.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
propylidynetrimethanol	Acute LC50 >1000 mg/l	Fish	96 hours

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

: There are no data available on the mixture itself. **Conclusion/Summary**

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
propylidynetrimethanol	-0.47	-	low

12.4 Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Date of issue/Date of revision

PROMINENT ULTRA MATT SECTION 12: Ecological information

: 12509DSA0094

Mobility

Code

: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Type of packaging	European waste catalogue (EWC)

Container	15 01 06	mixed packaging
Special precautions	taken wher Empty cont	al and its container must be disposed of in a safe way. Care should be handling emptied containers that have not been cleaned or rinsed out. ainers or liners may retain some product residues. Avoid dispersal of spilt d runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.
	1	English (GB)	South Africa 10/12

Date of issue/Date of revision

PROMINENT ULTRA MATT

: 12509DSA0094

SECTION 14: Transport information

Additional information

Code

ADR/RID	: None identified.
IMDG	: None identified.
IATA	: None identified.

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

: Not applicable.

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other national and international regulations.

Ozone depleting substances (1005/2009/EU)

Not listed.

Biocidal products regulation : Contains a biocidal product; C(M)IT/MIT (3:1)

15.2 Chemical safety: No Chemical Safety Assessment has been carried out.assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

	H400	Very toxic to aquatic life.	
	H361	Suspected of damaging fertility or the unborn child.	
	H330	Fatal if inhaled.	
	H318	Causes serious eye damage.	
	H317	May cause an allergic skin reaction.	
	H314	Causes severe skin burns and eye damage.	
statements	H310	Fatal in contact with skin.	
Full text of abbreviated H	: H301	Toxic if swallowed.	
	RRN = I	REACH Registration Number	
	PNEC =	Predicted No Effect Concentration	
	EUH sta	tement = CLP-specific Hazard statement	
	DNEL =	Derived No Effect Level	
-	1272/20	08]	·
acronyms	CLP = C	Classification, Labelling and Packaging Regulation [Regulation (EC) No.
Abbreviations and	: ATE = A	Acute Toxicity Estimate	
	-		

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II					
Code : 12509DSA0	94 Date of issue/Date of revision : 15 February 2023				
PROMINENT ULTRA MATT					
SECTION 16: Other information					
	 H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. 				
Full text of classifications [CLP/GHS]	: Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 3Aquatic Acute 1SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1Aquatic Chronic 1LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1Aquatic Chronic 3LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3Eye Dam. 1SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1Repr. 2REPRODUCTIVE TOXICITY - Category 2Skin Corr. 1CSKIN CORROSION/IRRITATION - Category 1Skin Sens. 1SKIN SENSITISATION - Category 1Skin Sens. 1ASKIN SENSITISATION - Category 1A				
<u>History</u>					
Date of issue/ Date of revision	: 15 February 2023				
Date of previous issue	: 29 November 2022				
Prepared by	: EHS				
Version	: 6.01				

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.