## **PPG Label Prep Sheet Japan GHS**

Product name : AMERLOCK 2 HARDENER

Code :

Signal word : Danger

Symbol :











**Hazard statements** 

: Flammable liquid and vapor.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction. May cause respiratory irritation.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs. (central nervous system (CNS), kidneys, liver, lungs, respiratory

system, systemic toxicity)

Causes damage to organs through prolonged or repeated exposure. (bladder, kidneys,

nervous system, respiratory system)

Very toxic to aquatic life with long lasting effects.

Product/ingredient name	CAS number	<u>%</u>	Reference	<u>e number</u>
Talc (containing no asbestos or quartz)	14807-96-6	<u>~</u>		[1]
barium sulfate	7727-43-7	≥10 - ≤25		[1]
nonylphenol	25154-52-3	14	320, 78-2	[1] [2] [3]
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with	68082-29-1	≤10		[1]
tall-oil fatty acids and triethylenetetramine				
Meta-xylylenediamine	1477-55-0	≤5.0	555	[1] [4]
4-tert-butylphenol	98-54-4	4.6	368	[1] [2]
ethyl benzene	100-41-4	2.4	53, 70	[1] [2] [4]
Xylene	1330-20-7	1.8	80, 136	[1] [2] [4]
4-Nonylphenol (branched)	84852-15-3	1.0	320	[1] [2]
Ethanol	64-17-5	<1.0	61	[1] [4]
3,6-diazaoctanethylenediamin	112-24-3	0.34		[1]
Octadecanamide, N,N'-1,6-hexanediylbis[12-hydroxy-	55349-01-4	<1.0		[1]
Polyamidoamine	SUB104580	≤0.30		[1]
proprietary polyamide	SUB133543	≤0.30		[1]
cristobalite (>10 microns)	14464-46-1	≤0.30	165-2	[4]

<sup>[1]</sup> JIS Z 7253

#### Pollutant Release and Transfer Registers (PRTR):

nonylphenol	13.824
4-tert-butylphenol	4.59
4-nonylphenol, branched	1.02
ethylbenzene	2.4485
xylene	1.7892

# Poisonous and Deleterious Substances

nonylphenol 13.824

For non-medical use.
Deleterious substance.

### Japan - Chemical Substances Control Law (CSCL)

ethylbenzene	2.4485
xylene	1.7892

### Danger

Flammable liquid and vapor. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. May cause cancer. May damage fertility or the unborn child. Causes damage to organs. (central nervous system (CNS), kidneys, liver, lungs, respiratory system, systemic toxicity) Causes damage to organs through prolonged or repeated exposure. (bladder, kidneys, nervous system, respiratory system) Very toxic to aquatic life with long lasting effects.

Obtain special instructions before use. Wear protective gloves, protective clothing and eye or face



<sup>[2]</sup> Pollutant Release and Transfer Registers (PRTR)

<sup>[3]</sup> Poisonous and Deleterious Substances

<sup>[4]</sup> ISHL Labeling requirements

protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment. Do not breathe vapor. Collect spillage. IF exposed or concerned: Call a POISON CENTER or doctor. IF INHALED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements: Do not taste or swallow. Avoid contact with skin and clothing. Wash thoroughly after handling.

UN number: UN3470

**Proper shipping name:** PAINT, CORROSIVE, FLAMMABLE. Marine pollutant (nonylphenol, Polyamide)

Class: 8 (3)
Packing group: II

Supplier/Manufacturer:

**Emergency telephone number:** 

078 574 2777

Fire Service Law:

Category IV Class II petroleums || Flammable - Keep Fire Away

Japan (GHS)