Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

# **SAFETY DATA SHEET**

Date of issue/Date of revision

: 9 March 2021

Version

: 1



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PSX 700 SAFETY RED 1979 RESIN
Product code	: 00336101
Product type	: Liquid.
Other means of identificati	on
Not available.	
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Product use	: Industrial applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier of	the safety data sheet
Sigma Paint Saudi Arabia Lto	l.
PO Box 7509 Dammam 31472	
Saudi Arabia	
Tel: 00966 138 47 31 00	
Fax: 00966 138 47 17 34	
e-mail address of person	: ndpic@sfda.gov.sa
responsible for this SDS	

# **SECTION 2: Hazards identification**

 2.1 Classification of the substance or mixture

 Product definition
 : Mixture

 <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u>

 Skin Sens. 1, H317

 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



: Warning

Signal word

number

English (GB) United Arab Emirates

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 00336101	Date of issue/Date of revision : 9 March 2021
PSX 700 SAFETY RED 1979 F	RESIN
<b>SECTION 2: Hazards</b>	identification
Hazard statements	: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
Response	<ul> <li>Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.</li> </ul>
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: 4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requiren	<u>nents</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	: None known.

# **SECTION 3: Composition/information on ingredients**

not result in classification

3.2 Mixtures : 1 Product/ingredient name	Mixture Identifiers	% by weight	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	REACH #: 01-2119959495-22 EC: 500-070-7 CAS: 30583-72-3	≥25 - ≤50	Skin Sens. 1, H317 Aquatic Chronic 3, H412	[1]
Wollastonite	EC: 237-772-5 CAS: 13983-17-0	≥10 - ≤25	Not classified.	[2]
Reaction mass of Bis (1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	REACH #: 01-2119491304-40 EC: 915-687-0 CAS: 1065336-91-5	≥0.30 - <2.5	Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1]
methanol	REACH #: 01-2119433307-44 EC: 200-659-6 CAS: 67-56-1 Index: 603-001-00-X	≤0.30	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	[1] [2]

English (GB) United Arab Emirates

2/13

### Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Code : 00336101 Date of issue/Date of revision

: 9 March 2021

PSX 700 SAFETY RED 1979 RESIN

# **SECTION 3: Composition/information on ingredients**

### See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### <u>Type</u>

[1] Substance classified with a health or environmental hazard

- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

### SUB codes represent substances without registered CAS Numbers.

# SECTION 4: First aid measures

### 4.1 Description of first aid measures

Eye contact	:	Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	:	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	<u>effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any im	mediate medical attention and special treatment needed
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

<b>Conforms to Regulation (EC</b>	) No. 1907/2006 (REACH), Annex II	
Code : 00336101	Date of issue/Date of revision : 9 March 2021	
PSX 700 SAFETY RED 1979 RESIN		
<b>SECTION 5: Firefigh</b>	ting measures	
5.1 Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
5.2 Special hazards arising	from the substance or mixture	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/oxides	
5.3 Advice for firefighters		
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	

# SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry

licensed waste disposal contractor.

material and place in an appropriate waste disposal container. Dispose of via a

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code : 00336101	Date of issue/Date of revision : 9 March 2021	
PSX 700 SAFETY RED 197	79 RESIN	
SECTION 6: Accide	ental release measures	
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.	
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

lot available.
lot available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

**Occupational exposure limits** 

Code : 00336101 PSX 700 SAFETY RED 1979 RESIN

**SECTION 8: Exposure controls/personal protection** 

Product/ingredien	t name	Exposure limit values
		ACGIH TLV (United States, 3/2019). TWA: 1 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction EU OEL (Europe, 10/2019). Absorbed through skin. TWA: 260 mg/m <sup>3</sup> 8 hours. TWA: 200 ppm 8 hours.
Recommended monitoring procedures	atmosphere or l of the ventilation protective equip the following: E the assessment limit values and atmospheres - ( of exposure to o (Workplace atm for the measure	contains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness on or other control measures and/or the necessity to use respiratory pment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for nt of exposure by inhalation to chemical agents for comparison with d measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 mospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be
.2 Exposure controls		
Appropriate engineering controls	: Good general v contaminants.	ventilation should be sufficient to control worker exposure to airborne
Individual protection measure	<u>es</u>	
Hygiene measures	before eating, s Appropriate tec Contaminated v contaminated c	orearms and face thoroughly after handling chemical products, smoking and using the lavatory and at the end of the working period. chniques should be used to remove potentially contaminated clothing. work clothing should not be allowed out of the workplace. Wash clothing before reusing. Ensure that eyewash stations and safety ose to the workstation location.
Eye/face protection Skin protection	: Safety glasses	with side shields.
Hand protection	be worn at all tin this is necessar check during us should be noted different for diffe several substan estimated. Who a protection class EN 374) is reco protection class according to EN of type of glove	tant, impervious gloves complying with an approved standard should imes when handling chemical products if a risk assessment indicates ry. Considering the parameters specified by the glove manufacturer, se that the gloves are still retaining their protective properties. It d that the time to breakthrough for any glove material may be ferent glove manufacturers. In the case of mixtures, consisting of nces, the protection time of the gloves cannot be accurately hen prolonged or frequently repeated contact may occur, a glove with ass of 6 (breakthrough time greater than 480 minutes according to commended. When only brief contact is expected, a glove with a s of 2 or higher (breakthrough time greater than 30 minutes N 374) is recommended. The user must check that the final choice e selected for handling this product is the most appropriate and takes e particular conditions of use, as included in the user's risk
Gloves	: butyl rubber	
Body protection		ctive equipment for the body should be selected based on the task ed and the risks involved and should be approved by a specialist g this product.
Other skin protection	selected based	otwear and any additional skin protection measures should be I on the task being performed and the risks involved and should be specialist before handling this product.
Respiratory protection	:	

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code : 00336101	Date of issue/Date of revision : 9 March 2021	
PSX 700 SAFETY RED 1979 F	RESIN	
SECTION 8: Exposur	e controls/personal protection	
	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical	and chemical properties
Appearance	
Physical state	: Liquid.
Colour	: Red.
Odour	: Characteristic.
Odour threshold	: Not available.
рН	: insoluble in water.
Melting point/freezing point	: May start to solidify at the following temperature: -12.9°C (8.8°F) This is based on data for the following ingredient: 4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro-2,3-epoxypropane.
Initial boiling point and boiling range	: >37.78°C
Flash point	: Closed cup: 97.22°C
Evaporation rate	: 0.7 (butyl acetate = 1)
Flammability (solid, gas)	: liquid
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: 1.6 kPa (12 mm Hg) (at 20°C)
Relative density	: 1.28
Solubility(ies)	: Insoluble in the following materials: cold water.
Water Solubility at room temperature	: 0.7 g/l
Partition coefficient: n-octanol/ water	: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Stable under recommended storage and handling conditions (see Section 7).
Viscosity	: Kinematic (40°C): >0.21 cm²/s
Explosive properties	: Product does not present an explosion hazard.

### 9.2 Other information

No additional information.

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 00336101	Date of issue/Date of revision : 9 March 2021
PSX 700 SAFETY RED 1979 F	ESIN
SECTION 10: Stabilit	y and reactivity
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
	Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/ oxides

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Reaction mass of Bis (1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	LD50 Dermal	Rat	>3170 mg/kg	-
Sebadate	LD50 Oral	Rat - Male, Female	3230 mg/kg	-
methanol	LC50 Inhalation Gas. LC50 Inhalation Gas. LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rat Rat Rabbit Rat	145000 ppm 64000 ppm 64000 ppm 15800 mg/kg 5600 mg/kg	1 hours 4 hours 4 hours - -

**Conclusion/Summary** : There are no data available on the mixture itself.

### Acute toxicity estimates

Route	ATE value	
Dermal	87084.5 mg/kg 261253.49 mg/kg 2612.53 mg/l	

: There are no data available on the mixture itself.
: There are no data available on the mixture itself.
: There are no data available on the mixture itself.
: There are no data available on the mixture itself.
: There are no data available on the mixture itself.

Conforms to Regulation (EC)	No	. 1907/2006 (REACH), Anr	nex II		
Code : 00336101				e/Date of revisio	n : 9 March 2021
PSX 700 SAFETY RED 1979 F	RES	SIN			
SECTION 11: Toxicol	log	gical information			
Conclusion/Summary		There are no data availabl	e on the mixt	ure itself.	
Carcinogenicity					
<b>Conclusion/Summary</b>	:	There are no data availabl	e on the mixt	ure itself.	
Reproductive toxicity					
<b>Conclusion/Summary</b>	:	There are no data availabl	e on the mixt	ure itself.	
Teratogenicity					
<b>Conclusion/Summary</b>	4	There are no data availabl	e on the mixt	ure itself.	
Specific target organ toxicit	<u>у (</u>	<u>single exposure)</u>			
Product/ing	red	ient name	Category	Route of exposure	Target organs
methanol			Category 1	-	-
Specific target organ toxicit	y (	<u>repeated exposure)</u>			•
Not available.					
Aspiration hazard					
Not available.					
Information on likely		Not available.			
routes of exposure	1				
Potential acute health effect	ts				
Inhalation		No known significant effec	ts or critical h	azards.	
Ingestion		No known significant effec			
Skin contact		May cause an allergic skin			
Eye contact		No known significant effec		azards.	
Symptoms related to the ph		-			
Inhalation	:	No specific data.			
Ingestion	:	No specific data.			
Skin contact	:	Adverse symptoms may in irritation redness	clude the foll	owing:	
Eye contact	:	No specific data.			
Delayed and immediate effe	cts	as well as chronic effect	<u>s from short</u>	and long-term e	exposure
Short term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Long term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Potential chronic health effe	ect	<u>8</u>			
Conclusion/Summary	:	Not available.			
General	:	Once sensitized, a severe to very low levels.	allergic react	ion may occur wh	nen subsequently exposed
Carcinogenicity	:	No known significant effec	ts or critical h	azards.	
Mutagenicity		No known significant effec			
Reproductive toxicity		No known significant effec			

### Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Code : 00336101

PSX 700 SAFETY RED 1979 RESIN

Date of issue/Date of revision : 9 March 2021

# **SECTION 11: Toxicological information**

Other information

: Not available.

Sanding and grinding dusts may be harmful if inhaled. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	LC50 11.5 mg/l	Fish	96 hours
Reaction mass of Bis(1,2,2,6,6-pentamethyl- 4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	EC50 1.68 mg/l	Algae	72 hours
methanol	LC50 0.9 mg/l Acute LC50 13 mg/l Fresh water	Fish Fish	96 hours 96 hours

**Conclusion/Summary** : There are no data available on the mixture itself.

### 12.2 Persistence and degradability

**Conclusion/Summary** : There are no data available on the mixture itself.

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
methanol	-0.77	-	low

### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# 13.1 Waste treatment methods <u>Product</u> Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Hazardous waste Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

English (GB) United Arab Emirates

# **SECTION 13: Disposal considerations**

Waste code	Waste designation	
08 01 99	wastes not otherwise specified	

### Packaging

```
Methods of disposal
```

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging		European waste catalogue (EWC)
Container	15 01 06	mixed packaging
Special precautions	taken when Empty conta	al and its container must be disposed of in a safe way. Care should be handling emptied containers that have not been cleaned or rinsed out. ainers or liners may retain some product residues. Avoid dispersal of al and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

### **Additional information**

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not applicable.according to IMOinstruments

Code : 00336101 PSX 700 SAFETY RED 1979 RESIN Date of issue/Date of revision : 9 March 2021

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorisation
Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.
Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles
Other national and international regulations.
Ozone depleting substances (1005/2009/EU) Not listed.
<b>15.2 Chemical safety</b> : No Chemical Safety Assessment has been carried out.

assessment

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

	English (GB) United Arab Emirates 12/13
Date of previous issue	: No previous validation
<u>History</u> Date of issue/ Date of revision	: 9 March 2021
History	Aquatic Chronic 3LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3Flam. Liq. 2FLAMMABLE LIQUIDS - Category 2Skin Sens. 1SKIN SENSITISATION - Category 1Skin Sens. 1ASKIN SENSITISATION - Category 1ASTOT SE 1SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1
Full text of classifications [CLP/GHS]	: Acute Tox. 3 Aquatic Acute 1 Aquatic Chronic Chronic 1 Aquatic Chronic Chronic 1 Aquatic Chronic Chr
Full text of abbreviated H statements	<ul> <li>PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> <li>H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H317 May cause an allergic skin reaction. H331 Toxic if inhaled. H370 Causes damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.</li> </ul>
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement</li> </ul>

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II						
Code	: 00336101	Date of issue/Date of revision	: 9 March 2021			
PSX 700 SAF	PSX 700 SAFETY RED 1979 RESIN					
SECTION 16: Other information						
Prepared by	: EHS					
Version	: 1					

### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.