SAFETY DATA SHEET

Date of issue/Date of revision

: 28 December 2022 Version : 1.03



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: 🖉 OLTURA EP FLOORING NF/EVO RAGREAGE FILLER
Product code	: 00444816
EC number	: Not available.
CAS number	: Not available.
Product type	: Powder.
Other means of identification	on
Not available.	
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Product use	: Professional applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier of	the safety data sheet
Sigma Paint Saudi Arabia Ltd PO Box 7509 Dammam 31472 Saudi Arabia Tel: 00966 138 47 31 00 Fax: 00966 138 47 17 34	
e-mail address of person responsible for this SDS	: ndpic@sfda.gov.sa

1.4 Emergency telephone : 00966 138473100 extn 1001 number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

.

 Product definition
 : Mono-constituent substance

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 00444816	Date of issue/Date of revision : 28 December 2022
COLTURA EP FLOORING NF	/EVO RAGREAGE FILLER
SECTION 2: Hazards	identification
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: Not applicable.
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	nents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Due durat un este the suiterie	

Product meets the criteria for PBT or vPvB	:	PBT	Р	В	Т	vPvB	vP	vB	
	Ī	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Other hazards which do not result in classification : May form explosible dust-air mixture if dispersed. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 3: Composition/information on ingredients

3.1 Substances	: Mono-constitue	ent substand	ce		
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
crystalline silica, respirable powder (>10 microns)	EC: 238-878-4 CAS: 14808-60-7	99.01	Not classified.	-	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[1] Constituent

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

Conforms to Regulation (EC	i) No. 1907/2006 (REACH), Annex II
Code : 00444816	Date of issue/Date of revision : 28 December 2022
COLTURA EP FLOORING N	F/EVO RAGREAGE FILLER
SECTION 4: First ai	d measures
4.1 Description of first aid r	neasures
Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	ns and effects, both acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

: Adverse symptoms may include the following:

: Adverse symptoms may include the following:

quantities have been ingested or inhaled.

: May form explosible dust-air mixture if dispersed.

: Decomposition products may include the following materials:

irritation redness

coughing

: No specific data.

: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

: No specific treatment.

: Use dry chemical powder.

dust-air mixture.

metal oxide/oxides

respiratory tract irritation

5.3 Advice for firefighters

Over-exposure signs/symptoms

Eye contact

Inhalation

Skin contact

Notes to physician

Specific treatments

5.1 Extinguishing media Suitable extinguishing

Unsuitable extinguishing

Hazards from the

substance or mixture Hazardous combustion

SECTION 5: Firefighting measures

5.2 Special hazards arising from the substance or mixture

Ingestion

media

media

products

: Avoid high pressure media which could cause the formation of a potentially explosible

: Treat symptomatically. Contact poison treatment specialist immediately if large

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II						
Code : 00444816	Date of issue/Date of revision : 28 December 2022					
COLTURA EP FLOORING NF	EVO RAGREAGE FILLER					
SECTION 5: Firefight	ng measures					
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.					
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.					

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures		
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropria personal protective equipment.			
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
6.3 Methods and material for	со	ntainment and cleaning up		
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.		
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.		
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.		

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient	name		Exposure limit values	
crystalline silica, respirable pow	der (>10 microns)	•	States, 1/2022). [Silica, crystallin 8 hours. Form: Respirable fraction	ie]
Recommended monitoring : procedures	g : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.			
8.2 Exposure controls				
Appropriate engineering : controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.			
Individual protection measures	5			
Hygiene measures :	eating, smoking a Appropriate tech Wash contamina	and using the lavatory niques should be used	ughly after handling chemical produ and at the end of the working period to remove potentially contaminate using. Ensure that eyewash station potation.	od. d clothing.
Eye/face protection : <u>Skin protection</u>	Safety glasses w	ith side shields.		
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Gloves :	nitrile rubber, but	yl rubber, PVC, Viton	B	
		English (GB)	United Arab Emirates	5/11

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code : 00444816	Date of issue/Date of revision : 28 December 2022			
COLTURA EP FLOORING N	F/EVO RAGREAGE FILLER			
SECTION 8: Exposu	re controls/personal protection			
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.			
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

9.1 Information on basic physic	ai and	chemical properties			
<u>Appearance</u>					
Physical state	: S	olid.			
Product type	: P	owder.			
Colour	: N	lot available.			
Odour	: C	haracteristic.			
Odour threshold	: N	ot available.			
Melting point/freezing point	: N	ot available.			
Initial boiling point and boiling range	: N	ot available.			
Flammability	: N	ot available.			
Minimum explosive concentration (MEC)	: 10	0 g/m³			
Flash point	: C	losed cup: Not applicable.			
Auto-ignition temperature	: N	ot applicable.			
Decomposition temperature	: S	table under recommended storage and handling conditions (see Section 7).			
рН	: N	ot applicable. insoluble in water.			
Viscosity	: K	inematic (40°C): Not applicable.			
Solubility(ies)	1				
Media		Result			

cold water		Not soluble
Partition coefficient: n-octa	nol/ : N	ot applicable.
Vapour pressure	: N	ot available.
Evaporation rate	: N	ot available.
Relative density	: 2.	.65
Explosive properties		he product itself is not explosive, but the formation of an explosible mixture of apour or dust with air is possible.
Oxidising properties	: P	roduct does not present an oxidizing hazard.
Particle characteristics		
Median particle size	: N	ot available.

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

	•
Acute toxicity	
Conclusion/Summary	: Not available.
Irritation/Corrosion	
Conclusion/Summary	
Skin	: Not available.
Eyes	: Not available.
Respiratory	: Not available.
Sensitisation	
Conclusion/Summary	
Skin	: Not available.
Respiratory	: Not available.
Mutagenicity	
Conclusion/Summary	: Not available.
Carcinogenicity	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Teratogenicity	
Conclusion/Summary	: Not available.
Specific target organ tox	<u>icity (single exposure)</u>
Not available.	
Specific target organ tox	icity (repeated exposure)
Not available.	
Achiration bazard	
Aspiration hazard	

Not available.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II
Code : 00444816	Date of issue/Date of revision : 28 December 2022
COLTURA EP FLOORING N	F/EVO RAGREAGE FILLER
SECTION 11: Toxico	logical information
Information on likely routes of exposure	: Not available.
Potential acute health effe	<u>cts</u>
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Symptoms related to the p	hysical, chemical and toxicological characteristics
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: Adverse symptoms may include the following: irritation redness
Delayed and immediate ef	ects as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effect	s : Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effect	s : Not available.
Potential chronic health ef	<u>fects</u>
Not available.	
Conclusion/Summary	: Not available.
General	: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.
Sanding and grinding dusts	nay be harmful if inhaled.
11.2 Information on other	nazards
11.2.1 Endocrine disrupti	ng properties
Not available.	

11.2.2 Other information

Not available.

Conforms to Regulation (E	C) No. 1907/2006 (REACH), A	nnex II	
Code : 00444816		Date of issue/Date of revision	: 28 December 2022
COLTURA EP FLOORING N	NF/EVO RAGREAGE FILLER		
SECTION 12: Ecolo	gical information		
12.1 Toxicity			
Conclusion/Summary	: Not available.		
12.2 Persistence and degra	adability		
Conclusion/Summary	: Not available.		

Not available.

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (K _{oc})	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB	
COLTURA EP FLOORING NF/EVO RAGREAGE FILLER	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation			
08 02 01	waste coating po	wders		
Packaging				
Methods of disposal	0	on of waste should be avoided or minimised wherever possible. Waste nould be recycled. Incineration or landfill should only be considered when ot feasible.		
Type of packaging		European waste catalogue (EWC)		
Container	15 01 06	mixed packaging		

English (GB)

United Arab Emirates

9/11

Date of issue/Date of revision

COLTURA EP FLOORING NF/EVO RAGREAGE FILLER

: 00444816

SECTION 13: Disposal considerations

Special precautions

Code

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

14.6 Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk	:	Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Other national and international regulations.

Ozone depleting substances (1005/2009/EU)

Not listed.

Conforms to Regulation (EC)) No. 1907/2006 (REACH), An	nex ll			
Code : 00444816		Date of issue/Date of revision	: 28 December 2022		
COLTURA EP FLOORING NF	/EVO RAGREAGE FILLER				
SECTION 15: Regulatory information					
15.2 Chemical safety assessment	: No Chemical Safety Asses	ssment has been carried out.			
SECTION 16: Other i	information				
Indicates information that	has changed from previously is	ssued version.			
Abbreviations and acronyms	: ATE = Acute Toxicity Esti CLP = Classification, Lab 1272/2008] DNEL = Derived No Effec EUH statement = CLP-sp PNEC = Predicted No Eff RRN = REACH Registrati	elling and Packaging Regulation [Reg et Level ecific Hazard statement ect Concentration	gulation (EC) No.		
Full text of abbreviated H statements	: Not applicable.				
Full text of classifications [CLP/GHS] <u>History</u>	: Not applicable.				
Date of issue/ Date of revision	: 28 December 2022				
Date of previous issue	: 26 December 2022				
Prepared by	: EHS				
Version	: 1.03				

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.