SAFETY DATA SHEET



The information in this Safety Data Sheet is required pursuant to Hazardous Product Regulations 2015.

Date of issue/Date of revision 5 September 2023 Version 5

Section 1. Identification			
Product name	: 861N EPOXY ACCELERATOR/AMERCOAT 861N		
Product code	: AT861N/32		
Other means of identification	: Not available.		
Product type	: Liquid.		
Relevant identified uses of	the substance or mixture and uses advised against		
Product use	: Industrial applications, Used by spraying.		
Use of the substance/ mixture	: Coating.		
Uses advised against	: Not applicable.		
Supplier	 PPG Architectural Coatings Canada, Inc. 1550, rue Ampère, bureau 500 Boucherville (Québec) J4B 7L4 Canada +1 450-655-3121 		
	PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272		
Emergency telephone number	: [412) 434-4515 (U.S.) (514) 645-1320 (Canada) SETIQ Interior de la República: 800-00-214-00 (México) SETIQ Ciudad de México: (55) 5559-1588 (México)		
Technical Phone Number	: 888-977-4762		

Section 2. Hazard identification

Classification of the substance or mixture	 CUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 2. Hazard identification

: Harmful if swallowed or in contact with skin.	
Causes severe skin burns and eye damage.	
: ₩ear protective gloves, protective clothing and eye or face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	
: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
: Store locked up.	
: Dispose of contents and container in accordance with all local, regional, national and international regulations.	
 Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapor/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death. Emits toxic fumes when heated. Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 10% (oral), 10% (dermal), 100% (inhalation) 	

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Product name	: 861N EPOXY ACCELERATOR/AMERCOAT 861N
Other means of identification	: Not available.

CAS number/other identifiers

Ingredient name	Synonyms	% (w/w)	CAS number
2,4,6-tris(dimethylaminomethyl)phenol	Phenol, 2,4,6-tris[(dimethylamino)methyl]-; Phenol, 2,4,6-tris(dimethylamino)methyl)-; 2,4,6-tris((dimethylamino)methyl)phenol; Phenol, 2,4,6-tris{(dimethylamino)methyl)phenol; 2,4,6-Tris[(dimethylamino)methyl]phenol; 2,4,6-Tris(N,N-dimethylaminomethyl)phenol; 2,4,6-Tris(N,N-dimethylaminomethyl) phenol; 2,4,6-Tridimethylaminomethylphenol; TRIS (2,4,6-DIMETHYLAMINOMONOMETHYL) PHENOL; TRIS (2,4,6-DIMETHYLAMINOMETHYL) PHENOL; TRIS[(DIMETHYLAMINO) METHYL]PHENOL, 2,4,6-	80 - 100*	90-72-2
bis[(dimethylamino)methyl]phenol	Phenol, bis[(dimethylamino)methyl]-; bis-[(Dimethylamino)-methyl]-phenol; Bis (dimethylaminomethyl) phenol	7 - 13*	71074-89-0

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 3. Composition/information on ingredients

*Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

SUB codes represent substances without registered CAS Numbers.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact	 Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health ef	<u>rects</u>
Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: 🖉auses severe burns. Harmful in contact with skin.
Ingestion	: Harmful if swallowed.
Over-exposure signs/syr	nptoms
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate m	edical attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 4. First-aid measures

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up			
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 6. Accidental release measures

Large spill
 Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when no in use. Empty containers retain product residue and can be hazardous. Do not reuse container.	
Special precautions	Vapors may accumulate in low or confined areas or travel a considerable distance a source of ignition and flash back. Vapors are heavier than air and may spread along floors. If this material is part of a multiple component system, read the Safet Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.	
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	
Conditions for safe storage, including any incompatibilities	Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 1 and food and drink. Store locked up. Keep container tightly closed and sealed unt ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.	0)

Section 8. Exposure controls/personal protection

Control parameters

Occup	ational	exposure	limits
Occup	utionui	CAPOSUIC	mitte

Ingredient name	Exposure limits	
2,4,6-tris(dimethylaminomethyl)phenol bis[(dimethylamino)methyl]phenol	None. None.	

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 8. Exposure controls/personal protection

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Chemical splash goggles and face shield.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Gloves	: nitrile neoprene
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: Not available.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: >37.78°C (>100°F)
Flash point	: Closed cup: 123.89°C (255°F)
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 9. Physical and chemical properties

Flammability	: Not available.	
Lower and upper explosive (flammable) limits	: Not available.	
Evaporation rate	: Not available.	
Vapor pressure	: Not available.	
Vapor density	: Not available.	
Relative density	: 0.97	
Density (lbs / gal)	: 8.1	
Solubility(ies)	Media	Result
Solubility(les)	old water	Not soluble
Partition coefficient: n- octanol/water	: Not applicable.	
Viscosity	: 🕅 nematic (40°C (10	04°F)): >21 mm²/s (>21 cSt)
Volatility	: 0% (v/v), 0% (w/w)	
% Solid. (w/w)	: 100	

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials carbon oxides nitrogen oxides

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
2,4,6-tris (dimethylaminomethyl) phenol	LD50 Dermal	Rabbit	1.28 g/kg	-
	LD50 Dermal LD50 Oral	Rat Rat	1280 mg/kg 1200 mg/kg	-

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
2,4,6-tris (dimethylaminomethyl)phenol	Skin - Visible necrosis	Rabbit	-	4 hours	7 days
Conclusion/Summary					·
Skin	: There are no data availa	ble on the mixtur	re itself.		
Eyes	: There are no data availa				
Respiratory	: There are no data availa	ble on the mixtur	re itself.		
Sensitization					
Skin	: There are no data availa	ble on the mixtur	re itself.		
Respiratory	: There are no data availa	ble on the mixtur	re itself.		
Mutagenicity					
Conclusion/Summary	: There are no data availa	ble on the mixtur	re itself.		
Carcinogenicity					
Conclusion/Summary	: There are no data availa	ble on the mixtur	re itself.		
Reproductive toxicity					
Conclusion/Summary	: There are no data availa	hle on the mixtur	re itself		
Teratogenicity	. There are no data availa	blo on the mister	o itoolf		
Conclusion/Summary	: There are no data availa	ible on the mixtur	e ilseit.		
<u>Specific target organ toxicit</u>	<u>y (single exposure)</u>				
Not available.					
Specific target organ toxicit	<u>y (repeated exposure)</u>				
<mark>Specific target organ toxicit</mark> Not available.	<u>y (repeated exposure)</u>				
Not available.	<u>y (repeated exposure)</u>				
Not available. Aspiration hazard	<u>y (repeated exposure)</u>				
Not available.	<u>y (repeated exposure)</u>				
Not available. Aspiration hazard Not available.					
Not available. Aspiration hazard Not available. Iformation on the likely rout	es of exposure				
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects	es of exposure				
Not available. Aspiration hazard Not available. formation on the likely rout otential acute health effects Eye contact	es of exposure : Causes serious eye dan	-			
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation	es of exposure : Causes serious eye dan : No known significant effe	ects or critical ha			
Not available. Aspiration hazard Not available. formation on the likely rout otential acute health effects Eye contact Inhalation Skin contact	es of exposure : Causes serious eye dan : No known significant eff : Øauses severe burns. ⊦	ects or critical ha			
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation	es of exposure : Causes serious eye dan : No known significant effe	ects or critical ha			
Not available. Aspiration hazard Not available. formation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion	es of exposure : Causes serious eye dan : No known significant effo : Causes severe burns. H : Harmful if swallowed.	ects or critical ha			
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms	ects or critical ha larmful in contac	t with skin.		
Not available. Aspiration hazard Not available. formation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion	es of exposure : Causes serious eye dan : No known significant eff : Zauses severe burns. H : Harmful if swallowed. ms : Adverse symptoms may	ects or critical ha larmful in contac	t with skin.		
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms	ects or critical ha larmful in contac	t with skin.		
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion	es of exposure : Causes serious eye dan : No known significant effe : Zauses severe burns. H : Harmful if swallowed. ms : Adverse symptoms may pain	ects or critical ha larmful in contac	t with skin.		
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms : Adverse symptoms may pain watering	ects or critical ha larmful in contac	t with skin.		
Not available. Aspiration hazard Not available. Iformation on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion <u>ver-exposure signs/sympto</u> Eye contact	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms : Adverse symptoms may pain watering redness	ects or critical ha larmful in contac	t with skin. wing:		
Not available. Aspiration hazard Not available. Information on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion ver-exposure signs/sympto Eye contact Inhalation	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms : Adverse symptoms may pain watering redness : No specific data. : Adverse symptoms may pain or irritation	ects or critical ha larmful in contac	t with skin. wing:		
Not available. Aspiration hazard Not available. Information on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion ver-exposure signs/sympto Eye contact Inhalation	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms : Adverse symptoms may pain watering redness : No specific data. : Adverse symptoms may pain or irritation redness	ects or critical ha larmful in contac	t with skin. wing:		
Not available. Aspiration hazard Not available. Information on the likely rout otential acute health effects Eye contact Inhalation Skin contact Ingestion ver-exposure signs/sympto Eye contact Inhalation	es of exposure : Causes serious eye dan : No known significant effe : Causes severe burns. H : Harmful if swallowed. ms : Adverse symptoms may pain watering redness : No specific data. : Adverse symptoms may pain or irritation	ects or critical ha larmful in contac include the follow	t with skin. wing: wing:		

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary	:	There are no data available on the mixture itself. Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. There is some evidence that repeated exposure to organic solvent vapors in combination with constant loud noise can cause greater hearing loss than expected from exposure to noise alone. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
Short term exposure		
Potential immediate effects	:	There are no data available on the mixture itself.
Potential delayed effects	:	There are no data available on the mixture itself.
<u>Long term exposure</u>		
Potential immediate effects	:	There are no data available on the mixture itself.
Potential delayed effects	1	There are no data available on the mixture itself.
Potential chronic health effe	ect	<u>S</u>
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
Numerical measures of toxic	ity	
Acute toxicity estimates		

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/l)
61N EPOXY ACCELERATOR/AMERCOAT 861N 2,4,6-tris(dimethylaminomethyl)phenol	1333.3	1422.2	N/A	N/A	N/A
	1200	1280	N/A	N/A	N/A

Section 12. Ecological information

<u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
₹,4,6-tris (dimethylaminomethyl)phenol	Acute LC50 175 mg/l	Fish	96 hours

Persistence and degradability

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 12. Ecological information

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2 ,4,6-tris	0.219	-	Low
(dimethylaminomethyl)phenol			

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Disposal should be in accord	dance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

Section 14. Transport information

-			
	TDG	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

TDG: None identified.IMDG: None identified.IATA: None identified.

Canada Page: 10/11

Product name 861N EPOXY ACCELERATOR/AMERCOAT 861N

Section 14. Transport information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

National Inventory List

Canada inventory (DSL)

: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health: 3 * Flammability: 1 Physical hazards: 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Health : 3 Flammal	bility : 1 Instability : 0	
Date of issue/Date of revision	5 September 2023	
Organization that prepared the SDS	: EHS	
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations 	

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.