# **SAFETY DATA SHEET**

United Arab Emirates

# Date of issue/Date of revision

: 22 May 2024

Version

: 1.06

SECTION 1: Identif undertaking	ication of the substance/mixture and of the company/
1.1 Product identifier	
Product name	: PSX 700 RESIN ORANGE TINT
Product code	: 000001099577
Other means of identifica	ition
1.2 Relevant identified use	s of the substance or mixture and uses advised against
Product use	: Professional applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier	of the safety data sheet
Sigma Paint Saudi Arabia L PO Box 7509 Dammam 31472 Saudi Arabia Tel: 00966 138 47 31 00 Fax: 00966 138 47 17 34	.td.
e-mail address of person responsible for this SDS	: ndpic@sfda.gov.sa
1.4 Emergency telephone number	: 00966 138473100 extn 1001
_	

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
Product definition : Mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
Skin Sens. 1, H317 Aquatic Chronic 3, H412
The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full text of the H statements declared above.
See Section 11 for more detailed information on health effects and symptoms.
2.2 Label elements
Hazard pictograms :

Signal word



Code : 000001099577		Date of issue/Date of revision : 22 May 2024		
PSX 700 RESIN ORANGE TINT				
SECTION 2: Hazards	ic	lentification		
Hazard statements	:	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.		
Precautionary statements				
Prevention	:	Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.		
Response	1	Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water.		
Storage	1	Not applicable.		
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations. P280, P273, P261, P362 + P364, P302 + P352, P501		
Hazardous ingredients	:	4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate		
Supplemental label elements	1	Not applicable.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.		
Special packaging requirem	nen	<u>ts</u>		
Containers to be fitted with child-resistant fastenings	:	Not applicable.		
Tactile warning of danger	1	Not applicable.		
2.3 Other hazards				
Product meets the criteria for PBT or vPvB	:	This mixture does not contain any substances that are assessed to be a PBT or a vPv		
Other hazards which do	:	None known.		

# Other hazards which do not result in classification

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
4,4'- Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane	REACH #: 01-2119959495-22 EC: 500-070-7 CAS: 30583-72-3	≥25 - ≤50	Skin Sens. 1, H317 Aquatic Chronic 3, H412	-	[1]
Reaction mass of bis (1,2,2,6,6-pentamethyl- 4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate	REACH #: 01-2119491304-40 EC: 915-687-0 CAS: 1065336-91-5	≥0.30 - <2.5	Skin Sens. 1A, H317 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
1	1	English	(GB) United Arab Er	hirates	2/13

Code : 000001099577 PSX 700 RESIN ORANGE TINT			Date of issue/Date of revision		: 22 May 2024	
SECTION 3:	Composition/information	tion or	n ingredients			
toluene	REACH #: 01-2119471310-51 EC: 203-625-9 CAS: 108-88-3 Index: 601-021-00-3	≤0.30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 See Section 16 for		[1]	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent

concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

the full text of the H statements declared

above.

4.1 Description of first aid measures

[2] Substance with a workplace exposure limit

**SECTION 4: First aid measures** 

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

Eye contact	:	Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	:	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

	······································
Potential acute health ef	<u>'fects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sy	<u>mptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed.</li> <li>The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.

AFATIAN			
PSX 700 RESI	N ORANGE TINT		
Code :	000001099577	Date of issue/Date of revision	: 22 May 2024

# SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing	Use an extinguishing agent suitable for the surrounding fire.
media Unsuitable extinguishing media	None known.
	n the substance or mixture
5.2 Special hazards arising f	In the substance of mixture
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	Decomposition products may include the following materials: carbon oxides nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro-	ective equipment and emergency procedures		
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.		
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.		
6.3 Methods and material for	containment and cleaning up		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		

Code: 000001099577Date of issue/Date of revision: 22 May 2024PSX 700 RESIN ORANGE TINT

## **SECTION 6: Accidental release measures**

Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 8.1 Control parameters

**Occupational exposure limits** 

Code : 000001099577		Date of issue/Date of revision : 22 May 2024	1		
PSX 700 RESIN ORANGE TIN	Т				
Product/ingredie	nt name	Exposure limit values			
barium sulfate		Abu Dhabi - OSHAD - Occupational air quality threshold limit values (United Arab Emirates, 7/2016). TWA: 10 mg/m <sup>3</sup> 8 hours. Cabinet Decree (12) of 2006 Regarding Regulation Concerning Protection of Air from Pollution (United Arab Emirates, 5/2006). TWA: 10 mg/m <sup>3</sup> 8 hours. ACGIH TLV (United States, 7/2023). Notes: The value is for total dust containing no asbestos and < 1% crystalline silica. TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction			
Recommended monitoring procedures	Standard EN 6 by inhalation to strategy) Euro application and biological agen requirements for agents) Refere	uld be made to monitoring standards, such as the following: Europ 89 (Workplace atmospheres - Guidance for the assessment of exp o chemical agents for comparison with limit values and measureme pean Standard EN 14042 (Workplace atmospheres - Guide for the l use of procedures for the assessment of exposure to chemical an ts) European Standard EN 482 (Workplace atmospheres - Genera or the performance of procedures for the measurement of chemica ence to national guidance documents for methods for the determina- ubstances will also be required.	oosur ent e nd al al		
3.2 Exposure controls					
Appropriate engineering controls	: Good general v contaminants.	ventilation should be sufficient to control worker exposure to airborr	าย		
Individual protection measur	res				
Hygiene measures	eating, smoking Appropriate teo Contaminated contaminated o	orearms and face thoroughly after handling chemical products, before g and using the lavatory and at the end of the working period. chniques should be used to remove potentially contaminated clothin work clothing should not be allowed out of the workplace. Wash clothing before reusing. Ensure that eyewash stations and safety ose to the workstation location.			
Eye/face protection Skin protection		with side shields.			
Hand protection	worn at all time necessary. Co during use that noted that the t glove manufact protection time frequently repe (breakthrough t When only brie (breakthrough t The user must product is the r	tant, impervious gloves complying with an approved standard should so when handling chemical products if a risk assessment indicates insidering the parameters specified by the glove manufacturer, che the gloves are still retaining their protective properties. It should b time to breakthrough for any glove material may be different for diff turers. In the case of mixtures, consisting of several substances, th of the gloves cannot be accurately estimated. When prolonged or ated contact may occur, a glove with a protection class of 6 time greater than 480 minutes according to EN 374) is recommended of contact is expected, a glove with a protection class of 2 or higher time greater than 30 minutes according to EN 374) is recommended check that the final choice of type of glove selected for handling this nost appropriate and takes into account the particular conditions of the user's risk assessment.	this is eck erent he ded. ed. is		
Gloves	: butyl rubber				
Body protection		ctive equipment for the body should be selected based on the task the risks involved and should be approved by a specialist before roduct.	bein		
Other skin protection	Appropriate foo based on the ta	otwear and any additional skin protection measures should be select ask being performed and the risks involved and should be approved re handling this product.			

Conforms t 2020/878	o Regulation (EC)	Io. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU)
<mark>Code</mark> PSX 700 RI	: 000001099577 ESIN ORANGE TIN	Date of issue/Date of revision : 22 May 2024
Environn controls	nental exposure	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>									
Physical state	1	Liquid.							
Colour	1	Drange.							
Odour	1	Aromatic. [Slight]	vromatic. [Slight]						
Odour threshold	:	Not available.							
Melting point/freezing point	:	Ay start to solidify at the following temperature: -12.9°C (8.8°F) This is based on ata for the following ingredient: 4,4'-Isopropylidenedicyclohexanol, oligomeric eaction products with 1-chloro-2,3-epoxypropane.							
Initial boiling point and boiling range	:	>37.78°C							
Flammability	1	Not available.							
Upper/lower flammability or explosive limits	:	Not available.							
Flash point	:	Closed cup: 80°C							
Auto-ignition temperature	:	Ingredient name		°C		°F		Method	
		2-[(4-chloro-2-nitropheny (2,3-dihydro-2-oxo-1H-be 5-yl)-3-oxobutyramide		310		590			
Decomposition temperature	1	Stable under recomr	nended st	orage a	nd hand	ling co	nditions	(see Sec	tion 7).
рН	1	Not applicable. insolu	uble in wa	er.		-			
Viscosity	1	Kinematic (40°C): >2	21 mm²/s						
Viscosity	1	> 100 s (ISO 6mm)							
Solubility(ies)	1								
Media		Result							
cold water		Not soluble							
Partition coefficient: n-octanol water	/:	Not applicable.							
Vapour pressure	:		Vapour Pressure at 20°C		Vapour pressure at 50°		ure at 50°		
		Ingredient name	mm Hg	kPa	Meth	od	mm Hg	kPa	Method
		5,5'-(1H-isoindole-1,3	0	0			0	0	
		(2H)-diylidene) dibarbituric acid							
Evaporation rate	:								
Evaporation rate Relative density	:	dibárbituric acid							
	:	dibárbituric acid Not available.			the forn	nation	of an ex	plosible m	ixture of
Relative density Explosive properties		dibárbituric acíd Not available. 1.39 The product itself is i	air is possi	ole.		nation	of an ex	plosible m	ixture of
Relative density Explosive properties Oxidising properties		dibárbituric acíd Not available. 1.39 The product itself is i vapour or dust with a	air is possi	ole.		nation	of an ex	plosible m	ixture of
Relative density Explosive properties	:	dibárbituric acíd Not available. 1.39 The product itself is i vapour or dust with a	air is possi	ole.		nation	of an ex	plosible m	ixture of

Code	: 000001099577	Date of issue/Date of revision	: 22 May 2024
PSX 700 RE\$	SIN ORANGE TINT		

# **SECTION 9: Physical and chemical properties**

No additional information.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	1	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides sulfur oxides halogenated compounds metal oxide/ oxides
	_	

# **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

Product/ingredien	t name	Result	Species	Dose	Exposure	
Reaction mass of bis (1,2,2,6,6-pentamethyl-4-pi sebacate and methyl 1,2,2,6,6-pentamethyl-4-pip	,	LD50 Dermal	Rat	>3170 mg/kg	-	
toluene	Sendyi Sebacale	LD50 Oral LC50 Inhalation Vapour LD50 Dermal	Rat - Male, Female Rat Rabbit	3230 mg/kg 49 g/m <sup>3</sup> 8.39 g/kg	- 4 hours -	
		LD50 Oral	Rat	5580 mg/kg	-	
Conclusion/Summary Irritation/Corrosion Conclusion/Summary	: There are	no data available on the mixt	ure itself.			
Skin	• There are n	o data available on the mixtu	re itself			
Eyes		o data available on the mixtu				
Respiratory Sensitisation	: There are no data available on the mixture itself.					
Conclusion/Summary						
Skin	: There are	no data available on the mixt	ure itself.			
Respiratory	: There are	no data available on the mixt	ure itself.			
Mutagenicity						
Conclusion/Summary	: There are	no data available on the mixt	ure itself.			
<b>Carcinogenicity</b>						
Conclusion/Summary <u>Reproductive toxicity</u>	: There are	no data available on the mixt	ure itself.			
Conclusion/Summary	: There are	no data available on the mixt	ure itself.			
		English (GB)	United Arab E	mirates	8/13	

#### Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 Code : 000001099577 Date of issue/Date of revision : 22 May 2024 PSX 700 RESIN ORANGE TINT **SECTION 11: Toxicological information Teratogenicity Conclusion/Summary** : There are no data available on the mixture itself. Specific target organ toxicity (single exposure) **Route of Product/ingredient name** Category **Target organs** exposure toluene Narcotic effects Category 3 Specific target organ toxicity (repeated exposure) **Product/ingredient name** Category **Route of Target organs** exposure toluene Category 2 Aspiration hazard **Product/ingredient name** Result toluene ASPIRATION HAZARD - Category 1 Information on likely : Not available. routes of exposure Potential acute health effects Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. **Skin contact** : May cause an allergic skin reaction. Eye contact : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics Inhalation : No specific data. Ingestion : No specific data. **Skin contact** : Adverse symptoms may include the following: irritation redness Eye contact : No specific data. Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Long term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Potential chronic health effects Not available. **Conclusion/Summary** : Not available. General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Mutagenicity Reproductive toxicity** : No known significant effects or critical hazards. Other information : Not available.

English (GB) United Arab Emirates

Code: 000001099577Date of issue/Date of revision: 22 May 2024PSX 700 RESIN ORANGE TINT

# **SECTION 11: Toxicological information**

Sanding and grinding dusts may be harmful if inhaled. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

#### 11.2 Information on other hazards

#### **11.2.1 Endocrine disrupting properties**

Not available.

#### 11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	LC50 11.5 mg/l	Fish	96 hours
Reaction mass of bis(1,2,2,6,6-pentamethyl- 4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	EC50 1.68 mg/l	Algae	72 hours
·,_,_,_,,,,, F - · · · · · · · · · · · · · · · · · ·	LC50 0.9 mg/l	Fish	96 hours

**Conclusion/Summary** : There are no data available on the mixture itself.

#### 12.2 Persistence and degradability

**Conclusion/Summary** : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **12.6 Endocrine disrupting properties**

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

Code: 000001099577Date of issue/Date of revision: 22 May 2024PSX 700 RESIN ORANGE TINT

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

# ProductMethods of disposal: The generation of waste should be avoided or minimised wherever possible. Disposal<br/>of this product, solutions and any by-products should at all times comply with the<br/>requirements of environmental protection and waste disposal legislation and any<br/>regional local authority requirements. Dispose of surplus and non-recyclable products<br/>via a licensed waste disposal contractor. Waste should not be disposed of untreated to<br/>the sewer unless fully compliant with the requirements of all authorities with jurisdiction.Hazardous waste: The classification of the product may meet the criteria for a hazardous waste.

#### European waste catalogue (EWC)

Waste code	Waste designation			
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances			
Packaging				
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered whe recycling is not feasible.</li> </ul>			
Type of packaging	European waste catalogue (EWC)			
Container	15 01 06 mixed packaging			
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spi			

material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### Additional information

ADR/RID	: None identified.	
IMDG	: None identified.	
ΙΑΤΑ	: None identified.	

**14.6 Special precautions for : Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

English (GB) United Arab Emirates

Code : 000001099577 Date of issue/Date of revision : 22 May 2024 PSX 700 RESIN ORANGE TINT

## **SECTION 14: Transport information**

14.7 Transport in bulk : Not applicable. according to IMO instruments

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation **Annex XIV** None of the components are listed. Substances of very high concern None of the components are listed. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Other national and international regulations. **Explosive precursors** : Not applicable. Ozone depleting substances (1005/2009/EU) Not listed. **15.2 Chemical safety** 

: No Chemical Safety Assessment has been carried out.

assessment

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.				
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>			
Full text of abbreviated H statements	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H361d Suspected of damaging the unborn child.</li> <li>H361f Suspected of damaging fertility.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>			
Full text of classifications				

sifications [CLP/GHS]

Code : 0000010995	77	Date of issue/Date of revision	: 22 May 2024		
PSX 700 RESIN ORANGE TINT					
SECTION 16: Other information					
	: Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 3 Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A STOT RE 2 STOT SE 3	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category LONG-TERM (CHRONIC) AQUATIC HAZARD - Category ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1A SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3			
<u>History</u> Date of issue/ Date of revision	: 22 May 2024				
Date of previous issue	: 21 May 2024				
Prepared by	: EHS				
Version	: 1.06				

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.