# **SAFETY DATA SHEET**



Date of issue 5 Ju	ne 2024
--------------------	---------

Version 1.1

### Section 1. Product and company identification

Product name	1	ľ
Product code	1	(
Other means of identification	1	ľ
Product type	:	ç

### MEGASEAL SL Heavy Duty Powder Additive

00338340

: Not available.

Solid.

#### Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Coating. Paints. Painting-related materials.

Uses advised against	Reason
Not applicable.	

Supplier's details:	
Supplier	<ul> <li>PPG Industries Colombia Ltda Calle 51 # 40-13 Municipio de Itagüí Antioquia, Colombia (57) (4) 3787400 (Porteria)</li> </ul>
Email address:	: HazComLatam@ppg.com
Emergency telephone number	: Colombia: 01 8000 916012 (CISPROQUIM) + 571 288 6012 (CISPROQUIM) Ecuador: 1800-59-3005 (CISPROQUIM) Peru: 080-050-847 (CISPROQUIM)

### Section 2. Hazards identification

Classification of the substance or mixture	: CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
Target organs	: Contains material which causes damage to the following organs: liver, spleen, bone marrow.
	Contains material which may cause damage to the following organs: kidneys, lungs, upper respiratory tract, immune system, eyes.
	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 99.7%

#### **GHS label elements**

English (US)	Colombia

### Section 2. Hazards identification

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statements		
Prevention	:	Øbtain special instructions before use. Wear protective gloves, protective clothing and eye or face protection. Do not breathe dust. Do not eat, drink or smoke when using this product.
Response	:	F exposed or concerned: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not result in classification	:	None known.

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

#### **CAS number/other identifiers**

<b>CAS number</b> : Not applicable.		
Ingredient name	%	CAS number
crystalline silica, respirable powder (<10 microns)	60 - 100	14808-60-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

### Section 4. First aid measures

<b>Description of necess</b>	ary first aid measures
Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
	English (US) Colombia 2/11

### Section 4. First aid measures

Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician Specific treatments		Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Potential acute health effects		
Eye contact	1	No known significant effects or critical hazards.
Inhalation	1	No known significant effects or critical hazards.
Skin contact		No known significant effects or critical hazards.
Ingestion	4	No known significant effects or critical hazards.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

### Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Code	00338340	Date of issue	5 June 2024	Version	1.1
Product nam	ie	MEGASEAL SL Heavy Duty Powder Additive			

# Section 6. Accidental release measures

Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for c	or	tainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe : handling	Fut on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, : including any incompatibilities	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits	
rystalline silica, respirable powder (<10 microns)	ACGIH TLV (United States, 7/2023). [Silica, crystalline] TWA: 0.025 mg/m <sup>3</sup> 8 hours. Form: Respirable	
procedures national guidance doe	itoring : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.	

English (US)	Colombia

5 June 2024

•	ure controls/personal protection
Appropriate engineering controls	<ul> <li>If user operations generate dust, fumes, gas, vapor or mist, use process enclosures local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.</li> </ul>
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye protection Skin protection	: Safety glasses with side shields.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

### Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid.
Color	: Off-white.
Odor	: Characteristic.
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not applicable.

### Section 9. Physical and chemical properties

_		
Vapor pressure	1	Not available.
Vapor density	1	Not applicable.
Relative density	1	2.65
Solubility(ies)		Media Result
Solubility(les)	ľ	old water Not soluble
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	1	Not applicable.
Decomposition temperature	1	Not available.
Viscosity	:	Kinematic (40°C (104°F)): Not applicable.

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients	3.
Chemical stability	: The product is stable.	
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.	
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.	
Hazardous decomposition products	: Depending on conditions, decomposition products may include the following mate metal oxide/oxides	rials:

# Section 11. Toxicological information

#### Information on toxicological effects

	English (US)	Col
Skin Respiratory	<ul><li>There are no data available on the mixture itself.</li><li>There are no data available on the mixture itself.</li></ul>	
Conclusion/Summary	<del>-</del>	
Conclusion/Summary Skin Eyes Respiratory Sensitization Not available.	<ul> <li>There are no data available on the mixture itself.</li> <li>There are no data available on the mixture itself.</li> <li>There are no data available on the mixture itself.</li> </ul>	
Not available. Conclusion/Summary Irritation/Corrosion Not available.	: There are no data available on the mixture itself.	
Acute toxicity		

5 June 2024

#### 1.1

### Section 11. Toxicological information

#### **Mutagenicity**

Not available.

### **Conclusion/Summary** : There are no data available on the mixture itself.

**Carcinogenicity** 

Not available.

### **Conclusion/Summary** : There are no data available on the mixture itself.

**Classification** 

Product/ingredient name	OSHA	IARC	NTP
fystalline silica, respirable powder (<10 microns)	+	1	Known to be a human carcinogen.

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4 NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

#### Reproductive toxicity

Not available.

**Conclusion/Summary** : There are no data available on the mixture itself.

#### **Teratogenicity**

Not available.

#### **Conclusion/Summary** : There are no data available on the mixture itself.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
Fystalline silica, respirable powder (<10 microns)	Category 1	inhalation	-

Target organs

: Contains material which causes damage to the following organs: liver, spleen, bone marrow.

Contains material which may cause damage to the following organs: kidneys, lungs, upper respiratory tract, immune system, eyes.

#### Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	÷	No known significant effects or critical hazards.
Inhalation	÷	No known significant effects or critical hazards.

Code00338340Product nameMEGAS	Date of issue EAL SL Heavy Duty Powder Additive	5 June 2024	Version 1.1
Section 11. Toxi	cological information		
Skin contact	: No known significant effects or cri	tical hazards.	
Ingestion	: No known significant effects or cri	tical hazards.	
Symptoms related to the p	hysical, chemical and toxicological cl	naracteristics	
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
Delayed and immediate eff	ects and also chronic effects from sh	ort and long term exp	osure
Conclusion/Summary	: There are no data available on the silica which can cause lung cance duration and level of exposure to applications. Ingestion may cause account, where known, delayed a components from short-term and routes of exposure and eye conta	r or silicosis. The risk of dust from sanding surfa e nausea, diarrhea and nd immediate effects ar long-term exposure by o	of cancer depends on the ces or mist from spray vomiting. This takes into and also chronic effects of
Short term exposure			
Potential immediate effects	: There are no data available on the	e mixture itself.	
Detential deleved offects	There are no date available on the	mixture iteelf	

- **Potential delayed effects** : There are no data available on the mixture itself. Long term exposure
- Potential immediate : There are no data available on the mixture itself. effects
- **Potential delayed effects** : There are no data available on the mixture itself.
- Potential chronic health effects
- Not available.

damage to organs through prolonged or repeated exposure. se cancer. Risk of cancer depends on duration and level of exposure.
 vn significant effects or critical hazards. vn significant effects or critical hazards.

### Numerical measures of toxicity

### Acute toxicity estimates

N/A

Other information

: Not available.

Code Product na	00338340 ame MEGASEAL SL Hea	Date of issue avy Duty Powder Additive	5 June 2024	Version	1.1
Section	on 12. Ecologica	l information			
Ecotoxic	:ity				

Not available.

Persistence/degradability

Not available.	
Bioaccumulative potential Not available.	
Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.

**Other adverse effects** : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and wester disposal legislation
	with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-
	recyclable products via a licensed waste disposal contractor. Waste should not be
	disposed of untreated to the sewer unless fully compliant with the requirements of
	all authorities with jurisdiction. Waste packaging should be recycled. Incineration
	or landfill should only be considered when recycling is not feasible. This material
	and its container must be disposed of in a safe way. Care should be taken when
	handling emptied containers that have not been cleaned or rinsed out. Empty
	containers or liners may retain some product residues. Avoid dispersal of spilled
	material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	UN	Brazil (ANTT)	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

#### **Additional information**

UN

: None identified.

### Section 14. Transport information

Brazil	: None identified.
Risk number	: Not available.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

### Section 15. Regulatory information

Safety, health and environmental regulations specific for the product : No known specific national and/or regional regulations applicable to this product (including its ingredients).

### Section 16. Other information

#### **History**

Date of previous issue : 5/8/2019 Version : 1.1	
Version · 11	
EHS	
Key to abbreviations: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road 	ls
UN = United Nations	
References       : ABNT NBR 14725-4: 2014         ANTT - National Land Transportation Agency	

Indicates information that has changed from previously issued version.

#### <u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

Code	00338340	Date of issue	5 June 2024	Version	1.1
Product na	ime	MEGASEAL SL Heavy Duty Powder Additive			
-					

# Section 16. Other information