Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

SAFETY DATA SHEET

Date of issue/Date of revision

: 5 June 2024

Version : 1.01



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier		
Product name	EGASEAL SL Heavy	Duty Powder Additive
Product code	338340	
Product type	blid.	
Other means of identification	ot available.	
1.2 Relevant identified uses of	substance or mixtu	re and uses advised against
Product use	ofessional applicatio	ns, Used by spraying.
Use of the substance/ mixture	pating.	
Uses advised against	oduct is not intended	l, labelled or packaged for consumer use.

1.3 Details of the supplier of the safety data sheet

PPG Coatings Belgium BV/SRL Tweemontstraat 104 B-2100 Deurne Belgium Telephone +32-33606311 Fax +32-33606435

e-mail address of person responsible for this SDS

: Product.Stewardship.EMEA@ppg.com

1.4 Emergency telephone number

Supplier

+31 20 4075210

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture Classification according to UK CLP/GHS STOT RE 1, H372

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



Signal word	: Danger
Hazard statements	: Causes damage to organs through prolonged or repeated exposure.
Precautionary statements	
Prevention	: Do not breathe dust.
Response	: Get medical advice/attention if you feel unwell.
Storage	: Not applicable.

English (GB)

United Kingdom (UK)

Code : 00338340	Date of issue/Date of revision : 5 June 2024
MEGASEAL SL Heavy Duty P	
SECTION 2: Hazards	dentification
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations. P260, P314, P501
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	ents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients

B.2 Mixtures : Mixture				
Product/ingredient name	Identifiers	%	Classification	Туре
crystalline silica, respirable powder (<10 microns)	EC: 238-878-4 CAS: 14808-60-7	≥90	STOT RE 1, H372 (inhalation)	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

English (GB)	United Kingdom (UK)	2/11

Code :00338340 MEGASEAL SL Heavy Duty F	Date of issue/Date of revision : 5 June 2024 Powder Additive	
SECTION 4: First aid	measures	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	
4.2 Most important symptom	s and effects, both acute and delayed	
Potential acute health effects		
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	No known significant effects or critical hazards.	
Over-exposure signs/sympt	5	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	No specific data.	
ingeotion		
1.3 Indication of any immedia	ate medical attention and special treatment needed	
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
Specific treatments	: No specific treatment.	
SECTION 5: Firefight	ing measures	
5.1 Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
5.2 Special hazards arising fi	rom the substance or mixture	
Hazards from the substance or mixture	: No specific fire or explosion hazard.	
Hazardous combustion products	: Decomposition products may include the following materials: metal oxide/oxides	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 	

6.1 Personal precautions, prot	ective equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Code : 00338340 MEGASEAL SL Heavy D		: 5 June 2024
SECTION 6: Accie	dental release measures	
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contac and sewers. Inform the relevant authorities if the proc pollution (sewers, waterways, soil or air).	

olo methodo ana matemar	for containing the
Small spill	: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Occupational exposure limits

English (GB)

Code	: 00338340	Date of issue/Date of revision	: 5 June 2024
MEGASEA	L SL Heavy Duty Powder Additive		

SECTION 8: Exposure controls/personal protection

Product/ingredient name			Exposure limit values		
procedures national guidance		ler (<10 microns)	EH40/2005 WELs (United Kingdom (UK), 1/2020). [silica, respirable crystalline] TWA: 0.1 mg/m ³ 8 hours. Form: Respirable fraction		
		ame	Exposure indices		
			d be made to appropriate monitoring standards. Reference to e documents for methods for the determination of hazardous also be required.		
DNELs/DMELs No DNELs/DMELs available) .				
PNECs No PNECs available					
8.2 Exposure controls					
Appropriate engineering controls	:	local exhaust ve	s generate dust, fumes, gas, vapour or mist, use process enclosures, ntilation or other engineering controls to keep worker exposure to inants below any recommended or statutory limits.		
Individual protection meas	ures	<u>i</u>			
Hygiene measures	:	eating, smoking Appropriate tech Wash contamina	earms and face thoroughly after handling chemical products, before and using the lavatory and at the end of the working period. niques should be used to remove potentially contaminated clothing. ated clothing before reusing. Ensure that eyewash stations and safety se to the workstation location.		
Eye/face protection <u>Skin protection</u>	- 1	Safety glasses w	/ith side shields.		
Hand protection	:	worn at all times necessary. Con- during use that the noted that the tim glove manufactur protection time of frequently repear (breakthrough tim When only brief (breakthrough tim The user must c product is the mo- as included in the	ant, impervious gloves complying with an approved standard should be when handling chemical products if a risk assessment indicates this is sidering the parameters specified by the glove manufacturer, check he gloves are still retaining their protective properties. It should be ne to breakthrough for any glove material may be different for different rers. In the case of mixtures, consisting of several substances, the of the gloves cannot be accurately estimated. When prolonged or ted contact may occur, a glove with a protection class of 6 me greater than 480 minutes according to EN 374) is recommended. contact is expected, a glove with a protection class of 2 or higher me greater than 30 minutes according to EN 374) is recommended. heck that the final choice of type of glove selected for handling this post appropriate and takes into account the particular conditions of use, e user's risk assessment. tyl rubber, PVC, Viton®		
Body protection	:		ive equipment for the body should be selected based on the task being ne risks involved and should be approved by a specialist before duct.		
Other skin protection	:	based on the tas	wear and any additional skin protection measures should be selected k being performed and the risks involved and should be approved by a handling this product.		
Respiratory protection	:	hazards of the pr are exposed to c certified respirate	tion must be based on known or anticipated exposure levels, the roduct and the safe working limits of the selected respirator. If workers concentrations above the exposure limit, they must use appropriate, ors. Use a properly fitted, air-purifying or air-fed respirator complying d standard if a risk assessment indicates this is necessary. Wear a ming to EN140.		

Code : 00338340

Date of issue/Date of revision

: 5 June 2024

MEGASEAL SL Heavy Duty Powder Additive

SECTION 8: Exposure controls/personal protection

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Media		Result
Solubility(ies)	1	
Viscosity		Not applicable. insoluble in water. Kinematic (40°C): Not applicable.
рН		Not applicable.
Auto-ignition temperature	1	Not applicable.
Flash point	:	Closed cup: Not applicable.
Upper/lower flammability or explosive limits	:	Not available.
Flammability (solid, gas)	1	Not available.
Initial boiling point and boiling range	:	Not available.
Melting point/freezing point	1	Not available.
Odour threshold	1	Not available.
Odour	1	Characteristic.
Colour	1	Off-white.
Physical state	1	Solid.
<u>Appearance</u>		

cold water	Not soluble
Miscible with water	vo.
Partition coefficient: n-octanol/ water	Not applicable.
Vapour pressure	Not available.
Relative density	2.65
Explosive properties	The product itself is not explosive, but the formation of an explosible mixture of /apour or dust with air is possible.
Oxidising properties	Product does not present an oxidizing hazard.
Particle characteristics	
Median particle size	Not available.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.

English (GB)	United Kingdom (UK)
--------------	---------------------

	: 00338340 SL Heavy Duty Pow	Date of issue/Date of revision der Additive	: 5 June 2024
SECTION	10: Stability a	and reactivity	
10.5 Incompa		Keep away from the following materials to prevent stron oxidising agents, strong alkalis, strong acids.	g exothermic reactions:

10.6 Hazardous	1	Depending on conditions, decomposition products may include the following
decomposition products		materials: metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicolo	ical effects	
Acute toxicity Conclusion/Summary	: There are no data available on the mixture itself	f
Acute toxicity estimates		
N/A		
Irritation/Corrosion		
Conclusion/Summary	: Not available.	
Skin	: There are no data available on the mixture itself	f.
Eyes	: There are no data available on the mixture itself	f.
Respiratory	: There are no data available on the mixture itself	f.
Sensitisation		
Conclusion/Summary		
Skin	: There are no data available on the mixture itself	f.
Respiratory	: There are no data available on the mixture itself	f.
Mutagenicity		
Conclusion/Summary	: There are no data available on the mixture itself	f.
Carcinogenicity		
Conclusion/Summary	: There are no data available on the mixture itself	f.
Reproductive toxicity		
Conclusion/Summary	: There are no data available on the mixture itself	f.
Teratogenicity		
Conclusion/Summary	: There are no data available on the mixture itself	f.
Specific target organ toxici	<u>y (single exposure)</u>	
Not available.		

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
crystalline silica, respirable powder (<10 microns)	Category 1	inhalation	-

Aspiration hazard

Not available.

Information on likely routes : Not available. of exposure

Potential acute health effects		
Eye contact	1	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	1	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristicsEye contact: No specific data.

Enc	ilish ((GR)
LIV	11311	

United Kingdom (UK)

Skin contact Ingestion <u>Delayed and immediate effects</u> <u>Short term exposure</u>	Dgical information : No specific data. : No specific data. : No specific data. : No specific data. s as well as chronic effects from short and long-term exposure
Inhalation Skin contact Ingestion Delayed and immediate effects Short term exposure Potential immediate	 No specific data. No specific data. No specific data. s as well as chronic effects from short and long-term exposure
Skin contact Ingestion Delayed and immediate effects Short term exposure Potential immediate	 No specific data. No specific data. s as well as chronic effects from short and long-term exposure
Ingestion Delayed and immediate effects <u>Short term exposure</u> Potential immediate	: No specific data. s as well as chronic effects from short and long-term exposure
<u>Delayed and immediate effects</u> <u>Short term exposure</u> Potential immediate	s as well as chronic effects from short and long-term exposure
Short term exposure Potential immediate	
Potential immediate	
	: Not available.
	: Not available.
Long term exposure	
effects	: Not available.
,	: Not available.
Potential chronic health effect	<u>cts</u>
Not available.	
Conclusion/Summary	: Not available.
General	: Causes damage to organs through prolonged or repeated exposure.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.
SECTION 12: Ecologie	cal information
12.1 Toxicity	
Conclusion/Summary	: Not available.
12.2 Persistence and degradal	
Conclusion/Summary	: Not available.
12.3 Bioaccumulative potentia Not available.	ll second se
INUL AVAIIANIE.	
12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.
12.5 Results of PBT and vPvB	assessment

12.6 Other adverse effects : No known significant effects or critical hazards.

Code : 00338340 Date of issue/Date of revision : 5 June 2024 **MEGASEAL SL Heavy Duty Powder Additive**

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment meth	nods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

Waste catalogue

Waste code	Waste designation
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
Packaging	

<u>ackaging</u>

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	Waste catalogue		
Container	15 01 06	mixed packaging	
Special precautions	taken whe Empty con	ial and its container must be disposed of in a safe way. Care should be n handling emptied containers that have not been cleaned or rinsed out. tainers or liners may retain some product residues. Avoid dispersal of al and runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

- **ADR/RID** : None identified.
- ADN : None identified.

: None identified. IMDG

ΙΑΤΑ : None identified.

user

14.6 Special precautions for : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

Code : 00338340	Date of issue/Date of revision	: 5 June 2024
MEGASEAL SL Heavy Duty Powder Additive		

SECTION 14: Transport information

14.7 Transport in bulk : Not available. according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB)/REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Product/ingredient name	List name	Name on list	Classification	Notes
Quartz (SiO2)	UK Occupational Exposure Limits EH40 - WEL	silica, respirable crystalline respirable fraction	Carc.	-

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and
	Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019
	No. 720 and amendments
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = GB CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Classification	Justification	
STOT RE 1, H372	Calculation method	

Full text of abbreviated H statements

H372

Causes damage to organs through prolonged or repeated exposure.

Full text of classifications

)338340 leavy Duty Powder Additiv	Date of issue/Date of revision e	: 5 June 2024
SECTION 16	: Other information]	
STOT RE 1	SPECIFIC TARGET C	RGAN TOXICITY - REPEATED EXPOSUR	E - Category 1
History			

Date of issue/ Date of revision	: 5 June 2024
Date of previous issue	: 9 November 2022
Prepared by	: EHS
Version	: 1.01

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.