# **SAFETY DATA SHEET**



Date of issue/Date of revision6 September 2024Version 5.07

Section 1. Identification		
Product code	: 00291642	
Product name	: PSX 700 BASE RAL 7035	
Product type	: Liquid.	
Relevant identified uses of	the substance or mixture and uses advised against	
Product use	Coating. Professional applications, Used by spraying.	
Supplier's details	: PPG Industries (Singapore) Pte. Ltd., No. 1 Tuas Basin Close, Singapore 638803. Tel +65 68653737	
Emergency telephone number (with hours of operation)	: CHEMTREC +(65)-31581349 (CCN 17704)	

## Section 2. Hazards identification

Classification of the substance or mixture	:	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1
GHS label elements, includin	g	orecautionary statements
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	1	May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements		
Prevention	:	Wear protective gloves. Wear eye or face protection. Avoid breathing vapor.
Response	:	Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.

Singapore	English (US)	Page: 1/11
-----------	--------------	------------

### Section 2. Hazards identification

Other hazards which do not : None known. result in classification

### Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

### **CAS number/other identifiers**

EC number : Mixture.	CAS number	: Not applicable.
	EC number	: Mixture.

Ingredient name	%	CAS number
承,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with	25 - <50	30583-72-3
1-chloro-2,3-epoxypropane		
bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	1 - <3	41556-26-7
Poly(oxy-1,2-ethanediyl), α-(nonylphenyl)-ω-hydroxy-, branched,	1 - <3	68412-53-3
phosphates		
methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	0.3 - <1	82919-37-7
methanol	0.1 - <0.3	67-56-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

### Section 4. First aid measures

#### Description of necessary first aid measures Eye contact : Remove contact lenses, irrigate copiously with clean, fresh water, holding the evelids apart for at least 10 minutes and seek immediate medical advice. Inhalation : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. **Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. : If swallowed, seek medical advice immediately and show this container or label. Ingestion Keep person warm and at rest. Do NOT induce vomiting. Most important symptoms/effects, acute and delayed Potential acute health effects Courses serieus ave irritation E.c. a sufficient

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	eventore

Over-exposure signs/symptoms

Singapore	English (US)	Page: 2/11
-----------	--------------	------------

## Section 4. First aid measures

: Adverse symptoms may include the following: pain or irritation watering redness
: No specific data.
: Adverse symptoms may include the following: irritation redness
: No specific data.
dical attention and special treatment needed, if necessary
: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
: No specific treatment.
: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Precautions for safe handling	L	
Protective measures	:	Put on app

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### Section 7. Handling and storage

Conditions for safe storage,	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in
including any	accordance with local regulations. Store in original container protected from direct
incompatibilities	sunlight in a dry, cool and well-ventilated area, away from incompatible materials
	(see Section 10) and food and drink. Keep container tightly closed and sealed until
	ready for use. Containers that have been opened must be carefully resealed and
	kept upright to prevent leakage. Do not store in unlabeled containers. Use
	appropriate containment to avoid environmental contamination. See Section 10 for
	incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits	
methanol	Workplace Safety and Hea (Singapore, 2/2006). PEL (short term): 328 mg/r PEL (short term): 250 ppm PEL (long term): 262 mg/r PEL (long term): 200 ppm	n³ 15 minutes. 15 minutes. ı³ 8 hours.
Recommended monitoring procedures	eference should be made to appropriate monitoring standards. F ational guidance documents for methods for the determination of ubstances will also be required.	
Appropriate engineering controls	bood general ventilation should be sufficient to control worker expo ontaminants.	sure to airborne
Environmental exposure controls	missions from ventilation or work process equipment should be c ney comply with the requirements of environmental protection legi- ases, fume scrubbers, filters or engineering modifications to the p quipment will be necessary to reduce emissions to acceptable lev	slation. In some rocess
ndividual protection measur		
Hygiene measures	Vash hands, forearms and face thoroughly after handling chemica ating, smoking and using the lavatory and at the end of the workir ppropriate techniques should be used to remove potentially conta contaminated work clothing should not be allowed out of the workp ontaminated clothing before reusing. Ensure that eyewash station howers are close to the workstation location.	ng period. minated clothing. blace. Wash
Eye/face protection	hemical splash goggles.	
Skin protection		
Hand protection	chemical-resistant, impervious gloves complying with an approved e worn at all times when handling chemical products if a risk asse his is necessary. Considering the parameters specified by the glo heck during use that the gloves are still retaining their protective p hould be noted that the time to breakthrough for any glove materia ifferent for different glove manufacturers. In the case of mixtures, everal substances, the protection time of the gloves cannot be act stimated.	essment indicates ve manufacturer, properties. It al may be , consisting of
Singapore English (US)		Page: 5/11

## Section 8. Exposure controls/personal protection

•	• •
Gloves	: butyl rubber
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

## Section 9. Physical and chemical properties

Appearance		
Physical state	d.	
Color		
Odor	natic.	
рН	uble in water.	
Boiling point	78°C (>100°F)	
Flash point	ed cup: 70°C (158°F)	
Evaporation rate	vailable.	
Flammability (solid, gas)		
Vapor pressure	vailable.	
Relative density		
Solubility/ioo)	ia Result	
Solubility(ies)	water Not soluble	
Auto-ignition temperature	vailable.	
Viscosity	matic (40°C (104°F)): >21 mm²/s (>21 cSt)	
Section 10. Stabil	d reactivity	
Reactivity	pecific test data related to reactivity available for th	is product or its ingredients.

Reactivity	: No specific test data related to reactivity available for this product or its ingredient
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition

products.	0	1	, , , , , , , , , , , , , , , , , , ,	

Singapore	English (US)	Page: 6/11
-----------	--------------	------------

## Section 10. Stability and reactivity

Hazardous decomposition products : Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide oxides	Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
		:	materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/

## Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
bís(1,2,2,6,6-pentamethyl-	LD50 Oral	Rat	3.125 g/kg	-
4-piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-	LD50 Oral	Rat	3.125 g/kg	-
4-piperidyl sebacate				
methanol	LC50 Inhalation Vapor	Rat	64000 ppm	4 hours
	LD50 Dermal	Rabbit	15800 mg/kg	-
	LD50 Oral	Rat	5600 mg/kg	-
Conclusion/Summary :	There are no data available on the	mixture itself.		
Irritation/Corrosion				
Conclusion/Summary				
	There are no data available on the			
	There are no data available on the			
	ere are no data available on the mixture itself.			
<u>Sensitization</u>				
Conclusion/Summary				
Skin :	There are no data available on the	ere are no data available on the mixture itself.		
Respiratory :	There are no data available on the	ere are no data available on the mixture itself.		
<u>Mutagenicity</u>				
Conclusion/Summary :	There are no data available on the	e mixture itself.		
Carcinogenicity				
	There are no data available on the	e mixture itself.		
Reproductive toxicity				
	There are no data available on the	e mixture itself		
Teratogenicity				
	There are no data available on the	e mixture itself.		
Specific target organ toxicity	<u>y (single exposure)</u>			

Name	Category	Route of exposure	Target organs
methanol	Category 1	-	-

Specific target organ toxicity (repeated exposure)

Singapore	English (US)	Page: 7/11
-----------	--------------	------------

### Section 11. Toxicological information

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of exposure	: Not available.
Potential acute health effects	
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Singapore	English (US)	Page: 8/11
-----------	--------------	------------

### Section 11. Toxicological information

Route	ATE value
Dermal	16896.55 mg/kg 45967.99 mg/kg 764.36 mg/l

#### Other information

Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

### Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
4'- Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane	LC50 11.5 mg/l	Fish	96 hours
methanol	Acute LC50 13 mg/l Fresh water	Fish	96 hours
Conclusion/Summary	: There are no data available on the	e mixture itself.	

### Persistence/degradability

Not available.

**Conclusion/Summary** : There are no data available on the mixture itself.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
methanol	-0.77	-	Low

#### Mobility in soil

Other adverse effects

Soil/water partition coefficient (Koc)	: Not available.

: No known significant effects or critical hazards.

Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### Additional information

UN	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

### Section 15. Regulatory information

#### Singapore - hazardous chemicals under government control

Ingredient name	Status
ronylphenol and nonylphenol ethoxylates	Listed

#### **International regulations**

**Montreal Protocol** 

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 6 September 2024
Date of previous issue	: 2/1/2024
Version	: 5.07
Prepared by	: EHS
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>

**V** Indicates information that has changed from previously issued version.

#### Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.