SAFETY DATA SHEET

Date of issue : 30 September 2024 : 3

Version

Section 1. Identification

Product code	: 10090-FILLR/29K
Product name	: AMERCOAT D9 FILLER
Product type	: Powder.
Recommended use and res	trictions
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG INDUSTRIES NEW ZEALAND LTD 5 MONAHAN ROAD, MT WELLINGTON, AUCKLAND www.ppgnz.co.nz Telephone Numbers: 09 573 1620, 0800 659378 021 940 920 (24 Hours)
Emergency telephone number (with hours of operation)	: New Zealand 0800 000 096 (24 hours) / Australia 1800 883 254 (24 hours) For international shipping emergencies: 1-412-391-1618
e-mail address of person responsible for this SDS	: ehsnz@ppg.com

Section 2. Hazards identification

HSNO Classification	: REPRODUCTIVE TOXICITY - Category 1 REPRODUCTIVE TOXICITY - Effects on or via lactation SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Symbol	
GHS label elements	
Signal word	: Danger
Hazard statements	: May damage fertility or the unborn child. May cause harm to breast-fed children. Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Avoid contact during pregnancy and while nursing.
Response	: 🖉 ollect spillage. IF exposed or concerned: Get medical advice or attention.
	: Not applicable.

New Zealand Page: 1/11

Date of issue 30 September Version 3 2024

Product name AMERCOAT D9 FILLER

Section 2. Hazards identification

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards which do not : result in classification

May form explosible dust-air mixture if dispersed. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and has been classified according to the Hazardous Substances (Classifications) Notice 2017.

This material is classified as DANGEROUS GOODS according to criteria in New Zealand Land Transport Rule: Dangerous Goods 2005.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture CAS number/other identifiers		
Product code : 10090-FILLR/29K		
Hazardous ingredients	%	CAS number
Zinc powder - zinc dust (stabilized) zinc oxide lead powder	>60 1 - <10 <1	7440-66-6 1314-13-2 7439-92-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

	New Zealand Page: 2/11
_,	irritation redness
Eyes	: Adverse symptoms may include the following:
Over-exposure signs/	symptoms
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Inhalation	 Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Eye contact	 Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Potential acute health	<u>effects</u>
Most important sympto	ms/effects, acute and delayed
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Skin contact	trained personnel.Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Inhalation	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

1

Date of issue 30 September Version 3 2024

Product name AMERCOAT D9 FILLER

Section 4. First aid measures

Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing reduced foetal weight increase in foetal deaths skeletal malformations
Skin	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Indication of immediate med	dical attention and special treatment needed, if necessary
Specific treatments	: Not available.
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media	
Suitable	: Use dry chemical powder.
Not suitable	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	: May form explosible dust-air mixture if dispersed. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	 Decomposition products may include the following materials: metal oxide/oxides oxides of lead
Special precautions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Product name AMERCOAT D9 FILLER

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.	
Methods and material for containment and cleaning up		
Small spill	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.	
Large spill	 Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. 	

Section 7. Handling and storage

Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid contact during pregnancy or while nursing. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing dust. Avoid release to the environment. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	☑ o not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Product name AMERCOAT D9 FILLER

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	E	xposure limits
₽́nc oxide lead powder	W (M \ \ \ \ \ TI H \ W (M \ O \ \ O \ \ \ \ \ \ \ \ \ \ \ \ \ \	SWA 2015 - HSW (GRWM) 2016. /orkplace exposure standards (WES) lew Zealand, 4/2022) WES-TWA 8 hours: 2 mg/m ³ . WES-STEL 15 minutes: 5 mg/m ³ . WES-TWA 8 hours: 0.1 mg/m ³ . Form: The alue for respirable dust WES-STEL 15 minutes: 0.5 mg/m ³ . Form: he value for respirable dust SWA 2015 - HSW (GRWM) 2016. /orkplace exposure standards (WES) New Zealand, 4/2022) [lead, inorganic] totoxicant. WES-TWA 8 hours: 0.05 mg/m ³ (as Pb). form: Dust and fumes.
Recommended monitoring procedures	: Reference should be made to appropriat national guidance documents for method substances will also be required.	
Appropriate engineering controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measur	<u>es</u>	
Hygiene measures	eating, smoking and using the lavatory a	o remove potentially contaminated clothing. sing. Ensure that eyewash stations and
Respiratory protection	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.	
Hand protection	: Chemical-resistant, impervious gloves co be worn at all times when handling chem	ough for any glove material may be s. In the case of mixtures, consisting of
		New Zealand Page: 5/11

Date of issue 30 September Version 3 2024

Product name AMERCOAT D9 FILLER

Section 8. Exposure controls/personal protection

- Eye protection Skin protection
- : Safety glasses with side shields.
- : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 9. Physical and chemical properties

Appearance		
Physical state	1	Solid.
		Powder.
Colour	1	Not available.
Odour	1	Not available.
Odour threshold	1	Not available.
рН	1	Not applicable.
Melting point	1	999°C (1830.2°F)
Boiling point	1	908°C (1666.4°F)
Flash point	1	Closed cup: Not applicable.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	:	Not applicable.
Vapour pressure	1	Not available.
Relative density	:	7.1
Bulk Density (g/cm³)	1	7.1
Solubility(ies)		Media Result
	1	Cold water Not soluble
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	1	Not applicable.
Decomposition temperature	1	Not available.
Viscosity	:	Øynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not applicable.

Section 10. Stability and reactivity

Stability	: The product may not be stable under certain conditions of storage or use.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. 807i:rkep:8hy Prevent dust accumulation.

Date of issue 30 September Versio 2024

Product name AMERCOAT D9 FILLER

Section 10. Stability and reactivity

Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials strong acids strong alkalis
Hazardous decomposition products Hazardous polymerisation	 Evolves hydrogen on contact with water. Depending on conditions, decomposition products may include the following materials: metal oxide/oxides Under normal conditions of storage and use, hazardous polymerisation will not occur.

Section 11. Toxicological information

Information on likely routes of exposure

Inhalation	;	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Ingestion	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Symptoms related to the phy	ysia	cal, chemical and toxicological characteristics
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	:	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Eye contact	:	Adverse symptoms may include the following: irritation redness
Delayed and immediate effe	<u>cts</u>	as well as chronic effects from short and long-term exposure
Acute toxicity		

Product/ingredient name	Result	Species	Dose	Exposure
Zinc powder - zinc dust (stabilized)	LC50 Inhalation Dusts and mists	Rat	>5.4 mg/l	4 hours
	LD50 Oral	Rat	>2000 mg/kg	-
zinc oxide	LC50 Inhalation Dusts and mists	Rat	>5700 mg/m ³	4 hours
	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Conclusion/Summary	: There are no data available on the mixture itself.			
rritation/Corrosion				
Conclusion/Summary				
Skin	: There are no data available on the mixture itself.			

New Zealand Page: 7/11

Product name AMERCOAT D9 FILLER

Section 11. Toxicological information **Eyes** : There are no data available on the mixture itself. : There are no data available on the mixture itself. Respiratory **Sensitisation Conclusion/Summary** Skin : There are no data available on the mixture itself. : There are no data available on the mixture itself. Respiratory **Potential chronic health effects** General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Inhalation Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards. : May damage the unborn child. **Teratogenicity** : May cause harm to breast-fed children. **Developmental effects Fertility effects** : May damage fertility. **Chronic toxicity** Not available. **Carcinogenicity** Conclusion/Summary : There are no data available on the mixture itself. **Mutagenicity** : There are no data available on the mixture itself. **Conclusion/Summary Teratogenicity Conclusion/Summary** : There are no data available on the mixture itself. **Reproductive toxicity** : There are no data available on the mixture itself. **Conclusion/Summary** Specific target organ toxicity

Name	• •	Route of exposure	Target organs
<mark>l</mark> ∉ad powder	Category 1	oral, inhalation	blood, central nervous system (CNS), kidneys

Aspiration hazard

Not available.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Other information

Sanding and grinding dusts may be harmful if inhaled.

Date of issue 30 September Version 3 2024

Product name AMERCOAT D9 FILLER

Section 12. Ecological information

Ecotoxicity

: This material is very toxic to aquatic life with long lasting effects.

Product/ingredient name	Result	Species	Exposure
Zinc powder - zinc dust (stabilized)	Acute EC50 0.106 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 354 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Chronic EC10 6.3 µg/l	Daphnia - <i>Daphnia magna</i> - Neonate	21 days
	Chronic LC10 185 µg/l Fresh water	Fish - <i>Oncorhynchus mykiss</i> - Juvenile (Fledgling, Hatchling, Weanling)	30 days
zinc oxide	Acute EC50 0.17 mg/l	Algae	72 hours
	Acute EC50 0.481 mg/l Fresh water	Daphnia - <i>Daphnia magna</i> - Neonate	48 hours
	Chronic NOEC 0.017 mg/l Fresh water	Algae	72 hours
lead powder	Acute LC50 0.594 mg/l Fresh water	Daphnia - Daphnia magna	48 hours

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

Do not allow to enter drains or watercourses.

Section 13. Disposal considerations

: Not available.

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Not suitable:	: Do not allow to enter drains or watercourses.

The classification of the product may meet the criteria for a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

Date of issue 30 September Version 3 2024

Product name AMERCOAT D9 FILLER

14. Transport information

	NZ	IMDG	ΙΑΤΑ
UN number	UN3077	UN3077	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	(Zinc powder - zinc dust (stabilized), zinc oxide)	(Zinc powder - zinc dust (stabilized), zinc oxide)	(Zinc powder - zinc dust (stabilized), zinc oxide)
Transport hazard class(es)	9	9	9
Packing group	III	III	III
Environmental hazards	Yes.	Yes.	Yes.
Marine pollutant substances	(Zinc powder - zinc dust (stabilized))	(Zinc powder - zinc dust (stabilized))	Not applicable.

NZ	: None identified.
Hazchem code	: Not applicable.
IMDG	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg. provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 The segregation group has been manually assigned based upon product analysis.
IATA	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

	New Zealand	Page: 10/11
Approved Handler	: Not applicable.	
	Level 3: Not applicable.	
	Level 2: MSDS required when any amount is present in a workplace.	
Emergency Management Regulations	: Level 1: Not applicable.	
HSNO Approval Number	: 🗚 SR002670 Subsidiary Hazard	
New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.	

Date of issue 30 September Version 3 2024

Product name AMERCOAT D9 FILLER

Section 15. Regulatory information

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

List name	Ingredient name	Status
<mark>⊭</mark> eavy metals - Annex 1	Lead (Pb)	Listed

Section 16. Other information

Date of issue	: 30 September 2024
Date of previous issue	: 11/8/2021
Indicates information that	has changed from previously issued version
Key to abbreviations	: STEL = Short Term Exposure Limit TWA = Time-Weighted Average WES = Work Exposure Standard
References	: Not available.
Organisation that prepared the SDS	: EHS
Disalationan	

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.