SAFETY DATA SHEET

Date of issue/Date of revision

: 10 October 2024

Version

: 2.01



pPG

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: DIMETCOTE 9 POWDER
Product code	: 000001200998
Other means of identificat	tion
00475440	
1.2 Relevant identified uses	s of the substance or mixture and uses advised against
Product use	: Professional applications, Application by non spray methods
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier of	of the safety data sheet
Sigma Paint Saudi Arabia L PO Box 7509, Dammam 31 Saudi Arabia	
Tel: 00966 138 47 31 00	
Fax: 00966 138 47 17 34	
e-mail address of person responsible for this SDS	: PS.ACEMEA@ppg.com

- 1.4 Emergency telephone number
- : 00966 138473100 extn 1001

SECTION 2: Hazards identification

Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Acute 1, H400 Aquatic Chronic 1, H410

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



۰.	ar	nir	h۵
v v	ar	111	ıy
			-

Hazard statements	: Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: Avoid release to the environment.



Code : 000001200998	Date of issue/Date of revision	: 10 October 2024
DIMETCOTE 9 POWDER		

SECTION 2: Hazards identification

Response	: Collect spillage.
Storage	: Not applicable.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations. P273, P391, P501
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requiren	<u>nents</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: May form explosible dust-air mixture if dispersed. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Źnc powder zinc dust (stabilised)	REACH #: 01-2119467174-37 EC: 231-175-3 CAS: 7440-66-6 Index: 030-001-01-9	≥90	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
zinc oxide	REACH #: 01-2119463881-32 EC: 215-222-5 CAS: 1314-13-2 Index: 030-013-00-7	≥1.0 - ≤5.0	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1] [2]
lead powder	EC: 231-100-4 CAS: 7439-92-1 Index: 082-013-00-1	<0.030	Repr. 1A, H360FD Lact., H362 STOT RE 1, H372 (blood, central nervous system (CNS), kidneys) (oral, inhalation) Aquatic Acute 1, H400	Repr. 1A, H360D: C ≥ 0.03% STOT RE 1, H372: C ≥ 0.5% M [Acute] = 10 M [Chronic] = 100	[1] [2]
·	·-	English	(GB) Saudi	Arabia	2/13

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation	(EU)
2020/878	

Code	: 000001200998	Date of issue/Date of revision	: 10 October 2024
DIMETCOTE	9 POWDER		

SECTION 3: Composition/information on ingredients

Aquatic Chronic 1, H410	
See Section 16 for	
the full text of the H	
statements declared	
above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Inhalation : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water Skin contact or use recognised skin cleanser. Do NOT use solvents or thinners. Ingestion : If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	<u>effects</u>
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/s</u>	<u>ymptoms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any imi	mediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Code	: 000001200998	Date of issue/Date of revision	: 10 October 2024
DIMETCOTE	9 POWDER		

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing	: Use dry chemical powder.
media	
Unsuitable extinguishing media	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
5.2 Special hazards arising f	from the substance or mixture
Hazards from the substance or mixture	: May form explosible dust-air mixture if dispersed. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: metal oxide/oxides oxides of lead
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

English (GB)	Saudi Arabia	4/13

Code : 000001200998

Date of issue/Date of revision

: 10 October 2024

DIMETCOTE 9 POWDER

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid release to the environment. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
zinc oxide	ACGIH TLV (United States, 7/2023) TWA 8 hours: 2 mg/m ³ . Form: Respirable fraction. STEL 15 minutes: 10 mg/m ³ . Form: Respirable fraction.
lead powder	 EU Biological limit values (Europe, 12/2017) [lead and its ionic compounds] OEL surveillance 8 hours: 0.075 mg/m³ (lead). EU OEL (Europe, 2/2017) [inorganic lead and its compounds] TWA 8 hours: 0.15 mg/m³.

Biological exposure indices

Cod	e : 000001200998	Date of issue/Date of revision	: 10 October 2024
DIM	ETCOTE 9 POWDER		
	Product/ingredient name	Exposure indices	

lead powder	EU Biological limit values (Europe, 12/2017) [lead and its ionic
	compounds]
	BEI surveillance: 40 μg/100 ml, lead [in blood].
	BLV: 70 μg/100 ml, lead [in blood].

No exposure indices known.

Recommended monitoring procedures	Inference should be made to monitoring standards, such as the following: Europe andard EN 689 (Workplace atmospheres - Guidance for the assessment of expo inhalation to chemical agents for comparison with limit values and measurement ategy) European Standard EN 14042 (Workplace atmospheres - Guide for the plication and use of procedures for the assessment of exposure to chemical and ological agents) European Standard EN 482 (Workplace atmospheres - General quirements for the performance of procedures for the measurement of chemical ents) Reference to national guidance documents for methods for the determinat hazardous substances will also be required.	sure t
8.2 Exposure controls		
Appropriate engineering controls	e only with adequate ventilation. If user operations generate dust, fumes, gas, pour or mist, use process enclosures, local exhaust ventilation or other engineeri ntrols to keep worker exposure to airborne contaminants below any recommende atutory limits. The engineering controls also need to keep gas, vapour or dust ncentrations below any lower explosive limits. Use explosion-proof ventilation uipment.	
Individual protection measured		
Hygiene measures	ash hands, forearms and face thoroughly after handling chemical products, befor ting, smoking and using the lavatory and at the end of the working period. propriate techniques should be used to remove potentially contaminated clothing ash contaminated clothing before reusing. Ensure that eyewash stations and saf owers are close to the workstation location.	j .
Eye/face protection <u>Skin protection</u>	fety glasses with side shields.	
Hand protection	emical-resistant, impervious gloves complying with an approved standard should rn at all times when handling chemical products if a risk assessment indicates th cessary. Considering the parameters specified by the glove manufacturer, check ring use that the gloves are still retaining their protective properties. It should be ted that the time to breakthrough for any glove material may be different for differ ove manufacturers. In the case of mixtures, consisting of several substances, the otection time of the gloves cannot be accurately estimated. When prolonged or quently repeated contact may occur, a glove with a protection class of 6 eakthrough time greater than 480 minutes according to EN 374) is recommended hen only brief contact is expected, a glove with a protection class of 2 or higher eakthrough time greater than 30 minutes according to EN 374) is recommended to user must check that the final choice of type of glove selected for handling this oduct is the most appropriate and takes into account the particular conditions of u included in the user's risk assessment.	nis is k rent e ed.
Gloves	rile rubber, butyl rubber, PVC, Viton®	
Body protection	rsonal protective equipment for the body should be selected based on the task b rformed and the risks involved and should be approved by a specialist before ndling this product.	eing
Other skin protection	propriate footwear and any additional skin protection measures should be select sed on the task being performed and the risks involved and should be approved ecialist before handling this product.	
Respiratory protection		

Code DIMETCOTE	: 000001200998 9 POWDER	Date of issue/Date of revision : 10 October 2024
		Use with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Mask type: full-face mask half-face mask Filter type: particulate filter P3 Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Environmer controls	ntal exposure :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid.
Product type	: Powder.
Colour	: Grey.
Odour	: Odourless.
Odour threshold	: Not available.
Melting point/freezing point	: Not determined.
Initial boiling point and boiling range	: Not available.
Flammability	: Not determined. There are no data available on the mixture itself.
Upper/lower flammability or explosive limits	: Not applicable.
Minimum explosive concentration (MEC)	: 10 g/m³
Flash point	: Closed cup: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Stable under recommended storage and handling conditions (see Section 7).
рН	: Not applicable. insoluble in water.
Viscosity	: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C): Not applicable.

Solubility(ies)

Solubility(ies)	:	
Media		Result
cold water		Not soluble
Partition coefficient: n-octanol/ water	:	Not applicable.
Vapour pressure	:	Not available.
Relative density	:	7.04
Bulk density (g/cm³)	:	7.1
Explosive properties	:	Not available.
Oxidising properties	:	Product does not present an oxidizing hazard.
Particle characteristics		
Median particle size	:	Not available.

9.2 Other information

Code: 000001200998Date of issue/Date of revisionDIMETCOTE 9 POWDER

: 10 October 2024

SECTION 9: Physical and chemical properties

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Evolves hydrogen on contact with water. Depending on conditions, decomposition products may include the following materials: metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient	name	Result	Species	Dose	Exposure
zinc powder zinc dust (stabil	lised)	LC50 Inhalation Dusts and	Rat	>5.4 mg/l	4 hours
		mists	Det	5 0000 mm m/lum	
		LD50 Oral	Rat	>2000 mg/kg	-
zinc oxide		LC50 Inhalation Dusts and mists	Rat	>5700 mg/m ³	4 hours
		LD50 Dermal	Rat	>2000 mg/kg	_
		LD50 Oral	Rat	>5000 mg/kg	-
Conclusion/Summary	: There are	no data available on the mixture	e itself.		I
rritation/Corrosion					
Conclusion/Summary					
Skin	: There are r	o data available on the mixture	itself.		
Eyes	: There are r	o data available on the mixture	itself.		
Respiratory : There are no data available on the mixture itself.			itself.		
<u>Sensitisation</u>					
Conclusion/Summary					
Skin	: There are	no data available on the mixture	e itself.		
Respiratory	: There are	no data available on the mixture	e itself.		
<u>Mutagenicity</u>					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
Carcinogenicity					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
Reproductive toxicity					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
Teratogenicity					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
		English (GB)	Saudi	Arabia	8/13

Code	: 000001200998	Date of issue/Date of revision	: 10 October 2024
DIMETCOTE	9 POWDER		

SECTION 11: Toxicological information

Product/ingredient name		Category	Route of exposure	Target organs	
Information on likely routes of exposure	: Not available.				
Potential acute health effe	<u>cts</u>				
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.				
Ingestion	: No known significant effect	ts or critical haz	zards.		
Skin contact	: No known significant effect	ts or critical haz	zards.		
Eye contact		 Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. 			
Symptoms related to the p	hysical, chemical and toxicol	ogical charact	<u>eristics</u>		
Inhalation	: Adverse symptoms may ir respiratory tract irritation coughing	nclude the follov	<i>v</i> ing:		
Ingestion	: No specific data.				
Skin contact	: No specific data.				
Eye contact	: Adverse symptoms may include the following: irritation redness				
Delayed and immediate eff	fects as well as chronic effect	s from short a	nd long-term expo	sure	
Short term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	s : Not available.				
Long term exposure Potential immediate effects	: Not available.				
Potential delayed effects	s : Not available.				
Potential chronic health ef					
Not available.					
Conclusion/Summary	: Not available.				
General	: Repeated or prolonged inl	nalation of dust	may lead to chronic	respiratory irritation.	
Carcinogenicity	: No known significant effects or critical hazards.				
Mutagenicity	: No known significant effects or critical hazards.				
Reproductive toxicity	: No known significant effects or critical hazards.				
Other information	: Not available.				
Sanding and grinding dusts	•				
11.2 Information on other					
11.2.1 Endocrine disrupti	ing properties				
Not available.					
11.2.2 Other information					
Not available.					

Code : 000001200998

DIMETCOTE 9 POWDER

Date of issue/Date of revision

: 10 October 2024

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
zínc powder zinc dust (stabilised)	Acute EC50 0.106 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 354 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Chronic EC10 6.3 µg/l	Daphnia - <i>Daphnia</i> <i>magna</i> - Neonate	21 days
	Chronic LC10 185 µg/l Fresh water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	30 days
zinc oxide	Acute EC50 0.17 mg/l Acute EC50 0.481 mg/l Fresh water	Algae Daphnia - <i>Daphnia</i> <i>magna</i> - Neonate	72 hours 48 hours
	Chronic NOEC 0.017 mg/l Fresh water	Algae	72 hours

Conclusion/Summary

: There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Conforms to 2020/878	o Regulation (EC) I	No. 1907/2006 (REACH), Ai	nnex II, as amended by Commission	on Regulation (EU)
Code	: 000001200998		Date of issue/Date of revision	: 10 October 2024
DIMETCOT	E 9 POWDER			
SECTIO	N 13: Disposa	al considerations		
Methods	of disposal	: The generation of waste	should be avoided or minimised whe	erever possible. Disposal

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: ₩ithin the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation		
Ø 8 02 01	waste coating powders		
Packaging			
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste		

I

packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging		European waste catalogue (EWC)		
Container	15 01 06	15 01 06 mixed packaging		
Special precautions	taken when Empty conta	al and its container must be disposed of in a safe way. Care should be handling emptied containers that have not been cleaned or rinsed out. ainers or liners may retain some product residues. Avoid dispersal of spilt d runoff and contact with soil, waterways, drains and sewers.		

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc powder - zinc dust (stabilized), zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	111	Ш	111
14.5 Environmental hazards	Yes.	Yes.	Yes.
Marine pollutant substances	Not applicable.	(Zinc powder - zinc dust (stabilized))	Not applicable.

Additional information

ADR/RID	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
Tunnel code	: (-)
IMDG	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. The segregation group has been manually assigned based upon product analysis.
ΙΑΤΑ	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

English (GB)	
--------------	--

Code	;	000001200998
DIMETCOTE	9	POWDER

Date of issue/Date of revision

: 10 October 2024

SECTION 14: Transport information

14.6 Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
		upright and secure. Ensure that persons transporting the product know what to do in the

14.7 Transport in bulk : Not applicable. according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Intrinsic property	Ingredient name	Status		Date of revision
Toxic to reproduction	lead	Recommended	D(2021) 4569-DC	4/12/2023

: Not applicable. **Annex XVII - Restrictions** on the manufacture,

placing on the market and use of certain

dangerous substances,

mixtures and articles

Other national and international regulations.

Explosive precursors : Not applicable.

Ozone depleting substances (1005/2009/EU)

Not listed.

15.2 Chemical safety

: No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number		
Full text of abbreviated H statements	 H360FD May damage fertility. May damage the unborn child. H362 May cause harm to breast-fed children. H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. 		
Full text of classifications [CLP/GHS]			

Code	: 000001200998	Date of issue/Date of revision	: 10 October 2024
DIMETCOTE 9 POWDER			

SECTION 16: Other information

	: Aquatic Acute 1 Aquatic Chronic 1 Lact. Repr. 1A STOT RE 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 REPRODUCTIVE TOXICITY - Effects on or via lactation REPRODUCTIVE TOXICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1
<u>History</u>		
Date of issue/ Date of revision	: 10 October 2024	
Date of previous issue	: 29 September 2024	
Prepared by	: EHS	
Version	: 2.01	

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

English (GB)	Saudi Arabia	13/13