SAFETY DATA SHEET



The information in this Safety Data Sheet is required pursuant to Hazardous Product Regulations 2015.

Date of issue/Date of revision 11 October 2024 Version 5.04

Section 1. Identification					
Product name	: PSX 700 COLORANT 99 CLEAR				
Product code	: 00289215				
Chemical name	: Siloxanes and Silicones, di-Me, methoxy Ph, polymers with Ph silsesquioxanes, methoxy-terminated				
Other means of identification	: Not available.				
Product type	: Liquid.				
Relevant identified uses of	the substance or mixture and uses advised against				
Product use	: Professional applications.				
Use of the substance/ mixture	: Figment paste				
Uses advised against	: Not applicable.				
Supplier	 PPG Architectural Coatings Canada, Inc. 1550, rue Ampère, bureau 500 Boucherville (Québec) J4B 7L4 Canada +1 450-655-3121 				
	PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272				
Emergency telephone number	: (412) 434-4515 (U.S.) (514) 645-1320 (Canada) SETIQ Interior de la República: 800-00-214-00 (México) SETIQ Ciudad de México: (55) 5559-1588 (México)				
Technical Phone Number	per : 888-977-4762				

Section 2. Hazard identification

		Canada	Page: 1/12
Hazard statements	: Suspected of damaging fertility or the unborn child.		
Signal word	: Warning		
nazaru pictogranis			
substance or mixture <u>GHS label elements</u> Hazard pictograms			
Classification of the	: TOXIC TO REPRODUCTION - Category 2		

Product name PSX 700 COLORANT 99 CLEAR

Section 2. Hazard identification

Precautionary statements		
Prevention	-	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection.
Response	1	IF exposed or concerned: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness. Emits toxic fumes when heated.
Other hazards which do not result in classification	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture Product name	: Substance : PSX 700 COLORANT 99 CLEAR
Chemical name	 Siloxanes and Silicones, di-Me, methoxy Ph, polymers with Ph silsesquioxanes, methoxy-terminated
Other means of identification	: Not available.

CAS number/other identifiers

Ingredient name	Synonyms	% (w/w)	CAS number
Siloxanes and Silicones, di-Me, methoxy Ph, polymers with Ph silsesquioxanes, methoxy-terminated	Siloxanes and silicones, dimethyl, methoxy phenyl polymers with phenylsilsesquioxanes, methoxy terminated; Dimethyl, phenyl siloxane; Methoxy terminated polymer of [(siloxanes and silicones) having dimethyl and (methoxy phenyl) substituents] / phenylsilasesquioxanes; Polyalkyl (C1-6) phenylalkoxy (C1-4) siloxane; Siloxanes and silicones, di-Me, methoxy Ph polymers with Ph silsesquioxanes, methoxy-terminated; SILOXANE, DIMETHYL, METHOXYPHENYL WITH PHENYL SILSESQUIOXANE METHOXY- TERMINATED; Dimethyl, methoxyphenyl siloxane with phenyl silsesquioxane methoxy-terminated	80 - 100*	68957-04-0
toluene	Benzene, methyl-; Methylbenzene; Toluol; Phenyl methane; Methyl benzol; toluene, pure; toluene, crude; antisal 1A; benzene, methyl-; CP-25; methane, phenyl-; methylbenzene; methylbenzol; NCI- CO7272; phenyl methane; RCRA waste number U220; toluol; tolu-sol; methacide; 1-methylbenzene; methacide; Cuminyl alcohol; Cuminol	0.1 - 1*	108-88-3

Product name PSX 700 COLORANT 99 CLEAR

Section 3. Composition/information on ingredients

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

SUB codes represent substances without registered CAS Numbers.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/symp</u>	<u>toms</u>
Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate med	lical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Product name PSX 700 COLORANT 99 CLEAR

Section 4. First-aid measures

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.		
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.		

Section 6. Accidental release measures

Personal precautions, protec	tiv	<u>e equipment and emergency procedures</u>
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nt	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Product name PSX 700 COLORANT 99 CLEAR

Section 6. Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	obtain sp handle un eyes or o normal un ventilation approved	perpopriate personal protective equipment (see Section 8). Avoid exposure - ecial instructions before use. Avoid exposure during pregnancy. Do not ntil all safety precautions have been read and understood. Do not get in on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during se the material presents a respiratory hazard, use only with adequate n or wear appropriate respirator. Keep in the original container or an al alternative made from a compatible material, kept tightly closed when not impty containers retain product residue and can be hazardous. Do not ntainer.
Special precautions	a source along floo Data She	hay accumulate in low or confined areas or travel a considerable distance to of ignition and flash back. Vapors are heavier than air and may spread brs. If this material is part of a multiple component system, read the Safety eet(s) for the other component or components before blending as the mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	handled, eating, dr equipmer	rinking and smoking should be prohibited in areas where this material is stored and processed. Workers should wash hands and face before rinking and smoking. Remove contaminated clothing and protective nt before entering eating areas. See also Section 8 for additional on on hygiene measures.
Conditions for safe storage, including any incompatibilities	accordan sunlight i (see Sec and seale resealed	ween the following temperatures: 0 to 35°C (32 to 95°F). Store in ince with local regulations. Store in original container protected from direct in a dry, cool and well-ventilated area, away from incompatible materials tion 10) and food and drink. Store locked up. Keep container tightly closed ed until ready for use. Containers that have been opened must be carefully and kept upright to prevent leakage. Do not store in unlabeled containers. ropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

<u>Control parameters</u> <u>Occupational exposure limits</u>

Product name PSX 700 COLORANT 99 CLEAR

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
Siloxanes and Silicones, di-Me, methoxy Ph, polymers with Ph silsesquioxanes, methoxy-terminated	None.
toluene	CA Alberta Provincial (Canada, 3/2023)
	Absorbed through skin.
	OEL 8 hours: 50 ppm.
	OEL 8 hours: 188 mg/m ³ .
	CA British Columbia Provincial (Canada,
	8/2023)
	TWA 8 hours: 20 ppm.
	CA Ontario Provincial (Canada, 6/2019)
	TWA 8 hours: 20 ppm.
	CA Quebec Provincial (Canada, 7/2023)
	TWAEV 8 hours: 20 ppm.
	CA Saskatchewan Provincial (Canada,
	7/2013) Absorbed through skin.
	STEL 15 minutes: 60 ppm.
	TWA 8 hours: 50 ppm.

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	:	Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measur	res	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety glasses with side shields.
Skin protection		
Hand protection	-	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Product name PSX 700 COLORANT 99 CLEAR

Section 8. Exposure controls/personal protection

Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

<u>Appearance</u>							
Physical state	1		•				
Color	1	Colorless.					
Odor	4	Characteristic.	aracteristic.				
Odor threshold	1	Not available.	available.				
рН	1	Not applicable.	t applicable.				
Melting point	4	Not available.					
Boiling point	1	>37.78°C (>100°F)					
Flash point	4	Closed cup: Not applicable.					
Auto-ignition temperature	:	Not available.					
Decomposition temperature	1	Not available.					
Flammability	1	Not available.					
Lower and upper explosive (flammable) limits	:	Not available.	ot available.				
Evaporation rate	:	Not available.	ot available.				
Vapor pressure	:	Not available.	ot available.				
Vapor density	:	Not available.	ot available.				
Relative density	:	1.14					
Density(lbs / gal)	:	9.51					
Bulk Density (g/cm³)	:	1.155					
		Media	Result				
Solubility(ies)	-	cold water	Not soluble				
Partition coefficient: n- octanol/water	:	Not applicable.					
Viscosity	-	Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): <14 mm²/s (<14 cSt)					
% Solid. (w/w)	1	98.92					

Product name PSX 700 COLORANT 99 CLEAR

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials carbon oxides metal oxide/oxides

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result		Species	Dose	Exposure				
toluene	LC50 Inhalati	on Vapor	Rat	49 g/m ³	4 hours				
	LD50 Dermal		Rabbit	8.39 g/kg	-				
	LD50 Oral		Rat	5580 mg/kg	-				
Conclusion/Summary	: There are	no data avai	lable on the mixture i	tself.					
Irritation/Corrosion									
Conclusion/Summary									
Skin	: There are	no data avai	lable on the mixture i	tself.					
Eyes	: There are	no data avai	lable on the mixture i	tself.					
Respiratory	: There are	: There are no data available on the mixture itself.							
Sensitization									
Skin	: There are	no data avai	lable on the mixture i	tself.					
Respiratory	: There are	no data avai	lable on the mixture i	tself.					
<u>Mutagenicity</u>									
Conclusion/Summary	: There are	no data avai	lable on the mixture i	tself.					
Carcinogenicity									
Conclusion/Summary	: There are	no data avai	lable on the mixture i	tself.					
Classification									
Product/ingredient name	OSHA	IARC	NTP						
toluene	-	3	-						

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4 NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

Product name PSX 700 COLORANT 99 CLEAR

Section 11. Toxicological information

Reproductive toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
toluene	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Name		Category	Route of exposure	Target organs
toluene		Category 2	-	-
Target organs	: Contains material which ca	auses damage	to the following orga	ns: upper respiratory

tra

Contains material which causes damage to the following organs: upper respiratory tract, skin, eyes.

Aspiration hazard

Name	Result
toluene	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Product name PSX 700 COLORANT 99 CLEAR

Section 11. Toxicological information

Conclusion/Summary	:	There are no data available on the mixture itself. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u>		
Potential immediate effects	:	There are no data available on the mixture itself.
Potential delayed effects	:	There are no data available on the mixture itself.
Long term exposure		
Potential immediate effects	1	There are no data available on the mixture itself.
Potential delayed effects	:	There are no data available on the mixture itself.
Potential chronic health eff	ect	<u>s</u>
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	Suspected of damaging fertility or the unborn child.
Numerical measures of toxic	;ity	

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	(mg/kg)	Inhalation (gases) (ppm)	(mg/l)	Inhalation (dusts and mists) (mg/l)
toluene	5580	8390	N/A	49	N/A

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low

Mobility in soil

Product name PSX 700 COLORANT 99 CLEAR

Section 12. Ecological information

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

Section 14. Transport information

-				
TDG	IMDG	ΙΑΤΑ		
Not regulated.	Not regulated.	Not regulated.		
-	-	-		
-	-	-		
-	-	-		
No.	No.	No.		
Not applicable.	Not applicable.	Not applicable.		
	Not regulated. - - - No.	Not regulated. Not regulated. - - - - - - No. No.		

Additional information

- **TDG** : None identified.
- IMDG : None identified.
- IATA : None identified.
- Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Product name PSX 700 COLORANT 99 CLEAR

Section 15. Regulatory information

National Inventory List

Canada inventory (DSL)

: All components are listed or exempted.

Section 16. Other information

Please refer to Section 2 of this document for GHS hazard classifications. The customer is responsible for determining the PPE code for this material.

Date of issue/Date of revision	11 October 2024
Organization that prepared the SDS	: EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

✓ Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.