# **SAFETY DATA SHEET**

Date of issue : 11 October 2024

Version

### Section 1. Identification

Product code	: 17000-157019/4L
Product name	: PSX 700 COLORANT 01 WHITE
Product type	: Liquid.
Recommended use and res	<u>trictions</u>
Use of the substance/ mixture	: Pígment paste
Uses advised against	: Not applicable.
Supplier's details	: PPG INDUSTRIES NEW ZEALAND LTD 5 MONAHAN ROAD, MT WELLINGTON, AUCKLAND www.ppgnz.co.nz Telephone Numbers: 09 573 1620, 0800 659378
	021 940 920 (24 Hours)
Emergency telephone number (with hours of operation)	: New Zealand 0800 000 096 (24 hours) / Australia 1800 883 254 (24 hours) For international shipping emergencies: 1-412-391-1618
e-mail address of person responsible for this SDS	: ehsnz@ppg.com

## Section 2. Hazards identification

HSNO Classification	: RE	PRODUCTIVE TOXICITY - Category 2
Symbol	:	
GHS label elements		
Signal word	: Wa	Irning
Hazard statements	: Sus	spected of damaging fertility or the unborn child.
Precautionary statements		
Prevention		not handle until all safety precautions have been read and understood. Wear tective gloves, protective clothing and eye or face protection.
Response	: IF e	exposed or concerned: Get medical advice or attention.
Storage	: Not	t applicable.
Disposal		pose of contents and container in accordance with all local, regional, national I international regulations.
Other hazards which do not result in classification	: Nor	ne known.

### : 2.02



Page: 1/10 **New Zealand** 

#### Product name PSX 700 COLORANT 01 WHITE

### Section 2. Hazards identification

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and has been classified according to the Hazardous Substances (Classifications) Notice 2017.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Land Transport Rule: Dangerous Goods 2005.

### Section 3. Composition/information on ingredients

Substance/mixture	1	Mixture
<b>CAS number/other identifiers</b>		
Product code	;	17000-157019/4L

Hazardous ingredients	%	CAS number	
toluene	<1	108-88-3	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Most important sympton	ns/effects, acute and delayed
Potential acute health e	ffects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sy</u>	<u>/mptoms</u>
Eyes	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

#### Product name PSX 700 COLORANT 01 WHITE

### Section 4. First aid measures

Ingestion	:	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths
		skeletal malformations
Indication of immediate med	<u>dica</u>	l attention and special treatment needed, if necessary
Specific treatments	:	Not available.
Notes to physician	-	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Protection of first-aiders	1	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
See toxicological informatio	n / 6	Soction 11)

### See toxicological information (Section 11)

### Section 5. Firefighting measures

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
Special precautions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".				
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).				
Methods and material for con	<u>ıta</u>	inment and cleaning up				
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.				
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.				
		New Zealand Page: 3/10				

### Product name PSX 700 COLORANT 01 WHITE

### Section 7. Handling and storage

Precautions for safe handling	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

Ingredient name			Exposure limits	
voluene			HSWA 2015 - HSW (GRWM) 2016. Workplace exposure standards (WES) (New Zealand, 4/2022) Absorbed through skin , Ototoxicant. WES-TWA 8 hours: 20 ppm. WES-TWA 8 hours: 75 mg/m <sup>3</sup> . WES-STEL 15 minutes: 377 mg/m <sup>3</sup> . WES-STEL 15 minutes: 100 ppm.	
Recommended monitoring procedures	:	Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.		
Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.		
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measur	res			
Hygiene measures	:	eating, smoking and using the lavator Appropriate techniques should be use	bughly after handling chemical products, before y and at the end of the working period. In the remove potentially contaminated clothing. Busing. Ensure that eyewash stations and tation location.	

Product name PSX 700 COLORANT 01 WHITE

### Section 8. Exposure controls/personal protection

Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: butyl rubber, nitrile rubber
Eye protection	: Safety glasses with side shields.
Skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Section 9. Physical and chemical properties

#### **Appearance**

			New Zealand	Page: 5/10
Viscosity	:	Øynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): >21 mm²/s (>21 cSt)		
Decomposition temperature	4	Not available.		
Auto-ignition temperature	1	Not available.		
Partition coefficient: n- octanol/water	:	Not applicable.		
Solubility(ies)	ł	cold water Not soluble		
		Media Result		
Relative density	1	1.87		
Vapour pressure	1	Not available.		
Lower and upper explosive (flammable) limits	1	Not available.		
Flammability (solid, gas)	1	Not available.		
Flash point	1	Closed cup: Not applicable.		
Boiling point	1	>37.78°C (>100°F)		
Melting point		Not available.		
рН	1	Not applicable.		
Odour threshold	:	Not available.		
Odour	:	Characteristic.		
Colour	1	White.		
Physical state	:	Liquid.		
Appearance				

**New Zealand** 

Page: 6/10

Product name PSX 700 COLORANT 01 WHITE

### Section 9. Physical and chemical properties

Viscosity

: 60 - 100 s (ISO 6mm)

### Section 10. Stability and reactivity

Stability	: The product may not be stable under certain conditions of storage or use.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials strong acids strong alkalis
Hazardous decomposition products	<ul> <li>Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides</li> </ul>
Hazardous polymerisation	<ul> <li>Under normal conditions of storage and use, hazardous polymerisation will not occur.</li> </ul>
1	

### Section 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Symptoms related to the ph	ysical, chemical and toxicological characteristics
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Eye contact	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
toluene	LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rabbit Rat	49 g/m³ 8.39 g/kg 5580 mg/kg	4 hours - -
Conclusion/Summary Irritation/Corrosion Conclusion/Summary	: There are no data available of	n the mixture it	self.	
Skin	: There are no data available of	n the mixture it	self.	

#### Product name PSX 700 COLORANT 01 WHITE

### Section 11. Toxicological information

		•
Eyes	1	There are no data available on the mixture itself.
Respiratory	1	There are no data available on the mixture itself.
Sensitisation		
Conclusion/Summary		
Skin	1	There are no data available on the mixture itself.
Respiratory	1	There are no data available on the mixture itself.
Potential chronic health effe	ect	<u>s</u>
General	1	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	1	Suspected of damaging the unborn child.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	Suspected of damaging fertility.
Chronic toxicity		
Not available.		
<b>Carcinogenicity</b>		
Conclusion/Summary	:	There are no data available on the mixture itself.
Mutagenicity		
<b>Conclusion/Summary</b>	:	There are no data available on the mixture itself.
<b>Teratogenicity</b>		
<b>Conclusion/Summary</b>	:	There are no data available on the mixture itself.
Reproductive toxicity		
<b>Conclusion/Summary</b>	1	There are no data available on the mixture itself.
Specific target organ toxicit	y	

Name		Route of exposure	Target organs
toluene	Category 2	-	-

#### **Aspiration hazard**

Not available.

#### Numerical measures of toxicity

ŝ,

#### Acute toxicity estimates

Not available.

#### Other information

Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

#### Product name PSX 700 COLORANT 01 WHITE

### Section 12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

#### Aquatic and terrestrial toxicity

Not available.

#### Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily
		•	•

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low

#### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Do not allow to enter drains or watercourses.

### Section 13. Disposal considerations

Disposal	methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Not suitable:

: Do not allow to enter drains or watercourses.

The classification of the product may meet the criteria for a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### 14. Transport information

shipping name		NZ	IMDG	IAT	Α
shipping name	UN number	Not regulated.	Not regulated.	Not regu	lated.
Transport hazard	UN proper shipping name	-	-	-	
		-	-	-	

14. Transport information				
Packing group	-	-	-	
Environmental hazards	No.	No.	No.	
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	

Additional inform	Additional information		
NZ	: None identified.		
Hazchem code	: Not applicable.		
IMDG	: None identified.		
IATA	: None identified.		

#### Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

### Section 15. Regulatory information

	New Zeelend Demo: 0/40
UNECE Aarhus Protocol o Not listed.	on POPs and Heavy Metals
Rotterdam Convention on Not listed.	Prior Informed Consent (PIC)
Stockholm Convention on Not listed.	Persistent Organic Pollutants
Montreal Protocol Not listed.	
Not listed.	
	ntion List Schedules I, II & III Chemicals
International regulations	•••
Approved Handler	Level 3: Not applicable.  Not applicable.
	Level 2: MSDS required when any amount is present in a workplace.
Emergency Management Regulations	: Level 1: Not applicable.
HSNO Approval Number	: HSR002670 Subsidiary Hazard
New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.

Product name PSX 700 COLORANT 01 WHITE

### Section 15. Regulatory information

### Section 16. Other information

Date of issue	: 11 October 2024
Date of previous issue	: 7/3/2024
Indicates information that has changed from previously issued version.	
Key to abbreviations	: STEL = Short Term Exposure Limit TWA = Time-Weighted Average WES = Work Exposure Standard
References	: Not available.
Organisation that prepared the SDS	: EHS
Disclaimor	

#### <u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.