SAFETY DATA SHEET

United Arab Emirates

: 2.09

Date of issue/Date of revision

: 11 October 2024 Version

0	
1.1 Product identifier	
Product name	: PSX 700 COLORANT 62 OXIDE YELLOW
Product code	: 00291651
Other means of identifica	ation
Not available.	
1.2 Relevant identified use	es of the substance or mixture and uses advised against
Product use	: Professional applications.
Use of the substance/ mixture	: P ígment paste
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier	of the safety data sheet
Sigma Paint Saudi Arabia L PO Box 7509 Dammam 31472 Saudi Arabia Tel: 00966 138 47 31 00 Fax: 00966 138 47 17 34	-
e-mail address of person responsible for this SDS	: ndpic@sfda.gov.sa
1.4 Emergency telephone number	e : 00966 138473100 extn 1001
SECTION 2: Hazard	ds identification

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations. P501

Code : 00291651 PSX 700 COLORANT 62 OXIDE YELLOW Date of issue/Date of revision

: 11 October 2024

SECTION 2: Hazards identification

Supplemental label elements	: Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	nents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: None known.
	itien/information on ingradiante

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
toluene	REACH #: 01-2119471310-51 EC: 203-625-9 CAS: 108-88-3 Index: 601-021-00-3	<1.0	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 See Section 16 for the full text of the H statements declared above.	-	[1] [2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

Code : 00291651 PSX 700 COLORANT 62 OXIDE YELLOW

Date of issue/Date of revision

: 11 October 2024

SECTION 4: First aid measures

4.1 Description of first aid measures		
Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. 	
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.	
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.	
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting. 	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.	

4.2 Most important symptoms and effects, both acute and delayed	
Potential acute health effects	

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/	<u>symptoms</u>

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
5.3 Advice for firefighters Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Code : 00291651	Date of issue/Date of revision : 11 October 2024
PSX 700 COLORANT 62 OXID	E YELLOW
SECTION 5: Firefight	ing measures
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SECTION 6: Accident	al release measures
6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
SECTION 7: Handling	and storage
	contains generic advice and guidance. The list of Identified Uses in Section 1 should be specific information provided in the Exposure Scenario(s).
7.1 Precautions for safe hand	ling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Code

: 00291651 PSX 700 COLORANT 62 OXIDE YELLOW Date of issue/Date of revision

: 11 October 2024

SECTION 7: Handling and storage

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

toluene

Ministry of Labor (France, 9/2023) Repr 2. Absorbed through skin. TWA 8 hours: 20 ppm. TWA 8 hours: 76.8 mg/m³. STEL 15 minutes: 100 ppm. STEL 15 minutes: 384 mg/m³.

Product/ingredien	t name		Exposure limit values	
toluene	Abu Dhabi - OSHAD - Occupational air quality threshold li values (United Arab Emirates, 7/2016) A4. TWA 8 hours: 75 mg/m³. TWA 8 hours: 20 ppm.Cabinet Decree (12) of 2006 Regarding Regulation Concer Protection of Air from Pollution (United Arab Emirates, 5/2 Absorbed through skin. TWA 8 hours: 188 mg/m³. TWA 8 hours: 50 ppm.ACGIH TLV (United States, 7/2023) A4. Ototoxicant. TWA 8 hours: 20 ppm.			cerning
toluene Recommended monitoring procedures	Standard EN 68 by inhalation to o strategy) Europe application and u biological agents requirements for agents) Referer	shift. BEI: 0.02 mg/l, tolue workweek. BEI: 0.03 mg/l, tolue d be made to monitorin 9 (Workplace atmosph chemical agents for con ean Standard EN 1404 use of procedures for t s) European Standard the performance of pr	nine, o-cresol [in urine]. Sampling time ene [in blood]. Sampling time: prior to la ene [in urine]. Sampling time: end of sh ng standards, such as the following: E eres - Guidance for the assessment of mparison with limit values and measure 2 (Workplace atmospheres - Guide for ne assessment of exposure to chemica EN 482 (Workplace atmospheres - Ge ocedures for the measurement of cher e documents for methods for the deter	ast shift of hift. uropean f exposure ement r the al and eneral mical
8.2 Exposure controls Appropriate engineering controls Individual protection measure	contaminants.	entilation should be suf	ficient to control worker exposure to air	borne
Hygiene measures	 Wash hands, for eating, smoking Appropriate tech Wash contamina 	and using the lavatory iniques should be used	ighly after handling chemical products, and at the end of the working period. I to remove potentially contaminated cl using. Ensure that eyewash stations an cation.	othing.
		English (GB)	United Arab Emirates	5/12

2020/070	
Code : 00291651	Date of issue/Date of revision : 11 October 2024
PSX 700 COLORANT 62 OXI	DE YELLOW
Eye/face protection Skin protection	: Safety glasses with side shields.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: nitrile rubber, butyl rubber, PVC, Viton®
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Mask type: full-face mask half-face mask Filter type: organic vapour filter (Type A) particulate filter P3 Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

9.1 Information on basic physic	cal and chemical properties
<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Yellow.
Odour	: Aromatic.
Odour threshold	: Not available.
Melting point/freezing point	: Not determined.
Initial boiling point and boiling range	: >37.78°C
Flammability	: Not determined. There are no data available on the mixture itself.
Upper/lower flammability or explosive limits	: Not available.
Flash point	: Closed cup: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Stable under recommended storage and handling conditions (see Section 7).
рН	: Not applicable. insoluble in water.
Viscosity	: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C): >21 mm²/s
Viscosity	: 60 - 100 s (ISO 6mm)
Solubility(ies)	:
Media	Result
cold water	Not soluble
Partition coefficient: n-octano water	I/: Not applicable.
Vapour pressure	: Not available.
	English (GB) United Arab Emirates 6/12

Code : 00291651		Date of issue/Date of revision	: 11 October 2024
PSX 700 COLORANT 62 OX	IDE YELLOW		
SECTION 9: Physica	al and chemical	properties	
Relative density	: 1.44		
Explosive properties		self is not explosive, but the formation of an with air is possible.	explosible mixture of
Oxidising properties	: Product does	not present an oxidizing hazard.	
Particle characteristics			
Median particle size	: Not applicable		

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.			
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.			
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient	name	Result	Species	Dose	Exposure
toluene		LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rabbit Rat	49 g/m³ 8.39 g/kg 5580 mg/kg	4 hours - -
Conclusion/Summary	: There are	no data available on the mixtu	ure itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are n	o data available on the mixtu	re itself.		
Eyes	: There are no data available on the mixture itself.				
Respiratory	: There are n	o data available on the mixtu	re itself.		
Sensitisation					
Conclusion/Summary					
Skin	: There are	no data available on the mixtu	ure itself.		
Respiratory	: There are	no data available on the mixtu	ure itself.		
Mutagenicity					
Conclusion/Summary Carcinogenicity	: There are	no data available on the mixtu	ure itself.		

Conforms to Regulation (E0 2020/878	C) No. 1907/2006 (REACH), /	Annex II, as ame	nded by Commiss	ion Regulation (EU)
Code : 00291651		Date of issue	/Date of revision	: 11 October 2024
PSX 700 COLORANT 62 O>	KIDE YELLOW			
SECTION 11: Toxic	ological information	n		
Conclusion/Summary	: There are no data avai	lable on the mixtu	re itself.	
Reproductive toxicity				
Conclusion/Summary	: There are no data avai	lable on the mixtu	re itself.	
Teratogenicity				
Conclusion/Summary	: There are no data avai	lable on the mixtu	re itself.	
Specific target organ toxi	<u>city (single exposure)</u>		1	+
Product/ir	ngredient name	Category	Route of	Target organs
			exposure	
toluene		Category 3	-	Narcotic effects
Specific target organ toxi	<u>city (repeated exposure)</u>			
Product/ir	ngredient name	Category	Route of	Target organs
			exposure	
toluene		Category 2	-	-
Aspiration hazard				
	t/ingredient name			Result
toluene			IRATION HAZARD	
		ASP		
Information on likely routes of exposure	: Not available.			
Potential acute health effe	ects			
Inhalation	: No known significant et	ffects or critical ha	zards	
Ingestion	: No known significant e			
Skin contact	: No known significant ef			
Eye contact	: No known significant et			
	physical, chemical and toxi			
Inhalation	: No specific data.			
Ingestion	: No specific data.			
Skin contact	: No specific data.			
Eye contact	: No specific data.			
	ffects as well as chronic eff	fects from short a	and long-term exp	<u>osure</u>
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effect	ts : Not available.			
Long term exposure				
Potential immediate effects	: Not available.			
Potential delayed effect	ts : Not available.			
Potential chronic health e				
Not available.				
Conclusion/Summary	: Not available.			
General	: No known significant e	ffects or critical ha	zards.	
Carcinogenicity	: No known significant e			
Mutagenicity	: No known significant e			
Reproductive toxicity	: No known significant e			
	č			
	En	ıglish (GB) 🛛 🛛	Jnited Arab Emira	ites 8/12

Code : 00291651		Date of issue/Date of revision	: 11 October 2024
PSX 700 COLORANT 62 O	XIDE YELLOW		
SECTION 11: Toxic	cological information	on	
Other information	: Not available.		
Trimethoxysilanes are cap fatal or cause blindness.	able of forming methanol if	hydrolyzed or ingested. If swallowed, metl	nanol may be harmful or
11.2 Information on othe	r hazards		
11.2.1 Endocrine disrup	oting properties		
Not available.			
11.2.2 Other information	n		
Not available.			
SECTION 12: Ecolo	ogical information		
12.1 Toxicity			
Conclusion/Summary	• There are no data av	ailable on the mixture itself.	

Conclusion/Summary : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

ode : 00291651	Date of issue/Date of revision : 11 October 2024			
PSX 700 COLORANT 62 C	XIDE YELLOW			
SECTION 13: Disposal considerations				
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.			
Hazardous waste	: Yes.			
European waste catalo	<u>gue (EWC)</u>			
Waste code	Waste designation			
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances			
Packaging				
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.			
Type of packaging	European waste catalogue (EWC)			
Container	15 01 06 mixed packaging			
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.			

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not applicable.
according to IMO	
instruments	

Code : 00291651	Date of issue/Date of revision	: 11 October 2024
PSX 700 COLORANT 62 OXIDE YELLOW		
SECTION 15: Regulatory informat	tion	
15.1 Safety, health and environmental regulation	ons/legislation specific for the substance or	mixture
EU Regulation (EC) No. 1907/2006 (REACH)		
Annex XIV - List of substances subject to au	<u>ithorisation</u>	
Annex XIV		
None of the components are listed.		
Substances of very high concern		
None of the components are listed.		
Annex XVII - Restrictions : Not applicable.		
on the manufacture,		
placing on the market and use of certain		
dangerous substances,		
mixtures and articles		
Other national and international regulations.		
Explosive precursors : Not applicable.		
Ozone depleting substances (1005/2009/EU)		
Not listed.		

assessment

SECTION 16: Other information

Indicates information that	has changed from previously is	sued version.	
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number 		
Full text of abbreviated H statements	H304 May be fatal if sv H315 Causes skin irrita H336 May cause drows H361d Suspected of dat	 H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. 	
Full text of classifications [CLP/GHS]	: Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 STOT RE 2 STOT SE 3	ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3	
<u>History</u>			
Date of issue/ Date of revision	: 11 October 2024		
Date of previous issue	: 9 October 2024		
Prepared by	: EHS		
Version	: 2.09		
<u>Disclaimer</u>			

Code : 00291651

Date of issue/Date of revision

: 11 October 2024

PSX 700 COLORANT 62 OXIDE YELLOW

SECTION 16: Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.