# SAFETY DATA SHEET



#### Date of issue 10/17/2024 (month/day/year)

Version 2.03

## Section 1. Chemical product and company identification

Α.	Product name	1	PPG AQUACOVER ONE 625 OFFWHITE
	Product code	1	000001190314

# Other means of identification 00453039

В.	Relevant identified us	es of the substance	or mixture and uses	advised against
----	------------------------	---------------------	---------------------	-----------------

	Product use	:	Professional applications, Used by spraying.
	Use of the substance/ mixture	:	Coating.
	Uses advised against	:	Product is not intended, labelled or packaged for consumer use.
C.	Supplier's or Importer's information	:	PPG SSC (680-090) 19, Yeocheon-ro 217beon-gil, Nam-gu, Ulsan, Korea Tel: +82-52-210-8222
	Email Address		Korea.MSDS@PPG.COM
	Emergency telephone number:	:	+82-52-210-8331

## Section 2. Hazards identification

A. Hazard classification	: EYE IRRITATION - Category 2A
	CARCINOGENICITY - Category 2
	AQUATIC HAZARD (LONG-TERM) - Category 2
	This product is classified in accordance with the Industrial Safety and Health Act and
	the Chemical Control Act.

# B. GHS label elements, including precautionary statements Symbol :

|--|--|--|

Signal word	: Warning
Hazard statements	<ul> <li>H319 - Causes serious eye irritation.</li> <li>H351 - Suspected of causing cancer.</li> </ul>
	11551 - Suspected of Causing Cancer.

```
H411 - Toxic to aquatic life with long lasting effects.
```

#### **Precautionary statements**

Date of issue <sup>10/17/2024</sup> (month/day/year)

Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 2. Hazards identification

Prevention	: P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves, protective clothing and eye or face protection. P273 - Avoid release to the environment.
Response	<ul> <li>P391 - Collect spillage.</li> <li>P308 + P313 - IF exposed or concerned: Get medical advice or attention.</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 - If eye irritation persists: Get medical advice or attention.</li> </ul>
Storage	: Not applicable.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
C. Other hazards which do not result in classification	: Contains isothiazolinones. May cause allergic reaction.

## Section 3. Composition/information on ingredients

#### CAS number/other identifiers

: Not applicable.

Chemical name	Common name	Identifiers	%
in anium dioxide	TITANIUM DIOXIDE	CAS: 13463-67-7 EC: 236-675-5	5 - <10
trizinc bis(orthophosphate)	ZINC ORTHOPHOSPHATE	CAS: 7779-90-0 EC: 231-944-3	5 - <10
Talc , not containing asbestiform fibres	Talc, non-asbestos form	CAS: 14807-96-6 EC: 238-877-9	5 - <10
2-(2-butoxyethoxy)ethanol	2-(2-BUTOXYETHOXY)ETHANOL	CAS: 112-34-5 EC: 203-961-6	1 - <5
zinc oxide	ZINC OXIDE	CAS: 1314-13-2 EC: 215-222-5	0.1 - <1
ammonia	ammonia	CAS: 1336-21-6 EC: 215-647-6	0.1 - <1
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7, 8,8,8- tridecafluorooctyl) phosphates, ammonium salt	reaction mass of mixed (3,3,4,4,5,5,6,6,7,7, 8,8,8- tridecafluorooctyl) phosphates, ammonium salt	CAS: SUB141402	<0.1
zinc pyrithione	pyrithione zinc	CAS: 13463-41-7 EC: 236-671-3	<0.1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue <sup>10/17/2024</sup> (month/day/year)

### Product name PPG AQUACOVER ONE 625 OFFWHITE Section 4 First aid measures

U		4	
Α.	Eye contact	:	Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
В.	Skin contact	:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
C.	Inhalation	:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
D.	Ingestion	:	If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
Е.	Notes to physician	;	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Specific treatments	1	No specific treatment.
	Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Α.	Extinguishing media		
	Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
	Unsuitable extinguishing media	:	None known.
В.	Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon oxides phosphorus oxides metal oxide/oxides
C.	Special equipment for fire-fighting	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Fire-fighting procedures	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Date of issue <sup>10/17/2024</sup> (month/day/year)

Product name PPG AQUACOVER ONE 625 OFFWHITE

## Section 6. Accidental release measures

A. Personal precautions, protective equipment and emergency procedures	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
B. Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
C. Methods and materials for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Α.	Precautions for safe handling	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
В.	Conditions for safe storage, including any incompatibilities	:	Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10

for incompatible materials before handling or use.

Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 8. Exposure controls/personal protection

### A. Occupational exposure limits

Ingredient name		Exposure limits			
<b>I</b> itanium dioxide		ISHA Article 42 (Republic of Korea, 1/2020)			
Talc , not containing asl	pestiform fibres	TWA 8 hours: 10 mg/m <sup>3</sup> . <b>ISHA Article 42 (Republic of Korea,</b> <b>1/2020)</b> TWA 8 hours: 2 mg/m <sup>3</sup> (as asbestos).			
2-(2-butoxyethoxy)ethar	nol	Form: fibers. ISHA Article 42 (Republic of Korea, 1/2020)			
zinc oxide		TWA 8 hours: 10 ppm. <b>ISHA Article 42 (Republic of Korea,</b> <b>1/2020)</b> STEL 15 minutes: 10 mg/m <sup>3</sup> .			
		TWA 8 hours: 5 mg/m <sup>3</sup> . TWA 8 hours: 2 mg/m <sup>3</sup> . Form: Respirable dust.			
ammonia		ISHA Article 42 (Republic of Korea, 1/2020) [Ammonia] STEL 15 minutes: 35 ppm. TWA 8 hours: 25 ppm.			
Recommended monitoring procedures		appropriate monitoring standards. Reference to for methods for the determination of hazardous ed.			
Appropriate engineering controls	local exhaust ventilation or oth	st, fumes, gas, vapor or mist, use process enclosures er engineering controls to keep worker exposure to any recommended or statutory limits.			
Environmental exposure controls	they comply with the requirem cases, fume scrubbers, filters	work process equipment should be checked to ensure ents of environmental protection legislation. In some or engineering modifications to the process o reduce emissions to acceptable levels.			
Personal protective equ	ipment				
Respiratory protection	hazards of the product and th workers are exposed to conce appropriate, certified respirate	based on known or anticipated exposure levels, the e safe working limits of the selected respirator. If entrations above the exposure limit, they must use ors. Use a properly fitted, air-purifying or air-fed approved standard if a risk assessment indicates this i			
Eye protection	: Safety glasses with side shield	ds.			
Hand protection	<ul> <li>ction</li> <li>Chemical-resistant, impervious gloves complying with an approved standard sho be worn at all times when handling chemical products if a risk assessment indic this is necessary. Considering the parameters specified by the glove manufactu check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting o several substances, the protection time of the gloves cannot be accurately estimated.</li> </ul>				

Korea (GHS) Page: 5/13 Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 8. Exposure controls/personal protection

Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: nitrile rubber, Chloroprene, butyl rubber
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Α.	Appearance					
	Physical state	:	Liquid.			
	Color	:	White.			
В.	Odor	1	Odorless.			
С.	Odor threshold	:	Not available.			
D.	рН	:	8.6			
Ε.	Melting/freezing point	:	Not available.			
F.	Boiling point/boiling range	:	>37.78°C (>100°F)			
G.	Flash point	:	Closed cup: 120°C (2	248°F)		
н.	Evaporation rate	:	Not available.			
Т.	Flammability (solid, gas)	:	: Not available.			
J.	Lower and upper	:	Not available.			
	explosive (flammable) limits					
Κ.	Vapor pressure	1		Vapo	r Pressu	re at 20°C
			Ingredient name	mm Hg	kPa	Method
			water	17.5	2.3	

			Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
			water	17.5	2.3				
L.	Solubility(ies)	:	Media Result						
			cold water	Pa	rtially solu	uble			
	Solubility in water	:	Not available.						
м.	Vapor density	:	Not available.						
N.	Relative density	:	1.21						
Ю.	Partition coefficient: n- octanol/water	:	Not applicable.						
Ρ.	Auto-ignition temperature	:							

Korea (GHS) Page: 6/13

Vapor pressure at 50°C

Date of issue <sup>10/17/2024</sup> (month/day/year)

Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 9. Physical and chemical properties

	Ingredient name	°C	°F	Method	
	2-(2-butoxyethoxy)ethanol	210	410	DIN 51794	
Q. Decomposition temperature	: Not available.	I	I	<b> </b>	
R. Viscosity	: <b>ቓ</b> ynamic (room temperatu Kinematic (room tempera Kinematic (40°C (104°F))	ture): Not avail	able.		
Flow time (ISO 2431)	: Not available.				
S. Molecular weight	: Not applicable.				

# Section 10. Stability and reactivity

Α.	Chemical stability	1	The product is stable.
	Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
В.	Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.
C.	Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
D.	Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides phosphorus oxides metal oxide/oxides

# Section 11. Toxicological information

: Not available.					
Potential acute health effects					
No known significant effects or critical hazards.					
No known significant effects or critical hazards.					
No known significant effects or critical hazards.					
Causes serious eye irritation.					
<u>toms</u>					
No specific data.					
No specific data.					
No specific data.					
Adverse symptoms may include the following: pain or irritation watering redness					

B. Health hazards

#### Acute toxicity

Product name PPG AQUACOVER ONE 625 OFFWHITE

# Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
titanium dioxide	LC50 Inhalation Dusts and mists	Rat	>6.82 mg/l	4 hours
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
trizinc bis(orthophosphate)	LC50 Inhalation Dusts and mists	Rat	>5.7 mg/l	4 hours
	LD50 Oral	Rat	>5000 mg/kg	-
2-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Oral	Rat	4500 mg/kg	-
zinc oxide	LC50 Inhalation Dusts and mists	Rat	>5700 mg/m <sup>3</sup>	4 hours
	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
ammonia	LD50 Oral	Rat	350 mg/kg	-
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7, 8,8,8- tridecafluorooctyl) phosphates, ammonium salt	LC50 Inhalation Dusts and mists	Rat	0.047 mg/l	4 hours
zinc pyrithione	LC50 Inhalation Dusts and mists	Rat	0.14 mg/l	4 hours
	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Oral	Rat	177 mg/kg	-

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	<b>Observation</b>			
zinc pyrithione	Eyes - Cornea opacity	Rabbit	4	24 hours	24 hours			
Conclusion/Summary					<b>I</b>			
Skin : There are no data available on the mixture itself.								
Eyes :	There are no data available of	on the mixture i	tself.					
Respiratory :	There are no data available of	on the mixture i	tself.					
Sensitization								
Conclusion/Summary								
Skin :	There are no data available or	n the mixture its	self.					
Respiratory :	There are no data available or	n the mixture its	self.					
<u>Mutagenicity</u>								
Conclusion/Summary :	There are no data available o	n the mixture it	self.					
<b>Carcinogenicity</b>								
Conclusion/Summary :	There are no data available of	on the mixture i	tself.					
Reproductive toxicity								
	There are no data available	on the mixture i	itself.					
Teratogenicity	<del>.</del>							
Conclusion/Summary :	There are no data available	on the mixture i	itself.					

Korea (GHS) Page: 8/13

Date of issue <sup>10/17/2024</sup> (month/day/year)

Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 11. Toxicological information

Specific target organ toxicity (single exposure)

Name	Classification	Route of exposure	Target organs
Talc , not containing asbestiform fibres	Category 3		Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Name	Classification	Route of exposure	Target organs
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7, 8,8,8- tridecafluorooctyl) phosphates, ammonium salt	Category 2	-	liver
	Category 1	-	-

#### **Aspiration hazard**

Not available.

#### Potential chronic health effects

General	: No known significant effects or critical hazards.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

#### **Additional information**

Sanding and grinding dusts may be harmful if inhaled. Contains isothiazolinones. May cause allergic reaction.

Chemical name	Identifiers	GHS Classification	
titanium dioxide	CAS: 13463-67-7 EC: 236-675-5	CARCINOGENICITY - Category 2	
trizinc bis(orthophosphate)	CAS: 7779-90-0 AQUATIC HAZARD (ACUTE) - Category 1 EC: 231-944-3 AQUATIC HAZARD (LONG-TERM) - Categor		
Talc , not containing asbestiform fibres	CAS: 14807-96-6	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	
2-(2-butoxyethoxy)ethanol	EC: 238-877-9 CAS: 112-34-5	FLAMMABLE LIQUIDS - Category 4	
2-(2-butoxyethoxy)ethanol	EC: 203-961-6	SERIOUS EYE DAMAGE - Category 1	
zinc oxide	CAS: 1314-13-2 EC: 215-222-5	AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1	
ammonia	CAS: 1336-21-6 EC: 215-647-6	FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Liquefied gas CORROSIVE TO METALS - Category 1 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 3 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1 AQUATIC HAZARD (ACUTE) - Category 1	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7, 8,8,8- tridecafluorooctyl) phosphates,	CAS: SUB141402	ACUTE TOXICITY (inhalation) - Category 1	
		Korea (GHS) Page: 9/13	

Date of issue <sup>10/17/2024</sup> (month/day/year)

#### Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 11. Toxicological information

ammonium salt	
15	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 1 ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (inhalation) - Category 2 SERIOUS EYE DAMAGE - Category 1 TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1

# Section 12. Ecological information

#### A. Ecotoxicity

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 >100 mg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
trizinc bis(orthophosphate)	Acute LC50 0.112 mg/l	Fish	96 hours
	Chronic NOEC 0.026 mg/l	Fish	30 days
zinc oxide	Acute EC50 0.17 mg/l	Algae	72 hours
	Acute EC50 0.481 mg/l Fresh water	Daphnia - Daphnia magna -	48 hours
	C C	Neonate	
	Chronic NOEC 0.017 mg/l Fresh water	Algae	72 hours
zinc pyrithione	Acute EC50 5.513 µg/l Marine water	Algae - Nitzschia pungens	96 hours
	Acute LC50 0.0082 mg/l	Daphnia	48 hours
	Chronic NOEC 1.889 µg/l Marine water	Algae - <i>Nitzschia pungens</i>	96 hours
	Chronic NOEC 0.0027 mg/l	Daphnia	21 days

#### B. Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
zinc pyrithione	-	39 % - 28 (	days	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
zinc pyrithione	-		50%; < 28 day(s)		Not rea	dily

#### C. Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-(2-butoxyethoxy)ethanol	1	-	Low
zinc pyrithione	0.9	0.9	Low

#### D. Mobility in soil

Soil/water partition : Not available. coefficient (K<sub>oc</sub>)

#### E. Other adverse effects

: No known significant effects or critical hazards.

Date of issue <sup>10/17/2024</sup> (month/day/year)

Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 13. Disposal considerations

A. Disposal methods	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
---------------------	--

B. Disposal precautions
 This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
A. UN number	UN3082	UN3082	UN3082
B. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (trizinc bis(orthophosphate))
C. Transport 9 hazard class(es)		9	9
D. Packing group III			III
Environmental hazards	Yes.	Yes.	Yes.
E. Marine pollutant substances	Not applicable.	(trizinc bis(orthophosphate))	Not applicable.

#### **Additional information**

UN	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IMDG	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
ΙΑΤΑ	: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

# F. Special precaution which a user to be aware of or needs to comply with in connection with transport or transportation

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Date of issue <sup>10/17/2024</sup> (month/day/year)

Version 2.03

Product name PPG AQUACOVER ONE 625 OFFWHITE

# Section 15. Regulatory information

	U		
Α.	Regulation according to I	<u>A</u>	
	ISHA article 117 (Harmful substances prohibited from manufacture)	None of the components are listed.	
	ISHA article 118 (Harmful substances requiring permission)	None of the components are listed.	
	Article 2 of Youth Protection Act on Substances Hazardous to Youth	It is not allowed to sell to persons under the age of 19.	
	Exposure Limits of Chem	Substances and Physical Factors	
	The following components	ve an OEL:	
	Annex 19 (Exposure standards established for harmful factors)	None of the components are listed.	
	ISHA Enforcement Regs Annex 11-5 (Harmful factors subject to Work Environment Measurement)	The following components are listed: titanium dioxide, talc / soapstone	
	ISHA Enforcement Regs Annex 22 (Harmful Factors Subject to Special Health Check- up)	None of the components are listed.	
	Standard of Industrial Safety and Health Annex 12 (Hazardous substances subject to control)	The following components are listed: titanium dioxide, zinc and its compo	ounds
В.	Regulation according to (	micals Control Act	
	Article 11 (TRI)	The following components are listed: Zinc and its compounds	
	Article 18 Prohibited (K- Reach Article 27)	None of the components are listed.	
	Article 19 Subject to authorization (K-Reach Article 25)	None of the components are listed.	
	Article 20 Restricted (K- Reach Article 27)	None of the components are listed.	
	Article 20 Toxic Chemicals (K-Reach Article 20)	Not applicable	
	Korea inventory	All components are listed or exempted.	
	Article 39 (Accident Precaution Chemicals)	None of the components are listed.	

Date of issue <sup>10/17/2024</sup> (month/day/year)

Product name PPG AQUACOVER ONE 625 OFFWHITE

### Section 15. Regulatory information

C.	Dangerous Materials Safety Management Act	:	Class: Class 4 - Flammable Liquid Item: 5. Class 3 petroleums - Water soluble liquid Threshold: 4000 L Danger category: III
D.	Wastes regulation	:	<b>Signal word:</b> Contact with sources of ignition prohibited Dispose of contents and container in accordance with all local, regional, national and international regulations.
Ε.	Regulation according to of Safety, health and		e <mark>r foreign laws</mark> No known specific national and/or regional regulations applicable to this product
	environmental regulations specific for		(including its ingredients).

#### the product

### Section 16. Other information

Α.	References	:	Korean Ministry of Environment; Chemical Control Act Korean Ministry of Labor; Industrial Safety and Health Act NIER Notice Registry of Toxic Effects of Chemical Substances (RTECS) U.S. Environmental Protection Agency, AQUIRE (Aquatic toxicity Information Retrieval) ECOTOX Database System.
В.	First issue date	:	4/15/2022
C.	Date of issue/Date of revision	:	10/17/2024
D.	Version	:	2.03
	Prepared by	:	EHS

E. Other

✓ Indicates information that has changed from previously issued version.

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.