

# SAFETY DATA SHEET

Date of issue/Date of revision

: 17 October 2024

Version

: 2.04



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : SIGMAGLIDE 790 (TIECOAT) HARDENER

**Product code** : 000001010982

**Other means of identification**

00188976; 00198089; 00231309; 00353496; 00419105

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Professional applications, Used by spraying.

**Use of the substance/  
mixture** : Hardener.; Coating.

**Uses advised against** : Product is not intended, labelled or packaged for consumer use.

### 1.3 Details of the supplier of the safety data sheet

PPG Coatings Belgium BV/SRL  
Tweemontstraat 104  
B-2100 Deurne  
Belgium  
Telephone +32-33606311  
Fax +32-33606435

**e-mail address of person  
responsible for this SDS** : Product.Stewardship.EMEA@ppg.com

### 1.4 Emergency telephone number

**Supplier**

+31 20 4075210

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Acute Tox. 4, H302  
Skin Corr. 1B, H314  
Eye Dam. 1, H318  
Skin Sens. 1, H317  
Muta. 2, H341  
Repr. 1B, H360FD  
STOT SE 2, H371  
STOT RE 2, H373  
Aquatic Chronic 2, H411

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 2: Hazards identification

See Section 16 for the full text of the H statements declared above.  
See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :    

Signal word : Danger

Hazard statements : Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Suspected of causing genetic defects.  
May damage fertility. May damage the unborn child.  
May cause damage to organs.  
May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention : Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Do not breathe vapor.

Response : Collect spillage. IF exposed or concerned: Get medical advice or attention.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
P280, P273, P260, P391, P308 + P313, P501

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Restricted to professional users.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : Causes digestive tract burns.

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

| Product/ingredient name                                 | Identifiers                                                                            | % by weight | Classification                                                                                                                                                                                                                      | Specific Conc. Limits, M-factors and ATEs | Type    |
|---------------------------------------------------------|----------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------|
| triacetoxyethylsilane                                   | REACH #:<br>01-2119881778-15<br>EC: 241-677-4<br>CAS: 17689-77-9                       | ≥90         | Acute Tox. 4, H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>EUH014                                                                                                                                                             | ATE [Oral] = 1462 mg/kg                   | [1]     |
| dibutyltin di(acetate)                                  | REACH #:<br>01-2119634587-29<br>EC: 213-928-8<br>CAS: 1067-33-0<br>Index: 050-033-00-X | ≥1.0 - ≤5.0 | Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>Muta. 2, H341<br>Repr. 1B, H360FD<br>STOT SE 1, H370<br>(thymus) (oral)<br>STOT RE 1, H372<br>(immune system)<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | M [Acute] = 1<br>M [Chronic] = 1          | [1] [2] |
| 1,1,3,3-Disiloxanetetrol,<br>1,3-diethyl-, tetraacetate | CAS: 122842-90-4                                                                       | ≥1.0 - ≤5.0 | Acute Tox. 4, H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br><b>See Section 16 for the full text of the H statements declared above.</b>                                                                                        | ATE [Oral] = 500 mg/kg                    | [1]     |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
  - [2] Substance with a workplace exposure limit
- Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 4: First aid measures

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Causes severe burns. May cause damage to organs following a single exposure in contact with skin. May cause an allergic skin reaction.

**Ingestion** : Harmful if swallowed. Corrosive to the digestive tract. Causes burns. May cause damage to organs following a single exposure if swallowed.

Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness

**Inhalation** : Adverse symptoms may include the following:  
reduced fetal weight  
increase in fetal deaths  
skeletal malformations

**Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur  
reduced fetal weight  
increase in fetal deaths  
skeletal malformations

**Ingestion** : Adverse symptoms may include the following:  
stomach pains  
reduced fetal weight  
increase in fetal deaths  
skeletal malformations

4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

5.2 Special hazards arising from the substance or mixture

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 5: Firefighting measures

|                                                |                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazards from the substance or mixture          | : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.                                                                 |
| Hazardous combustion products                  | : Decomposition products may include the following materials:<br>carbon oxides<br>metal oxide/oxides                                                                                                                                                                                                                                                      |
| 5.3 Advice for firefighters                    |                                                                                                                                                                                                                                                                                                                                                           |
| Special precautions for fire-fighters          | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                                                                                                                                                             |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6.1 Personal precautions, protective equipment and emergency procedures |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| For non-emergency personnel                                             | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.                                                                                                                                                                           |
| For emergency responders                                                | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".                                                                                                                                                                                                                                                                                                                                                                   |
| 6.2 Environmental precautions                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                                         | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.                                                                                                                                                                                                                                      |
| 6.3 Methods and materials for containment and cleaning up               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Small spill                                                             | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.                                                                                                                                                                                                                                                                               |
| Large spill                                                             | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. |
| 6.4 Reference to other sections                                         | : See Section 1 for emergency contact information.<br>See Section 8 for information on appropriate personal protective equipment.<br>See Section 13 for additional waste treatment information.                                                                                                                                                                                                                                                                                                                                                                               |

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

- Protective measures
- : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

- : Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name                                                                                   | Exposure limit values                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  dibutyltin di(acetate) | <b>ACGIH TLV (United States, 7/2023) [Tin, organic compounds] A4.</b><br>Absorbed through skin.<br>TWA 8 hours: 0.1 mg/m³ (as Sn).<br>STEL 15 minutes: 0.2 mg/m³ (as Sn). |

- Recommended monitoring procedures
- : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 8: Exposure controls/personal protection

DNELs

| Product/ingredient name | Type | Exposure              | Value              | Population         | Effects  |
|-------------------------|------|-----------------------|--------------------|--------------------|----------|
| triacetoxylethylsilane  | DNEL | Long term Oral        | 5.7 mg/kg bw/day   | General population | Systemic |
|                         | DNEL | Long term Dermal      | 5.7 mg/kg bw/day   | General population | Systemic |
|                         | DNEL | Long term Inhalation  | 6.5 mg/m³          | General population | Local    |
|                         | DNEL | Long term Dermal      | 11.39 mg/kg bw/day | Workers            | Systemic |
|                         | DNEL | Long term Inhalation  | 19.81 mg/m³        | General population | Systemic |
|                         | DNEL | Short term Inhalation | 32.5 mg/m³         | Workers            | Local    |
|                         | DNEL | Long term Inhalation  | 32.5 mg/m³         | Workers            | Local    |
|                         | DNEL | Long term Inhalation  | 80.33 mg/m³        | Workers            | Systemic |
| dibutyltin di(acetate)  | DNEL | Short term Oral       | 1.5 µg/kg bw/day   | General population | Systemic |
|                         | DNEL | Long term Oral        | 1.5 µg/kg bw/day   | General population | Systemic |
|                         | DNEL | Short term Inhalation | 2.22 µg/m³         | General population | Systemic |
|                         | DNEL | Long term Inhalation  | 2.22 µg/m³         | General population | Systemic |
|                         | DNEL | Long term Inhalation  | 14.8 µg/m³         | Workers            | Systemic |
|                         | DNEL | Short term Inhalation | 18.8 µg/m³         | Workers            | Systemic |
|                         | DNEL | Short term Dermal     | 0.15 mg/kg bw/day  | General population | Systemic |
|                         | DNEL | Long term Dermal      | 0.15 mg/kg bw/day  | General population | Systemic |
|                         | DNEL | Short term Dermal     | 0.42 mg/kg bw/day  | Workers            | Systemic |
|                         | DNEL | Long term Dermal      | 0.42 mg/kg bw/day  | Workers            | Systemic |
|                         |      |                       |                    |                    |          |
|                         |      |                       |                    |                    |          |

PNECs

| Product/ingredient name | Type | Compartment Detail     | Value           | Method Detail            |
|-------------------------|------|------------------------|-----------------|--------------------------|
| dibutyltin di(acetate)  | -    | Fresh water            | 0.001 mg/l      | Assessment Factors       |
|                         | -    | Sewage Treatment Plant | 1.63 mg/l       | Assessment Factors       |
|                         | -    | Fresh water sediment   | 0.062 mg/kg dwt | Equilibrium Partitioning |
|                         | -    | Marine water sediment  | 0.006 mg/kg wwt | Equilibrium Partitioning |
|                         | -    | Soil                   | 0.05 mg/kg wwt  | Equilibrium Partitioning |

8.2 Exposure controls

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Chemical splash goggles and face shield. Use eye protection according to EN 166.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this



|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 8: Exposure controls/personal protection

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 | product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.                                                                                                                                                                                                                                                                                                                                                                                                         |
| Gloves                          | : nitrile neoprene                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Body protection                 | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.                                                                                                                                                                                                                                                                                                                                               |
| Other skin protection           | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.                                                                                                                                                                                                                                                                                                                           |
| Respiratory protection          | : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapor (Type A) and particulate filter P3 |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.                                                                                                                                                                                                                      |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| Appearance                                                                                            |                                                                                                                                                                                                                 |       |        |            |             |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|------------|-------------|
| Physical state                                                                                        | : Liquid.                                                                                                                                                                                                       |       |        |            |             |
| Color                                                                                                 | : Colorless.                                                                                                                                                                                                    |       |        |            |             |
| Odor                                                                                                  | : Characteristic.                                                                                                                                                                                               |       |        |            |             |
| Melting point/freezing point                                                                          | : Not determined.                                                                                                                                                                                               |       |        |            |             |
| Boiling point or initial boiling point and boiling range                                              | : >37.78°C                                                                                                                                                                                                      |       |        |            |             |
| Flammability                                                                                          | : Not determined. There are no data available on the mixture itself.                                                                                                                                            |       |        |            |             |
| Lower and upper explosion limit                                                                       | : Not available.                                                                                                                                                                                                |       |        |            |             |
| Flash point                                                                                           | : Closed cup: 109°C                                                                                                                                                                                             |       |        |            |             |
| Auto-ignition temperature                                                                             | : 480°C (896°F)                                                                                                                                                                                                 |       |        |            |             |
| Decomposition temperature                                                                             | : Stable under recommended storage and handling conditions (see Section 7).                                                                                                                                     |       |        |            |             |
| pH                                                                                                    | : Not applicable. insoluble in water.                                                                                                                                                                           |       |        |            |             |
| Viscosity                                                                                             | :  Dynamic (room temperature): Not available.<br>Kinematic (room temperature): Not available.<br>Kinematic (40°C): >21 mm²/s |       |        |            |             |
| Solubility                                                                                            | :                                                                                                                                                                                                               |       |        |            |             |
| <table><tr><th>Media</th><th>Result</th></tr><tr><td>cold water</td><td>Not soluble</td></tr></table> |                                                                                                                                                                                                                 | Media | Result | cold water | Not soluble |
| Media                                                                                                 | Result                                                                                                                                                                                                          |       |        |            |             |
| cold water                                                                                            | Not soluble                                                                                                                                                                                                     |       |        |            |             |
| Partition coefficient n-octanol/ water (log Pow)                                                      | : Not applicable.                                                                                                                                                                                               |       |        |            |             |
| Vapor pressure                                                                                        | :                                                                                                                                                                                                               |       |        |            |             |



|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 9: Physical and chemical properties

| Ingredient name        | Vapor Pressure at 20°C |     |        | Vapor pressure at 50°C |     |        |
|------------------------|------------------------|-----|--------|------------------------|-----|--------|
|                        | mm Hg                  | kPa | Method | mm Hg                  | kPa | Method |
| triacetoxylethylsilane | 0.7500615              | 0.1 |        |                        |     |        |

Relative density : 1.15

Bulk density ( g/cm³ ) : 1.18

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : The product itself is not explosive, but the formation of an explosible mixture of vapor or dust with air is possible.

Oxidizing properties : Product does not present an oxidizing hazard.

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.

10.5 Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

10.6 Hazardous decomposition products : Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly.

☒ Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May damage fertility.

May damage the unborn child.

Suspected of causing genetic defects.

May cause damage to organs.

May cause damage to organs through prolonged or repeated exposure.

Acute toxicity

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 11: Toxicological information

| Product/ingredient name | Result      | Species | Dose       | Exposure |
|-------------------------|-------------|---------|------------|----------|
| triacetoxylethylsilane  | LD50 Oral   | Rat     | 1.462 g/kg | -        |
| dibutyltin di(acetate)  | LD50 Dermal | Rabbit  | 2318 mg/kg | -        |

Acute toxicity estimates

| Route | ATE value     |
|-------|---------------|
| Oral  | 1444.19 mg/kg |

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Conclusion/Summary

Skin : Causes severe burns.  
Eyes : Causes serious eye damage.  
Respiratory : Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Conclusion/Summary

Skin : May cause an allergic skin reaction.  
Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

May damage fertility.  
 May damage the unborn child.

Specific target organ toxicity (single exposure)

| Product/ingredient name | Category   | Route of exposure | Target organs |
|-------------------------|------------|-------------------|---------------|
| dibutyltin di(acetate)  | Category 1 | oral              | thymus        |

Conclusion/Summary :  
 May cause damage to organs.

Specific target organ toxicity (repeated exposure)

| Product/ingredient name | Category   | Route of exposure | Target organs |
|-------------------------|------------|-------------------|---------------|
| dibutyltin di(acetate)  | Category 1 | -                 | immune system |

Conclusion/Summary :  
 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 11: Toxicological information

|                                                                                                 |                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ingestion                                                                                       | : Harmful if swallowed. Corrosive to the digestive tract. Causes burns. May cause damage to organs following a single exposure if swallowed.                                         |
| Skin contact                                                                                    | : Causes severe burns. May cause damage to organs following a single exposure in contact with skin. May cause an allergic skin reaction.                                             |
| Eye contact                                                                                     | : Causes serious eye damage.                                                                                                                                                         |
| <u>Symptoms related to the physical, chemical and toxicological characteristics</u>             |                                                                                                                                                                                      |
| Inhalation                                                                                      | : Adverse symptoms may include the following:<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations                                                          |
| Ingestion                                                                                       | : Adverse symptoms may include the following:<br>stomach pains<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations                                         |
| Skin contact                                                                                    | : Adverse symptoms may include the following:<br>pain or irritation<br>redness<br>blistering may occur<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations |
| Eye contact                                                                                     | : Adverse symptoms may include the following:<br>pain<br>watering<br>redness                                                                                                         |
| <u>Delayed and immediate effects and also chronic effects from short and long term exposure</u> |                                                                                                                                                                                      |
| <u>Short term exposure</u>                                                                      |                                                                                                                                                                                      |
| Potential immediate effects                                                                     | : No known significant effects or critical hazards.                                                                                                                                  |
| Potential delayed effects                                                                       | : No known significant effects or critical hazards.                                                                                                                                  |
| <u>Long term exposure</u>                                                                       |                                                                                                                                                                                      |
| Potential immediate effects                                                                     | : No known significant effects or critical hazards.                                                                                                                                  |
| Potential delayed effects                                                                       | : No known significant effects or critical hazards.                                                                                                                                  |
| <u>Potential chronic health effects</u>                                                         |                                                                                                                                                                                      |
| General                                                                                         | : May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.             |
| Carcinogenicity                                                                                 | : No known significant effects or critical hazards.                                                                                                                                  |
| Mutagenicity                                                                                    | : Suspected of causing genetic defects.                                                                                                                                              |
| Reproductive toxicity                                                                           | : May damage fertility. May damage the unborn child.                                                                                                                                 |
| Other information                                                                               | : Causes digestive tract burns.                                                                                                                                                      |
| 11.2 Information on other hazards                                                               |                                                                                                                                                                                      |
| 11.2.1 Endocrine disrupting properties                                                          |                                                                                                                                                                                      |
| Based on available data, the classification criteria are not met.                               |                                                                                                                                                                                      |
| 11.2.2 Other information                                                                        |                                                                                                                                                                                      |
| Not available.                                                                                  |                                                                                                                                                                                      |

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 12: Ecological information

There are no data available on the mixture itself.  
Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

12.1 Toxicity

| Product/ingredient name | Result              | Species | Exposure |
|-------------------------|---------------------|---------|----------|
| dibutyltin di(acetate)  | Acute EC10 3.1 mg/l | Fish    | 72 hours |
|                         | Acute EC50 0.5 mg/l | Algae   | 72 hours |

Conclusion/Summary : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Based on available data, the classification criteria are not met.

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------|-------------------|------------|------------------|
| dibutyltin di(acetate)  | -                 | -          | Not readily      |

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Based on available data, the classification criteria are not met.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 13: Disposal considerations

|                                                |                                                                                   |  |
|------------------------------------------------|-----------------------------------------------------------------------------------|--|
| Hazardous waste                                | :                                                                                 |  |
| <a href="#">European waste catalogue (EWC)</a> |                                                                                   |  |
| Waste code                                     | Waste designation                                                                 |  |
| 08 01 11*                                      | waste paint and varnish containing organic solvents or other hazardous substances |  |

|                     |                                |                                                                                                                                                                                                  |
|---------------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging           |                                |                                                                                                                                                                                                  |
| Methods of disposal | :                              | The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Type of packaging   | European waste catalogue (EWC) |                                                                                                                                                                                                  |
| Container           | 15 01 06                       | mixed packaging                                                                                                                                                                                  |

|                     |   |                                                                                                                                                                                                                                                                                                                                     |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special precautions | : | This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

SECTION 14: Transport information

|                                 |                 |                 |                          |                                                                    |
|---------------------------------|-----------------|-----------------|--------------------------|--------------------------------------------------------------------|
|                                 | ADR/RID         | ADN             | IMDG                     | IATA                                                               |
| 14.1 UN number or ID number     | UN3066          | UN3066          | UN3066                   | UN3066                                                             |
| 14.2 UN proper shipping name    | PAINT           | PAINT           | PAINT                    | PAINT                                                              |
| 14.3 Transport hazard class(es) | 8               | 8               | 8                        | 8                                                                  |
| 14.4 Packing group              | II              | II              | II                       | II                                                                 |
| 14.5 Environmental hazards      | Yes.            | Yes.            | Yes.                     | Yes. The environmentally hazardous substance mark is not required. |
| Marine pollutant substances     | Not applicable. | Not applicable. | (dibutyltin di(acetate)) | Not applicable.                                                    |

|                        |   |                                                                                                          |  |  |
|------------------------|---|----------------------------------------------------------------------------------------------------------|--|--|
| Additional information |   |                                                                                                          |  |  |
| ADR/RID                | : | The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. |  |  |
| ADN                    | : | The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. |  |  |
| IMDG                   | : | The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.                    |  |  |
| IATA                   | : | The environmentally hazardous substance mark may appear if required by other transportation regulations. |  |  |

|                                   |   |                                                                                                                                                                                                                   |
|-----------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 14.6 Special precautions for user | : | <b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
|-----------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 14: Transport information

14.7 Maritime transport in bulk according to IMO instruments : Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
[EU Regulation \(EC\) No. 1907/2006 \(REACH\)](#)

[Annex XIV - List of substances subject to authorization](#)

[Annex XIV](#)

None of the components are listed.

[Substances of very high concern](#)

None of the components are listed.

[Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles](#)

| Product/ingredient name                                                                                             | Entry Number ( REACH ) |
|---------------------------------------------------------------------------------------------------------------------|------------------------|
|  SIGMAGLIDE 790 (TIECOAT) HARDENER | 3                      |
| dibutyltin di(acetate)                                                                                              | 30                     |
|                                                                                                                     | 30                     |

Labeling : Restricted to professional users.

Explosive precursors : Not applicable.

[Ozone depleting substances \(1005/2009/EU\)](#)

Not listed.

[Seveso Directive](#)

This product is controlled under the Seveso Directive.

[Danger criteria](#)

| Category |
|----------|
| E2       |

15.2 Chemical Safety Assessment : No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

 Indicates information that has changed from previously issued version.

[Abbreviations and acronyms](#)

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- PBT = Persistent, Bioaccumulative and Toxic
- vPvB = Very Persistent and Very Bioaccumulative
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- IMDG = International Maritime Dangerous Goods
- IATA = International Air Transport Association

[Full text of abbreviated H statements](#)

|                                   |                |                                |                   |
|-----------------------------------|----------------|--------------------------------|-------------------|
| Code                              | : 000001010982 | Date of issue/Date of revision | : 17 October 2024 |
| SIGMAGLIDE 790 (TIECOAT) HARDENER |                |                                |                   |

SECTION 16: Other information

|                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| H302<br>H314<br>H317<br>H318<br>H341<br>H360FD<br>H370<br>H371<br>H372<br>H373<br><br>H400<br>H410<br>H411<br>EUH014 | Harmful if swallowed.<br>Causes severe skin burns and eye damage.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>Suspected of causing genetic defects.<br>May damage fertility. May damage the unborn child.<br>Causes damage to organs.<br>May cause damage to organs.<br>Causes damage to organs through prolonged or repeated exposure.<br>May cause damage to organs through prolonged or repeated exposure.<br><br>Very toxic to aquatic life.<br>Very toxic to aquatic life with long lasting effects.<br>Toxic to aquatic life with long lasting effects.<br>Reacts violently with water. |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Full text of classifications [CLP/GHS]

|                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox. 4<br>Aquatic Acute 1<br>Aquatic Chronic 1<br>Aquatic Chronic 2<br>Eye Dam. 1<br>Muta. 2<br>Repr. 1B<br>Skin Corr. 1B<br>Skin Sens. 1<br>Skin Sens. 1B<br>STOT RE 1<br><br>STOT RE 2<br><br>STOT SE 1<br><br>STOT SE 2 | ACUTE TOXICITY - Category 4<br>AQUATIC HAZARD (ACUTE) - Category 1<br>AQUATIC HAZARD (LONG-TERM) - Category 1<br>AQUATIC HAZARD (LONG-TERM) - Category 2<br>SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1<br>GERM CELL MUTAGENICITY - Category 2<br>TOXIC TO REPRODUCTION - Category 1B<br>SKIN CORROSION/IRRITATION - Category 1B<br>SKIN SENSITIZATION - Category 1<br>SKIN SENSITIZATION - Category 1B<br>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1<br>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 2 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

History

|                                 |                   |
|---------------------------------|-------------------|
| Date of issue/ Date of revision | : 17 October 2024 |
| Date of previous issue          | : 29 July 2024    |
| Prepared by                     | : EHS             |
| Version                         | : 2.04            |

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.