## **SAFETY DATA SHEET**



#### Conforms to Official Mexican Standard NOM-018-STPS-2015

#### Date of revision 11 December 2024

Version 4.01

Date of issue 11 December 2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

| Product name                                | : SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)   |
|---|---|
| Product code                                | : 00198565  |
| Other means of<br>identification            | : Not applicable.   |
| Product type                                | : Powder.   |
| Relevant identified uses of                 | the substance or mixture and uses advised against   |
| Product use                                 | : Professional applications, Used by spraying.  |
| Use of the substance/<br>mixture            | : Coating.  |
| Uses advised against                        | Not applicable.   |
| Manufacturer                                | : PPG Industries, Inc.<br>One PPG Place<br>Pittsburgh, PA 15272   |
| <u>Emergency telephone</u><br><u>number</u> | : (412) 434-4515 (U.S.)<br>(514) 645-1320 (Canada)<br>SETIQ Interior de la República: 800-00-214-00 (México)<br>SETIQ Ciudad de México: (55) 5559-1588 (México) |
| <b>Technical Phone Number</b>               | : 888-977-4762  |

### **SECTION 2: Hazards identification**

| Classification of the substance or mixture |   | Not classified.   |
|--|---|---|
|  |   | Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 99.3% (oral), 99.3% (dermal) |
| GHS label elements                         |   |   |
| Signal word                                | : | No signal word.   |
| Hazard statements                          | : | No known significant effects or critical hazards.   |
| Precautionary statements                   |   |   |
| Prevention                                 | : | Not applicable.   |
| Response                                   | : | Not applicable.   |
| Storage                                    | : | Not applicable.   |
| Disposal                                   | : | Not applicable.   |

Date of issue 11 December 2024 Version 4.01

#### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 2: Hazards identification**

**Other hazards which do not result in classification :** Sanding and grinding dusts may be harmful if inhaled. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Emits toxic fumes when heated.

See toxicological information (Section 11)

### **SECTION 3: Composition/information on ingredients**

| Substance/mixture<br>Product name | Mixture<br>SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric | c) |
|-----------------------------------|---|----|
| Other means of<br>identification  | Not applicable.   |    |

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### Description of necessary first aid measures

| Eye contact  | : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.  |
|--------------|--|
| Inhalation   | : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| Skin contact | : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.   |
| Ingestion    | : If swallowed, seek medical advice immediately and show this container or label.<br>Keep person warm and at rest. Do NOT induce vomiting.   |

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

| Eye contact  | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.   |
|--------------|--|
| Inhalation   | <ul> <li>Exposure to airborne concentrations above statutory or recommended exposure<br/>limits may cause irritation of the nose, throat and lungs.</li> </ul> |
| Skin contact | : No known significant effects or critical hazards.  |
| Ingestion    | : No known significant effects or critical hazards.  |

#### **Over-exposure signs/symptoms**

See toxicological information (Section 11)

| Indication of immediate medical attention and special treatment needed, if necessary |   |   |  |  |
|--|---|---|--|--|
| Notes to physician   | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |  |  |
| Specific treatments  | 1 | No specific treatment.  |  |  |
| Protection of first-aiders   | 1 | No action shall be taken involving any personal risk or without suitable training.  |  |  |

### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 5: Firefighting measures**

| Extinguishing media                            |  |
|--|--|
| Suitable extinguishing media                   | : Use dry chemical powder.   |
| Unsuitable extinguishing media                 | : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.  |
| Specific hazards arising from the chemical     | : May form explosible dust-air mixture if dispersed. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.   |
| Hazardous thermal decomposition products       | : Decomposition products may include the following materials:<br>metal oxide/oxides  |
| Special protective actions for fire-fighters   | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | <ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained<br/>breathing apparatus (SCBA) with a full face-piece operated in positive pressure<br/>mode.</li> </ul>  |

### **SECTION 6: Accidental release measures**

| Personal precautions, protective equipment and emergency procedures |    |   |  |  |  |
|---|----|---|--|--|--|
| For non-emergency<br>personnel                                      | :  | No action shall be taken involving any personal risk or without suitable training.<br>Evacuate surrounding areas. Keep unnecessary and unprotected personnel from<br>entering. Do not touch or walk through spilled material. Shut off all ignition sources.<br>No flares, smoking or flames in hazard area. Avoid breathing dust. Put on<br>appropriate personal protective equipment.   |  |  |  |
| For emergency responders  | :  | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |  |  |  |
| Environmental precautions   | :  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.  |  |  |  |
| Methods and materials for co  | nt | ainment and cleaning up   |  |  |  |
| Small spill   | :  | Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.  |  |  |  |
| Large spill   | :  | Move containers from spill area. Use spark-proof tools and explosion-proof<br>equipment. Approach release from upwind. Prevent entry into sewers, water<br>courses, basements or confined areas. Vacuum or sweep up material and place in<br>a designated, labeled waste container. Avoid creating dusty conditions and prevent<br>wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see<br>Section 1 for emergency contact information and Section 13 for waste disposal. |  |  |  |

### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 7: Handling and storage**

| Precautions for safe handling                                |   |
|--|---|
| Protective measures  | Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid release to the environment. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. |
| Advice on general<br>occupational hygiene                    | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| Conditions for safe storage, including any incompatibilities | Store between the following temperatures: 5 to 25°C (41 to 77°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.  |

### **SECTION 8: Exposure controls/personal protection**

| Control parameters                    |  |
|---------------------------------------|--|
| Occupational exposure limits          |  |
| Recommended monitoring procedures     | Reference should be made to appropriate monitoring standards. Reference to<br>national guidance documents for methods for the determination of hazardous<br>substances will also be required.  |
| Appropriate engineering :<br>controls | Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. |
| Environmental exposure : controls     | Emissions from ventilation or work process equipment should be checked to ensure<br>they comply with the requirements of environmental protection legislation. In some<br>cases, fume scrubbers, filters or engineering modifications to the process<br>equipment will be necessary to reduce emissions to acceptable levels.  |
| Individual protection measures        |  |
| Hygiene measures :                    | Wash hands, forearms and face thoroughly after handling chemical products, before<br>eating, smoking and using the lavatory and at the end of the working period.<br>Appropriate techniques should be used to remove potentially contaminated clothing.<br>Wash contaminated clothing before reusing. Ensure that eyewash stations and<br>safety showers are close to the workstation location.  |
| Eye/face protection :                 | Safety glasses with side shields.  |
|                                       | Mexico Page: 4/10  |

### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 8: Exposure controls/personal protection**

| Skin protection        |  |
|------------------------|--|
| Hand protection        | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  |
| Body protection        | <ul> <li>Personal protective equipment for the body should be selected based on the task<br/>being performed and the risks involved and should be approved by a specialist<br/>before handling this product.</li> </ul>  |
| Other skin protection  | <ul> <li>Appropriate footwear and any additional skin protection measures should be<br/>selected based on the task being performed and the risks involved and should be<br/>approved by a specialist before handling this product.</li> </ul>  |
| Respiratory protection | : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. |
|                        |  |

### **SECTION 9: Physical and chemical properties**

| Appearance                                   |   |                    |   |        |            |
|--|---|--------------------|---|--------|------------|
| Physical state                               | : | Solid.             |   |        |            |
|  |   | Powder.            |   |        |            |
| Color  | : | Various            |   |        |            |
| Odor   | : | Characteristic.    |   |        |            |
| Odor threshold                               | : | Not available.     |   |        |            |
| Molecular weight                             | 1 | Not applicable.    |   |        |            |
| рН   | 1 | Not applicable.    |   |        |            |
| Melting point                                | 4 | Not available.     |   |        |            |
| Boiling point                                | : | Not available.     |   |        |            |
| Flash point                                  | : | Closed cup: Not ap | plicable.   |        |            |
| Auto-ignition temperature                    | : | Not applicable.    |   |        |            |
| Decomposition temperature                    | : | Not available.     |   |        |            |
| Flammability                                 | 1 | Not available.     |   |        |            |
| Lower and upper explosive (flammable) limits | 1 | Not applicable.    |   |        |            |
| Evaporation rate                             | 1 | Not available.     |   |        |            |
| Vapor pressure                               | 1 | Not available.     |   |        |            |
| Vapor density                                | : | Not applicable.    |   |        |            |
| Relative density                             | : | 7.14               |   |        |            |
| Density(Ibs / gal)                           | : | 59.59              |   |        |            |
| Bulk Density (g/cm³)                         | : | 7.1                |   |        |            |
|  |   | Media              | Result  |        |            |
| Solubility(ies)                              | 1 | cold water         | Not soluble   |        |            |
| Solubility in water                          | : | Not available.     |   |        |            |
| Partition coefficient: n-<br>octanol/water   | : | Not applicable.    |   |        |            |
| Viscosity                                    | - | Kinematic (room te | nperature): Not available.<br>mperature): Not available.<br>04°F)): Not applicable. |        |            |
|  |   |                    |   | Mexico | Page: 5/10 |

#### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 9: Physical and chemical properties**

% Solid. (w/w)

: 99.999

| SECTION 10: Stability and reactivity |   |  |
|--------------------------------------|---|--|
| Reactivity                           | : No specific test data related to reactivity available for this product or its ingredients.  |  |
| Chemical stability                   | : The product is stable.  |  |
| Possibility of hazardous reactions   | : Under normal conditions of storage and use, hazardous reactions will not occur.   |  |
| Conditions to avoid                  | : When exposed to high temperatures may produce hazardous decomposition products.<br>Refer to protective measures listed in sections 7 and 8.   |  |
| Incompatible materials               | : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.                |  |
| Hazardous decomposition products     | Evolves hydrogen on contact with water. Depending on conditions, decomposition products may include the following materials: metal oxide/oxides |  |

### **SECTION 11: Toxicological information**

#### Information on toxicological effects

| Acute toxicity               |  |
|------------------------------|--|
| Not available.               |  |
| Conclusion/Summary           | : There are no data available on the mixture itself. |
| Irritation/Corrosion         |  |
| Conclusion/Summary           |  |
| Skin                         | : There are no data available on the mixture itself. |
| Eyes                         | : There are no data available on the mixture itself. |
| Respiratory                  | : There are no data available on the mixture itself. |
| Sensitization                |  |
| Conclusion/Summary           |  |
| Skin                         | : There are no data available on the mixture itself. |
| Respiratory                  | : There are no data available on the mixture itself. |
| Mutagenicity                 |  |
| <b>Conclusion/Summary</b>    | : There are no data available on the mixture itself. |
| <b>Carcinogenicity</b>       |  |
| <b>Conclusion/Summary</b>    | : There are no data available on the mixture itself. |
| <b>Reproductive toxicity</b> |  |
| <b>Conclusion/Summary</b>    | : There are no data available on the mixture itself. |
| <b>Teratogenicity</b>        |  |
| Conclusion/Summary           | : There are no data available on the mixture itself. |
| Specific target organ toxi   | <u>city (single exposure)</u>                        |
| Not available.               |  |
|                              |  |

#### Specific target organ toxicity (repeated exposure)

### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 11: Toxicological information**

Not available.

#### **Aspiration hazard**

Not available.

#### Information on the likely routes of exposure

#### Potential acute health effects

| Eye contact                    | :           | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.  |  |
|--------------------------------|-------------|---|--|
| Inhalation                     | :           | Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.  |  |
| Skin contact                   | :           | No known significant effects or critical hazards.   |  |
| Ingestion                      | :           | No known significant effects or critical hazards.   |  |
| Over-exposure signs/sympt      | om          | <u>s</u>  |  |
| Eye contact                    | :           | Adverse symptoms may include the following:<br>irritation<br>redness  |  |
| Inhalation                     | :           | Adverse symptoms may include the following:<br>respiratory tract irritation<br>coughing   |  |
| Skin contact                   | :           | No specific data.   |  |
| Ingestion                      | :           | No specific data.   |  |
| Delayed and immediate effe     | cts         | and also chronic effects from short and long term exposure  |  |
| Conclusion/Summary             | :           | There are no data available on the mixture itself. Repeated exposure of the eyes to<br>a low level of dust can produce eye irritation. Repeated or prolonged inhalation of<br>dust may lead to chronic respiratory irritation. Ingestion may cause nausea, diarrhea<br>and vomiting. This takes into account, where known, delayed and immediate effects<br>and also chronic effects of components from short-term and long-term exposure by<br>oral, inhalation and dermal routes of exposure and eye contact. |  |
| <u>Short term exposure</u>     |             |   |  |
| Potential immediate<br>effects | :           | There are no data available on the mixture itself.  |  |
| Potential delayed effects      | :           | There are no data available on the mixture itself.  |  |
| Long term exposure             |             |   |  |
| Potential immediate<br>effects | :           | There are no data available on the mixture itself.  |  |
| Potential delayed effects      | :           | There are no data available on the mixture itself.  |  |
| Potential chronic health effe  | ects        |   |  |
| General                        | 1           | Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.  |  |
| Carcinogenicity                | :           | No known significant effects or critical hazards.   |  |
| Mutagenicity                   | :           | No known significant effects or critical hazards.   |  |
| Reproductive toxicity          | :           | No known significant effects or critical hazards.   |  |
| Numerical measures of toxi     | <u>city</u> |   |  |
| Acute toxicity estimates       |             |   |  |
| N1/A                           |             |   |  |

N/A

#### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 12: Ecological information**

#### **Toxicity**

Not available.

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

#### Mobility in soil

Soil/water partition: Not available.coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

| Disposal methods | : The generation of waste should be avoided or minimized wherever possible.<br>Disposal of this product, solutions and any by-products should at all times comply<br>with the requirements of environmental protection and waste disposal legislation<br>and any regional local authority requirements. Dispose of surplus and non-<br>recyclable products via a licensed waste disposal contractor. Waste should not be<br>disposed of untreated to the sewer unless fully compliant with the requirements of<br>all authorities with jurisdiction. Waste packaging should be recycled. Incineration or<br>landfill should only be considered when recycling is not feasible. This material and<br>its container must be disposed of in a safe way. Empty containers or liners may<br>retain some product residues. Avoid dispersal of spilled material and runoff and |
|------------------|---|
|                  | contact with soil, waterways, drains and sewers.  |

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### **SECTION 14: Transport information**

|                               | Mexico Classification   | IMDG  | ΙΑΤΑ  |
|-------------------------------|---|---|---|
| UN number                     | UN3077  | UN3077  | UN3077  |
| UN proper<br>shipping name    | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, SOLID, N.O.S.<br>(Zinc powder - zinc dust (stabilized)) | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, SOLID, N.O.S.<br>(Zinc powder - zinc dust (stabilized)) | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, SOLID, N.O.S.<br>(Zinc powder - zinc dust (stabilized)) |
| Transport<br>hazard class(es) | 9   | 9   | 9   |
| Packing group                 |   | III   | III   |
| Environmental<br>hazards      | Yes.  | Yes.  | Yes.  |
|                               |   | 1   | Mexico Page: 8/10   |

Date of issue 11 December 2024 Version 4.01

#### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 14: Transport information**

|                                   | -               |   |                 |
|-----------------------------------|-----------------|---|-----------------|
| Marine<br>pollutant<br>substances | Not applicable. | (Zinc powder - zinc dust<br>(stabilized)) | Not applicable. |
| Product RQ (lbs)                  | Not applicable. | Not applicable.                           | Not applicable. |
| RQ substances                     | Not applicable. | Not applicable.                           | Not applicable. |

#### **Additional information**

| Mexico                             | environmentally hazardous substance mark is not required when transported in sizes<br>5 kg.   | ; of ≤5 L |
|------------------------------------|---|-----------|
| IMDG                               | product is not regulated as a dangerous good when transported in sizes of $\leq 5$ L or $\leq$ ided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1 segregation group has been manually assigned based upon product analysis. | 0,        |
| IATA                               | product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ ided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8  |           |
| Special precaut                    | <b>user : Transport within user's premises:</b> always transport in closed containers t upright and secure. Ensure that persons transporting the product know wha the event of an accident or spillage.   |           |
| Transport in bu<br>to IMO instrume | ding : Not applicable.  |           |

### **SECTION 15: Regulatory information**

#### International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### **SECTION 16: Other information**

Please refer to Section 2 of this document for GHS hazard classifications. The customer is responsible for determining the PPE code for this material.

Date of previous issue: 6/12/2022Organization that prepared: EHSthe SDS

#### Product name SIGMAZINC 158 / SIGMAGUARD 750 PIGMENT (non pyrophoric)

### **SECTION 16: Other information**

| Key to abbreviations | : ATE = Acute Toxicity Estimate   |
|----------------------|---|
| -                    | BCF = Bioconcentration Factor   |
|                      | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
|                      | IATA = International Air Transport Association                                |
|                      | IBC = Intermediate Bulk Container   |
|                      | IMDG = International Maritime Dangerous Goods                                 |
|                      | LogPow = logarithm of the octanol/water partition coefficient                 |
|                      | MARPOL = International Convention for the Prevention of Pollution From Ships, |
|                      | 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)       |
|                      | N/A = Not available   |
|                      | SGG = Segregation Group   |
|                      | UN = United Nations   |
|                      |   |

#### Indicates information that has changed from previously issued version.

#### Notice to reader

The information, which is based on the current knowledge of the chemical substance or mixture and applies to appropriate safety precautions for the product, is deemed correct but is not exhaustive and will be used only as a guide.

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.