SAFETY DATA SHEET

PPG

Version2

Date of issue/Date of revision 16 December 2024

Section 1. Identification

| Product code | : 000001189071 |
|----------------------------------|---|
| Product name | : SIGMASHIELD 1090 BASE RAL 7038 |
| Other means of identification | : 00446312 |
| Product type | : Liquid. |
| Relevant identified uses | of the substance or mixture and uses advised against |
| Product use | : Coating. Professional applications, Used by spraying. |
| Uses advised against | : Product is not intended, labelled or packaged for consumer use. |
| Supplier's details | : PT PPG Coatings Indonesia JI. Rawagelam III No.1 13930 Jakarta Indonesia Tel +62 21 4605710 PMC.Safety@PPG.com |
| Emergency telephone number | : CHEMTREC 001-803-017-9114 (CCN 17704) |

Section 2. Hazards identification

| Classification of the substance or mixture | KIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 3 Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 78.7% |
|--|---|
| | |

GHS label elements, including precautionary statements

Hazard pictograms



Signal word: WarningHazard statements: Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

Suspected of causing genetic defects. Harmful to aquatic life with long lasting effects.

Precautionary statements

Section 2. Hazards identification

| Prevention | tain special instructions before use. Do not handle until all safety precau- ve been read and understood. Wear protective gloves, protective clothin e or face protection. Avoid release to the environment. Avoid breathing ash thoroughly after handling. Contaminated work clothing should not be t of the workplace. | ig and vapor. |
|----------------------------|--|-----------------------|
| Response | exposed or concerned: Get medical advice or attention. IF ON SKIN: Wa enty of water. If skin irritation or rash occurs: Get medical advice or attentive ke off contaminated clothing and wash it before reuse. IF IN EYES: Rins utiously with water for several minutes. Remove contact lenses, if presen sy to do. Continue rinsing. If eye irritation persists: Get medical advice or ention. | tion. se it and |
| Storage | pre locked up. | |
| Disposal | spose of contents and container in accordance with all local, regional, nat d international regulations. | tional |
| Other hazards which do not | ne known | |

Other hazards which do not : None Known. result in classification

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|-------------------|-----------|
|-------------------|-----------|

CAS number/other identifiers

| CAS number/other lue | <u>Intillers</u> | | |
|---|-------------------|------------------|--------------------------|
| CAS number | : Not applicable. | | |
| EC number | : Mixture. | | |
| Ingredient name | | % | CAS number |
| Peaction product: bisphenol-A-(epichlorhydrin); epoxy resin 2,3-epoxypropyl neodecanoate | | 10- <20 1- <3 | 25068-38-6 26761-45-5 |
| benzyl alcohol | | 1- <3 | 100-51-6 |

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SUB codes represent substances without registered CAS Numbers.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necess | ary first aid measures |
|-----------------------|--|
| Eye contact | Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. |
| Inhalation | Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| Skin contact | Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. |
| Ingestion | : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting. |

Section 4. First aid measures

Most important symptoms/effects, acute and delayed

| Potential acute health effe | <u>:ts</u> | |
|---------------------------------|------------|---|
| Eye contact | : C | Causes serious eye irritation. |
| Inhalation | : N | known significant effects or critical hazards. |
| Skin contact | : C | Causes skin irritation. May cause an allergic skin reaction. |
| Ingestion | : N | lo known significant effects or critical hazards. |
| <u>Over-exposure signs/symp</u> | toms | |
| Eye contact | p w | Adverse symptoms may include the following: pain or irritation vatering edness |
| Inhalation | : N | lo specific data. |
| Skin contact | ir | dverse symptoms may include the following: ritation edness |
| Ingestion | : N | lo specific data. |
| Indication of immediate med | lical a | attention and special treatment needed, if necessary |
| Notes to physician | | reat symptomatically. Contact poison treatment specialist immediately if large juantities have been ingested or inhaled. |
| Specific treatments | : N | lo specific treatment. |
| Protection of first-aiders | | to action shall be taken involving any personal risk or without suitable training. It |

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon oxides halogenated compounds metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | Indonesia ⁷ Page: 3/12 |

Product name SIGMASHIELD 1090 BASE RAL 7038

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|-----|---|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| Methods and materials for co | ont | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

[:] Page: 5/12

Indonesia

Section 7. Handling and storage

| | J | |
|--|---|---|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

| Control parameters Occupational exposure lim None. | <u>its</u> |
|--|---|
| Recommended monitoring procedures | : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required. |
| Appropriate engineering controls | : Verture operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measu | res |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Gloves | : butyl rubber |

Section 8. Exposure controls/personal protection

| - | · · · |
|------------------------|--|
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. |

Section 9. Physical and chemical properties

| <u>Appearance</u> | | |
|---|---|---|
| Physical state | : | Liquid. |
| Color | 4 | Yellow. |
| Odor | 1 | Characteristic. |
| Odor threshold | 1 | Not available. |
| рН | : | Not applicable. |
| Melting point | : | Not available. |
| Boiling point | : | >37.78°C (>100°F) |
| Flash point | : | Closed cup: Not applicable. |
| Evaporation rate | : | Not available. |
| Flammability/Combustible properties (solid, gas) | 1 | Not available. |
| Lower and upper explosive (flammable) limits | 1 | Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | 1.72 |
| | | Media Result |
| Solubility(ies) | Ì | cold water Not soluble |
| Partition coefficient: n- octanol/water | : | Not applicable. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| Viscosity | : | Øynamic (room temperature): Not available. Kinematic (room temperature): >400 mm²/s Kinematic (40°C): >21 mm²/s |
| Viscosity | : | > 100 s (ISO 6mm) |

Section 10. Stability and reactivity

| | y |
|------------------------------------|---|
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : When exposed to high temperatures may produce hazardous decomposition products. |
| Incompatible materials | : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids. |
| Hazardous decomposition products | : Depending on conditions, decomposition products may include the following materials: carbon oxides halogenated compounds metal oxide/oxides |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|---------------------------------|---------|-------------|----------|
| eaction product: bisphenol- A-(epichlorhydrin); epoxy resin | LD50 Dermal | Rabbit | >2 g/kg | - |
| | LD50 Oral | Rat | >2 g/kg | - |
| 2,3-epoxypropyl neodecanoate | LD50 Dermal | Rat | 3800 mg/kg | - |
| | LD50 Oral | Rat | 9.6 g/kg | - |
| benzyl alcohol | LC50 Inhalation Dusts and mists | Rat | >5 mg/l | 4 hours |
| | LD50 Dermal | Rabbit | >2000 mg/kg | - |
| | LD50 Oral | Rat | 1200 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|--------------------------|---------|-------|--------------------|-------------|
| eaction product: bisphenol- A-(epichlorhydrin); epoxy resin | Eyes - Mild irritant | Rabbit | - | 100 mg | - |
| | Eyes - Moderate irritant | Rabbit | - | _ | - |
| | Skin - Moderate irritant | Rabbit | - | - | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 Ul | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 2 mg | - |

Conclusion/Summary

- Skin Eyes
- : There are no data available on the mixture itself.

: There are no data available on the mixture itself.

: There are no data available on the mixture itself.

Respiratory

Sensitization

Indonesia [;] Page: 7/12

Product code 000001189071 Product name SIGMASHIELD 1090 BASE RAL 7038

Section 11. Toxicological information

| Product/ingredient name | Route of exposure | Species | Result | |
|--|--|-----------------------------------|------------------------|--|
| Peaction product: bisphenol- A-(epichlorhydrin); epoxy resin | skin | Mouse | Sensitizing | |
| Conclusion/Summary | | | | |
| Skin | : There are no | data available on the mixt | ure itself. | |
| Respiratory | : There are no | data available on the mixt | ure itself. | |
| <u>Mutagenicity</u> | | | | |
| Conclusion/Summary | : There are no | data available on the mixt | ure itself. | |
| Carcinogenicity | | | | |
| Conclusion/Summary | : There are no | data available on the mixt | ure itself. | |
| Reproductive toxicity | | | | |
| Conclusion/Summary | : There are no | data available on the mixt | ure itself. | |
| Teratogenicity | | | | |
| Conclusion/Summary | | data available on the mixt | ure itself. | |
| Specific target organ toxicit | y (single expos | <u>ure)</u> | | |
| Not available. | | | | |
| Specific target organ toxicit Not available. | <u>y (repeated exp</u> | <u>osure)</u> | | |
| Aspiration hazard Not available. | | | | |
| Information on the likely routes of exposure | : Not available |). | | |
| Potential acute health effects | <u>.</u> | | | |
| Eye contact | : Causes serio | ous eye irritation. | | |
| Inhalation | : No known sig | gnificant effects or critical h | nazards. | |
| Skin contact | : Causes skin | irritation. May cause an a | llergic skin reaction. | |
| Ingestion | : No known sig | gnificant effects or critical h | nazards. | |
| _ | | | | |
| Symptoms related to the phy | | - | | |
| Eye contact | : Adverse sym pain or irritati watering redness | ptoms may include the foll ion | lowing: | |
| Inhalation | : No specific d | lata. | | |
| Skin contact | • | ptoms may include the foll | owing: | |
| Ingestion | : No specific d | ata. | | |
| Deleved and immediate offer | to and also also | and a file of a first start at | | |
| Delayed and immediate effect | | onic enects from short a | na long term exposure | |

Short term exposure

Section 11. Toxicological information

| | | | 5 |
|-----|-----------------------------|-----|---|
| | otential immediate fects | : | There are no data available on the mixture itself. |
| Po | otential delayed effects | 1 | There are no data available on the mixture itself. |
| Lon | ng term exposure | | |
| | otential immediate fects | : | There are no data available on the mixture itself. |
| Po | otential delayed effects | : | There are no data available on the mixture itself. |
| Pot | ential chronic health effe | ect | <u>s</u> |
| Ge | neral | : | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Ca | rcinogenicity | : | No known significant effects or critical hazards. |
| Mu | Itagenicity | : | Suspected of causing genetic defects. |
| Re | productive toxicity | : | No known significant effects or critical hazards. |
| | | | |

Numerical measures of toxicity

Acute toxicity estimates

| Route | ATE value |
|-------|----------------|
| Øral | 15113.73 mg/kg |

Other information

Sanding and grinding dusts may be harmful if inhaled. Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapor/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death.

Section 12. Ecological information

2

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|------------------------------------|--|---|----------------------|
| A-(epichlorhydrin); epoxy resin | Chronic NOEC 0.3 mg/l | Daphnia | 21 days |
| 2,3-epoxypropyl neodecanoate | Acute EC50 3.5 mg/l | Algae | 96 hours |
| | Acute EC50 4.8 mg/l Acute LC50 9.6 mg/l | Daphnia - <i>Daphnia magna</i> Fish - <i>Oncorhynchus mykiss</i> | 48 hours 96 hours |

Persistence/degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|---------------------------------|-----------|---------------|------|----------|
| A-(epichlorhydrin); epoxy resin | OECD 301F | 5 % - 28 days | - | - |

| Indonesia | ' Page: 9/12 |
|-----------|--------------|

Section 12. Ecological information

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability | |
|---------------------------------|-------------------|------------|------------------|--|
| A-(epichlorhydrin); epoxy resin | - | - | Not readily | |
| 2,3-epoxypropyl neodecanoate | - | - | Not readily | |
| benzyl alcohol | - | - | Readily | |

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--|--------------|-----|-----------|
| Peaction product: bisphenol- A-(epichlorhydrin); epoxy resin | 2.64 to 3.78 | 31 | Low |
| 2,3-epoxypropyl neodecanoate | 4.4 | - | High |
| benzyl alcohol | 0.87 | - | Low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | UN | IMDG | ΙΑΤΑ |
|----------------------------|----------------|----------------|-----------------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| | | | Indonesia Page: 10/12 |

Product code 000001189071 Product name SIGMASHIELD 1090 BASE RAL 7038

Date of issue 16 December 2024 Version 2

Section 14. Transport information

| Marine pollutant | Not applicable. | Not applicable. | Not applicable. |
|------------------|-----------------|-----------------|-----------------|
| substances | | | |

Additional information

- UN: None identified.IMDG: None identified.
- IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

| occurred regulatory mornation | | |
|---|--|--|
| Safety, health and environmental regulations specific for the product | : No known specific national and/or regional regulations applicable to this product (including its ingredients). | |
| <u>Law No. 74/2001 - Banned</u> | | |
| None of the components are | listed. | |
| Law No. 74/2001 - Restricted | | |
| None of the components are | listed. | |
| Law No. 74/2001 - Chemicals that may be used | : Not determined | |

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Section 16. Other information

| : 16 December 2024 |
|--------------------|
| : 9/3/2024 |
| : 2 |
| : EHS |
| |

Product code 000001189071 Product name SIGMASHIELD 1090 BASE RAL 7038

Section 16. Other information

| Key to abbreviations | : ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway |
|----------------------|--|
| | ADR = The European Agreement concerning the International Carriage of |
| | Dangerous Goods by Road |
| | ATE = Acute Toxicity Estimate |
| | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, |
| | 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | RID = The Regulations concerning the International Carriage of Dangerous Goods |
| | by Rail |
| | UN = United Nations |
| | |

Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.