

Date of issue

19 June 2026

Version 1.1

**Section 1. Product and company identification**

**Product name** : PITT-CHAR NX BASE WHITE  
**Product code** : 00424804  
**Other means of identification** : Not available.  
**Product type** : Liquid.

**Relevant identified uses of the substance or mixture and uses advised against****Identified uses**

Coating. Paints. Painting-related materials.

**Uses advised against**

Not applicable.

**Reason****Supplier's details:**

**Supplier** : PPG Industries Colombia Ltda  
Calle 51 # 40-13  
Municipio de Itagüí  
Antioquia, Colombia  
(57) (4) 3787400 (Porteria)

**Email address:** : HazComLatam@ppg.com

**Emergency telephone number** : Mexico: 01-800-00-214-00, (+)(52(55) 5559-1588

**Section 2. Hazards identification**

**Classification of the substance or mixture** : ACUTE TOXICITY (oral) - Category 5  
ACUTE TOXICITY (dermal) - Category 5  
SKIN IRRITATION - Category 2  
EYE IRRITATION - Category 2A  
SKIN SENSITIZATION - Category 1  
CARCINOGENICITY - Category 2  
TOXIC TO REPRODUCTION - Category 2  
AQUATIC HAZARD (ACUTE) - Category 1  
AQUATIC HAZARD (LONG-TERM) - Category 2

**Target organs** : Contains material which may cause damage to the following organs: blood, the nervous system, liver, peripheral nervous system, central nervous system (CNS), thyroid.

## Section 2. Hazards identification

Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 2.6%

Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 11.1%

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 11.9%

### GHS label elements

#### Hazard pictograms



#### Signal word

: Warning

#### Hazard statements

: May be harmful if swallowed or in contact with skin.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.  
Very toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.

### Precautionary statements

#### Prevention

: Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Avoid breathing vapor. Wash thoroughly after handling.

#### Response

: Collect spillage. IF exposed or concerned: Get medical advice or attention. IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

#### Storage

: Not applicable.

#### Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Other hazards which do not result in classification** : None known.

## Section 3. Composition/information on ingredients

#### Substance/mixture

: Mixture

#### Other means of identification

: Not available.

### CAS number/other identifiers

#### CAS number

: Not applicable.

## Section 3. Composition/information on ingredients

| Ingredient name                                                                        | %          | CAS number  |
|----------------------------------------------------------------------------------------|------------|-------------|
| Hexaboron dizinc undecaoxide                                                           | 20 - <30   | 12767-90-7  |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)- | 20 - <30   | 12046-04-7  |
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin                           | 15 - <20   | 25068-38-6  |
| tris(2-chloro-1-methylethyl) phosphate                                                 | 7 - <10    | 13674-84-5  |
| Polyphosphoric acids, ammonium salts                                                   | 7 - <10    | 68333-79-9  |
| triphenyl phosphate                                                                    | 7 - <10    | 115-86-6    |
| Synthetic fibers, alk. earth silicate                                                  | 2 - <3     | 436083-99-7 |
| Epoxy resin (MW ≤ 700)                                                                 | 2 - <3     | 25068-38-6  |
| Cashew, nutshell liq.                                                                  | 1 - <2     | 8007-24-7   |
| 2,2-bis(acryloyloxymethyl)butyl acrylate                                               | 1 - <2     | 15625-89-5  |
| Quaternary ammonium compounds, benzylbis(hydrogenated tallow alkyl) methyl, chlorides  | 0.1 - <0.2 | 61789-73-9  |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.  
In case of accidental eye contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation or blistering occurs after contact.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : May be harmful if swallowed.

## Section 4. First aid measures

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon oxides  
phosphorus oxides  
halogenated compounds  
metal oxide/oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : ☒ No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

### Methods and materials for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

- Precautions for safe handling** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

- Conditions for safe storage, including any incompatibilities** : Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

| Ingredient name                                                                                                                                                                                           | Exposure limits                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Hexaboron dizinc undecaoxide</p> <p>Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)-</p> <p>triphenyl phosphate</p> <p>Synthetic fibers, alk. earth silicate</p> | <p><b>ACGIH TLV (United States, 1/2013)</b><br/>TWA: 3 mg/m<sup>3</sup> (Dusts and mists). Form: Respirable fraction.<br/>TWA: 10 mg/m<sup>3</sup> (Dusts and mists). Form: Inhalable fraction.</p> <p><b>ACGIH TLV (United States)</b><br/>TWA: 10 mg/m<sup>3</sup>. Form: inhalable dust.<br/>TWA: 3 mg/m<sup>3</sup>. Form: Respirable dust.</p> <p><b>ACGIH TLV (United States, 1/2025)</b><br/>TWA 8 hours: 3 mg/m<sup>3</sup>.</p> <p><b>ACGIH TLV (United States, 2011)</b><br/>TWA 8 hours: 10 mg/m<sup>3</sup> (Total dust).<br/>TWA 8 hours: 3 mg/m<sup>3</sup> (Respirable fraction).</p> |

## Section 8. Exposure controls/personal protection

- |                                          |                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Recommended monitoring procedures</b> | : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.                                                                                                                              |
| <b>Appropriate engineering controls</b>  | : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.                                                                             |
| <b>Environmental exposure controls</b>   | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

### Individual protection measures

- |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hygiene measures</b>       | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.                                                                                                                                         |
| <b>Eye protection</b>         | : Chemical splash goggles.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Skin protection</b>        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Hand protection</b>        | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| <b>Gloves</b>                 | : polyethylene butyl rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Body protection</b>        | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other skin protection</b>  | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Respiratory protection</b> | : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.                                                                                                                                                               |

## Section 9. Physical and chemical properties

### Appearance

|                                              |                               |
|----------------------------------------------|-------------------------------|
| Physical state                               | : Liquid.                     |
| Color                                        | : Not available.              |
| Odor                                         | : Characteristic.             |
| pH                                           | : Not applicable.             |
| Melting point                                | : Not available.              |
| Boiling point                                | : >37.78°C (>100°F)           |
| Flash point                                  | : Closed cup: Not applicable. |
| Evaporation rate                             | : Not available.              |
| Flammability (solid, gas)                    | : Not available.              |
| Lower and upper explosive (flammable) limits | : Not available.              |
| Vapor pressure                               | : Not available.              |
| Vapor density                                | : Not available.              |
| Relative density                             | : 1.56                        |

|                 |              |               |
|-----------------|--------------|---------------|
| Solubility(ies) | <b>Media</b> | <b>Result</b> |
|                 | cold water   | Not soluble   |

|                                        |                                                                                                                                                            |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Partition coefficient: n-octanol/water | : Not applicable.                                                                                                                                          |
| Auto-ignition temperature              | : Not available.                                                                                                                                           |
| Decomposition temperature              | : Not available.                                                                                                                                           |
| Viscosity                              | : Dynamic (room temperature): Not available.<br>Kinematic (room temperature): Not available.<br>Kinematic (40°C (104°F)): >21 mm <sup>2</sup> /s (>21 cSt) |

## Section 10. Stability and reactivity

|                                    |                                                                                                                                                                 |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No specific test data related to reactivity available for this product or its ingredients.                                                                    |
| Chemical stability                 | : The product is stable.                                                                                                                                        |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.                                                                               |
| Conditions to avoid                | : When exposed to high temperatures may produce hazardous decomposition products.                                                                               |
| Incompatible materials             | : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.                                |
| Hazardous decomposition products   | : Depending on conditions, decomposition products may include the following materials: carbon oxides phosphorus oxides halogenated compounds metal oxide/oxides |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name                                                                | Result                          | Species | Dose        | Exposure |
|----------------------------------------------------------------------------------------|---------------------------------|---------|-------------|----------|
| Hexaboron dizinc undecaoxide                                                           | LC50 Inhalation Dusts and mists | Rat     | >5 mg/l     | 4 hours  |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)- | LD50 Dermal                     | Rabbit  | >5000 mg/kg | -        |
|                                                                                        | LD50 Oral                       | Rat     | >5000 mg/kg | -        |
|                                                                                        | LD50 Dermal                     | Rabbit  | >2000 mg/kg | -        |
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin                           | LD50 Oral                       | Rat     | 4200 mg/kg  | -        |
|                                                                                        | LD50 Dermal                     | Rabbit  | >2 g/kg     | -        |
| tris(2-chloro-1-methylethyl) phosphate                                                 | LD50 Oral                       | Rat     | >2 g/kg     | -        |
|                                                                                        | LC50 Inhalation Dusts and mists | Rat     | >7 mg/l     | 4 hours  |
|                                                                                        | LD50 Dermal                     | Rabbit  | >5 g/kg     | -        |
| Polyphosphoric acids, ammonium salts                                                   | LD50 Oral                       | Rat     | 1500 mg/kg  | -        |
|                                                                                        | LD50 Oral                       | Rat     | 4.74 g/kg   | -        |
|                                                                                        | LD50 Oral                       | Rat     | 4.74 g/kg   | -        |
| triphenyl phosphate                                                                    | LD50 Dermal                     | Rabbit  | >7900 mg/kg | -        |
|                                                                                        | LD50 Oral                       | Rat     | 3500 mg/kg  | -        |
|                                                                                        | LD50 Dermal                     | Rabbit  | >2 g/kg     | -        |
| Epoxy resin (MW ≤ 700)                                                                 | LD50 Oral                       | Rat     | >2 g/kg     | -        |
|                                                                                        | LD50 Dermal                     | Rabbit  | >2 g/kg     | -        |
|                                                                                        | LD50 Dermal                     | Rabbit  | 5170 mg/kg  | -        |
| 2,2-bis(acryloyloxymethyl) butyl acrylate                                              | LD50 Oral                       | Rat     | 5.19 g/kg   | -        |
|                                                                                        | LD50 Oral                       | Rat     | 5.19 g/kg   | -        |

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Irritation/Corrosion

| Product/ingredient name                                      | Result                   | Species | Score | Exposure        | Observation |
|--------------------------------------------------------------|--------------------------|---------|-------|-----------------|-------------|
| Hexaboron dizinc undecaoxide                                 | Eyes - Cornea opacity    | Rabbit  | 33    | 24 hours        | 74 hours    |
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | Eyes - Mild irritant     | Rabbit  | -     | 0.083g          | -           |
|                                                              | Eyes - Moderate irritant | Rabbit  | -     | 100 mg          | -           |
|                                                              | Skin - Moderate irritant | Rabbit  | -     | -               | -           |
|                                                              | Skin - Moderate irritant | Rabbit  | -     | -               | -           |
|                                                              | Skin - Moderate irritant | Rabbit  | -     | 24 hours 500 UI | -           |
| Epoxy resin (MW ≤ 700)                                       | Skin - Severe irritant   | Rabbit  | -     | 24 hours 2 mg   | -           |
|                                                              | Eyes - Mild irritant     | Rabbit  | -     | -               | -           |
|                                                              | Skin - Mild irritant     | Rabbit  | -     | -               | -           |
| 2,2-bis(acryloyloxymethyl) butyl acrylate                    | Skin - Irritant          | Rabbit  | -     | -               | -           |
|                                                              | Skin - Irritant          | Rabbit  | -     | -               | -           |

#### Conclusion/Summary

**Skin** : There are no data available on the mixture itself.

**Eyes** : There are no data available on the mixture itself.

## Section 11. Toxicological information

**Respiratory** : There are no data available on the mixture itself.

### Sensitization

| Product/ingredient name                                      | Route of exposure | Species | Result      |
|--------------------------------------------------------------|-------------------|---------|-------------|
| Reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | skin              | Mouse   | Sensitizing |
| Epoxy resin (MW ≤ 700)                                       | skin              | Mouse   | Sensitizing |
| 2,2-bis(acryloyloxymethyl) butyl acrylate                    | skin              | Rabbit  | Sensitizing |

### Conclusion/Summary

**Skin** : There are no data available on the mixture itself.

**Respiratory** : There are no data available on the mixture itself.

### Mutagenicity

Not available.

**Conclusion/Summary** : There are no data available on the mixture itself.

### Carcinogenicity

Not available.

**Conclusion/Summary** : There are no data available on the mixture itself.

### Classification

| Product/ingredient name                   | OSHA | IARC | NTP |
|-------------------------------------------|------|------|-----|
| 2,2-bis(acryloyloxymethyl) butyl acrylate | -    | 2B   | -   |

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen

OSHA: +

Not listed/not regulated: -

### Reproductive toxicity

| Product/ingredient name      | Maternal toxicity | Fertility | Development toxin | Species | Dose            | Exposure                 |
|------------------------------|-------------------|-----------|-------------------|---------|-----------------|--------------------------|
| Hexaboron dizinc undecaoxide | Positive          | Positive  | Positive          | Rat     | Oral: 375 mg/kg | 90 days; 7 days per week |

**Conclusion/Summary** : There are no data available on the mixture itself.

### Teratogenicity

Not available.

**Conclusion/Summary** : There are no data available on the mixture itself.

### Specific target organ toxicity (single exposure)

## Section 11. Toxicological information

| Name                                                                                   | Category | Route of exposure | Target organs |
|----------------------------------------------------------------------------------------|----------|-------------------|---------------|
| hexaboron dizinc undecaoxide                                                           | None.    | None.             | None.         |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)- | None.    | None.             | None.         |
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin                           | None.    | None.             | None.         |
| tris(2-chloro-1-methylethyl) phosphate                                                 | None.    | None.             | None.         |
| Polyphosphoric acids, ammonium salts                                                   | None.    | None.             | None.         |
| triphenyl phosphate                                                                    | None.    | None.             | None.         |
| Synthetic fibers, alk. earth silicate                                                  | None.    | None.             | None.         |
| Epoxy resin (MW ≤ 700)                                                                 | None.    | None.             | None.         |
| Cashew, nutshell liq.                                                                  | None.    | None.             | None.         |
| 2,2-bis(acryloyloxymethyl)butyl acrylate                                               | None.    | None.             | None.         |
| Quaternary ammonium compounds, benzylbis (hydrogenated tallow alkyl)methyl, chlorides  | None.    | None.             | None.         |

### Specific target organ toxicity (repeated exposure)

| Name                                                                                   | Category | Route of exposure | Target organs |
|----------------------------------------------------------------------------------------|----------|-------------------|---------------|
| hexaboron dizinc undecaoxide                                                           | None.    | None.             | None.         |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)- | None.    | None.             | None.         |
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin                           | None.    | None.             | None.         |
| tris(2-chloro-1-methylethyl) phosphate                                                 | None.    | None.             | None.         |
| Polyphosphoric acids, ammonium salts                                                   | None.    | None.             | None.         |
| triphenyl phosphate                                                                    | None.    | None.             | None.         |
| Synthetic fibers, alk. earth silicate                                                  | None.    | None.             | None.         |
| Epoxy resin (MW ≤ 700)                                                                 | None.    | None.             | None.         |
| Cashew, nutshell liq.                                                                  | None.    | None.             | None.         |
| 2,2-bis(acryloyloxymethyl)butyl acrylate                                               | None.    | None.             | None.         |
| Quaternary ammonium compounds, benzylbis (hydrogenated tallow alkyl)methyl, chlorides  | None.    | None.             | None.         |

**Target organs** : Contains material which may cause damage to the following organs: blood, the nervous system, liver, peripheral nervous system, central nervous system (CNS), thyroid.

### Aspiration hazard

| Name                                                                                   | Result |
|----------------------------------------------------------------------------------------|--------|
| hexaboron dizinc undecaoxide                                                           | None.  |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)- | None.  |
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin                           | None.  |
| tris(2-chloro-1-methylethyl) phosphate                                                 | None.  |
| Polyphosphoric acids, ammonium salts                                                   | None.  |
| triphenyl phosphate                                                                    | None.  |
| Synthetic fibers, alk. earth silicate                                                  | None.  |
| Epoxy resin (MW ≤ 700)                                                                 | None.  |
| Cashew, nutshell liq.                                                                  | None.  |
| 2,2-bis(acryloyloxymethyl)butyl acrylate                                               | None.  |

|              |                         |               |              |         |     |
|--------------|-------------------------|---------------|--------------|---------|-----|
| Code         | 00424804                | Date of issue | 19 June 2026 | Version | 1.1 |
| Product name | PITT-CHAR NX BASE WHITE |               |              |         |     |

## Section 11. Toxicological information

|                                                                                      |       |
|--------------------------------------------------------------------------------------|-------|
| Quaternary ammonium compounds, benzylbis(hydrogenated tallow alkyl)methyl, chlorides | None. |
|--------------------------------------------------------------------------------------|-------|

**Information on the likely routes of exposure** : Not available.

### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : May be harmful if swallowed.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
reduced fetal weight  
increase in fetal deaths  
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness  
reduced fetal weight  
increase in fetal deaths  
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:  
reduced fetal weight  
increase in fetal deaths  
skeletal malformations

### Delayed and immediate effects and also chronic effects from short and long term exposure

- Conclusion/Summary** : There are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

### Short term exposure

- Potential immediate effects** : There are no data available on the mixture itself.
- Potential delayed effects** : There are no data available on the mixture itself.

### Long term exposure

## Section 11. Toxicological information

**Potential immediate effects** : There are no data available on the mixture itself.

**Potential delayed effects** : There are no data available on the mixture itself.

### Potential chronic health effects

Not available.

**General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

**Carcinogenicity** : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.

**Mutagenicity** : No known significant effects or critical hazards.

**Reproductive toxicity** : Suspected of damaging fertility or the unborn child.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name                                                                                                                            | Oral (mg/kg)  | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|--------------------------|----------------------------|-------------------------------------|
| PITT-CHAR NX BASE WHITE                                                                                                                            | 3710.5        | 4806.1         | Not available            | Not available              | Not available                       |
| hexaboron dizinc undecaoxide                                                                                                                       | Not available | Not available  | Not available            | Not available              | Not available                       |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)-reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | 4200          | 2500           | Not available            | Not available              | Not available                       |
| tris(2-chloro-1-methylethyl) phosphate                                                                                                             | 2500          | 2500           | Not available            | Not available              | Not available                       |
| Polyphosphoric acids, ammonium salts                                                                                                               | 1500          | Not available  | Not available            | Not available              | Not available                       |
| triphenyl phosphate                                                                                                                                | 4740          | Not available  | Not available            | Not available              | Not available                       |
| Synthetic fibers, alk. earth silicate                                                                                                              | 3500          | Not available  | Not available            | Not available              | Not available                       |
| Epoxy resin (MW ≤ 700)                                                                                                                             | Not available | Not available  | Not available            | Not available              | Not available                       |
| Cashew, nutshell liq.                                                                                                                              | 2500          | 2500           | Not available            | Not available              | Not available                       |
| 2,2-bis(acryloyloxymethyl)butyl acrylate                                                                                                           | 500           | 1100           | Not available            | Not available              | Not available                       |
| Quaternary ammonium compounds, benzylbis (hydrogenated tallow alkyl)methyl, chlorides                                                              | 5190          | 5170           | Not available            | Not available              | Not available                       |
|                                                                                                                                                    | Not available | Not available  | Not available            | Not available              | Not available                       |

**Other information** : Not available.

|              |                         |               |              |         |     |
|--------------|-------------------------|---------------|--------------|---------|-----|
| Code         | 00424804                | Date of issue | 19 June 2026 | Version | 1.1 |
| Product name | PITT-CHAR NX BASE WHITE |               |              |         |     |

## Section 12. Ecological information

### Ecotoxicity

| Product/ingredient name                                                                                                                            | Result                            | Species                                  | Exposure |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|----------|
| Hexaboron dizinc undecaoxide                                                                                                                       | Acute EC50 76 mg/l                | Daphnia - <i>Daphnia magna</i>           | 48 hours |
|                                                                                                                                                    | Acute LC50 2.17 mg/l              | Fish - <i>Salmo gairdneri</i>            | 96 hours |
|                                                                                                                                                    | Acute LC50 >100 mg/l              | Fish                                     | 96 hours |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)-reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | Chronic NOEC 0.3 mg/l             | Daphnia                                  | 21 days  |
| Polyphosphoric acids, ammonium salts                                                                                                               | Acute EC50 730.5 mg/l Fresh water | Daphnia - <i>Daphnia magna</i> - Neonate | 48 hours |
| triphenyl phosphate                                                                                                                                | Acute LC50 0.09 mg/l Fresh water  | Daphnia - <i>Daphnia magna</i> - Neonate | 48 hours |
|                                                                                                                                                    | Chronic NOEC 0.1 mg/l             | Algae - <i>Desmodesmus subspicatus</i>   | 3 days   |
| Epoxy resin (MW ≤ 700)                                                                                                                             | Acute LC50 1.8 mg/l               | Daphnia                                  | 48 hours |
|                                                                                                                                                    | Chronic NOEC 0.3 mg/l             | Daphnia                                  | 21 days  |
| 2,2-bis(acryloyloxymethyl) butyl acrylate                                                                                                          | Acute LC50 0.87 mg/l              | Fish                                     | 96 hours |

### Persistence/degradability

| Product/ingredient name                                      | Test      | Result        | Dose | Inoculum |
|--------------------------------------------------------------|-----------|---------------|------|----------|
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | OECD 301F | 5 % - 28 days | -    | -        |
| Epoxy resin (MW ≤ 700)                                       | OECD 301F | 5 % - 28 days | -    | -        |

| Product/ingredient name                                      | Aquatic half-life | Photolysis | Biodegradability |
|--------------------------------------------------------------|-------------------|------------|------------------|
| reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | -                 | -          | Not readily      |
| Epoxy resin (MW ≤ 700)                                       | -                 | -          | Not readily      |

### Bioaccumulative potential

| Product/ingredient name                                                                                                                            | LogP <sub>ow</sub> | BCF               | Potential |
|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------|-----------|
| Hexaboron dizinc undecaoxide                                                                                                                       | None.              | 60960             | High      |
| Borate(5-), bis[μ-oxotetraoxodiborato(4-)]-, ammonium tetrahydrogen, dihydrate, (T-4)-reaction product: bisphenol-A-(epichlorohydrin); epoxy resin | None.              | None.             | None.     |
| tris(2-chloro-1-methylethyl) phosphate                                                                                                             | 2.64 to 3.78       | 31                | Low       |
| Polyphosphoric acids,                                                                                                                              | 2.68               | 7.94 [OECD 305 C] | Low       |
|                                                                                                                                                    | None.              | None.             | None.     |

|              |                         |               |              |         |     |
|--------------|-------------------------|---------------|--------------|---------|-----|
| Code         | 00424804                | Date of issue | 19 June 2026 | Version | 1.1 |
| Product name | PITT-CHAR NX BASE WHITE |               |              |         |     |

## Section 12. Ecological information

|                                                                                        |       |        |       |
|----------------------------------------------------------------------------------------|-------|--------|-------|
| ammonium salts                                                                         | 4.63  | 190.55 | Low   |
| triphenyl phosphate                                                                    | None. | None.  | None. |
| Synthetic fibers, alk. earth silicate                                                  |       |        |       |
| Epoxy resin (MW ≤ 700)                                                                 | 3     | 31     | Low   |
| Cashew, nutshell liq.                                                                  | >4.78 | None.  | High  |
| 2,2-bis(acryloyloxymethyl) butyl acrylate                                              | 0.67  | None.  | Low   |
| Quaternary ammonium compounds, benzylbis (hydrogenated tallow alkyl) methyl, chlorides | None. | None.  | None. |

### Mobility in soil

**Soil/Water partition coefficient** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                                    | UN                                                                                                                                                 | Brazil (ANTT)                                                                                                                                      | IMDG                                                                                                                                               | IATA                                                                                                                                                 |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UN number</b>                   | UN3082                                                                                                                                             | UN3082                                                                                                                                             | UN3082                                                                                                                                             | UN3082                                                                                                                                               |
| <b>UN proper shipping name</b>     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br> (PAINT) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br> (PAINT) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br> (PAINT) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br> (PAINT) |
| <b>Transport hazard class(es)</b>  | 9                                                                                                                                                  | 9                                                                                                                                                  | 9                                                                                                                                                  | 9                                                                                                                                                    |
| <b>Packing group</b>               | III                                                                                                                                                | III                                                                                                                                                | III                                                                                                                                                | III                                                                                                                                                  |
| <b>Environmental hazards</b>       | Yes.                                                                                                                                               | Yes.                                                                                                                                               | Yes.                                                                                                                                               | Yes.                                                                                                                                                 |
| <b>Marine pollutant substances</b> | Not applicable.                                                                                                                                    | Not applicable.                                                                                                                                    | (hexaboron dizinc undecaoxide)                                                                                                                     | Not applicable.                                                                                                                                      |

## Section 14. Transport information

### Additional information

- UN** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- Brazil** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- Risk number** : 90
- IMDG** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- IATA** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not applicable.

## Section 15. Regulatory information

**Safety, health and environmental regulations specific for the product** : No known specific national and/or regional regulations applicable to this product (including its ingredients).

## Section 16. Other information

### History

**Date of previous issue** : 5/16/2025

**Version** : 1.1

EHS

**Key to abbreviations** :

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- UN = United Nations

**References** : ABNT NBR 14725: 2023 (April 2025)  
ANTT - National Land Transportation Agency

 Indicates information that has changed from previously issued version.

|              |                         |               |              |         |     |
|--------------|-------------------------|---------------|--------------|---------|-----|
| Code         | 00424804                | Date of issue | 19 June 2026 | Version | 1.1 |
| Product name | PITT-CHAR NX BASE WHITE |               |              |         |     |

## Section 16. Other information

### Disclaimer

*The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.*