SAFETY DATA SHEET



Date of issue

Version 1.09

Section 1. Product and company identification

8 May 2019

Product name
Product code
Other means of identification
Product type

- : MEGASEAL SL Heavy Duty Powder Additive
- : 00338340
- : Not available.
- Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Coating. Paints. Painting-related materials.

Uses advised against	Reason
Not applicable.	

Supplier's details:

Supplier	PG Industries Colombia Calle 51 # 40-13 Municipio de Itagüí Antioquia, Colombia (57) (4) 3787400 (Porteri	
e-mail address of person responsible for this SDS	ernesto.guarnizo@ppg.c	om
Emergency telephone number	Colombia: 01 8000 9160 + 571 288 6012	12 (CISPROQUIM) 2 (CISPROQUIM)

Section 2. Hazards identification

Classification of the substance or mixture Target organs	 CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 Contains material which causes damage to the following organs: liver, spleen, bone marrow. Contains material which may cause damage to the following organs: kidneys, lungs, upper respiratory tract, immune system, eyes.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 99.7% (Oral), 99.7% (Dermal), 99.7% (Inhalation)
	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 99.7%

GHS label elements

Section 2. Hazards identification

Hazard pictograms		
Signal word	Danger	
Hazard statements	May cause cancer. Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Do not breathe dust. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.	3
Response	Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention.	
Storage	Store locked up.	
Disposal	Dispose of contents and container in accordance with all local, regional, national international regulations.	I and
Other hazards which do not result in classification	None known.	

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

CAS number/other identifiers

CAS number	: Not applicable.		
Ingredient name		%	CAS number
crystalline silica, respirable pow	der (<10 microns)	60 - 100	14808-60-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

Section 4. First aid measures

Description of necess	ary first aid measures
Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.

Code 00338340		Date of issue	8 May 2019	Version	1.09
Product name	MEGASEAL SL	Heavy Duty Powder Additive			
Section 4. Fi	rst aid	measures			
Ingestion	:	If swallowed, seek medical advice Keep person warm and at rest. Do			label.
Indication of immed	iate medica	attention and special treatment	<u>needed, if necessary</u>		
Notes to physician Specific treatments	s:	Treat symptomatically. Contact per quantities have been ingested or in No specific treatment.	nhaled.	Ĩ	C
Protection of first-	aiders :	No action shall be taken involving suspected that fumes are still pres or self-contained breathing appara aid to give mouth-to-mouth resusc with water before removing it, or w	sent, the rescuer should atus. It may be danger itation. Wash contami	d wear an approp ous to the person	riate mask providing
Potential acute heal	<u>th effects</u>				
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or crit No known significant effects or crit No known significant effects or crit No known significant effects or crit	tical hazards. tical hazards.		

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	

English (US)	Colombia
--------------	----------

Code00338340Product nameMB	EGASEAL SL Heavy Duty P	Date of issue Powder Additive	8 May 2019	Version	1.09
Section 6. Ac	cidental relea	se measures			
Environmental precau	and sewers. pollution (sev	Inform the relevant au wers, waterways, soil or	nd runoff and contact w thorities if the product h ⁻ air).		
Methods and materials	s for containment and	<u>cleaning up</u>			
Small spill	dust with equ	ipment fitted with a HE	roid dust generation. D PA filter and place in a I waste disposal contra	closed, labeled w	
Large spill	sewers, wate	r courses, basements	pproach release from u or confined areas. Avo oment fitted with a HEP.	id dust generatior	n. Do not

closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste

Section 7. Handling and storage

disposal.

Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits	
		ACGIH TLV (United States, 3/2018). TWA: 0.025 mg/m ³ 8 hours. Form: Respirable	
Recommended monitoring procedures	ecommended monitoring : If this product contains ingredients with exposure limits, personal, workplace		

English (US) Colombia	4/10
-----------------------	------

1.09

Section 8. Exposure controls/personal protection

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
es
: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
: Safety glasses with side shields.
_
: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

IIIItai hinh いてう

<u>Appearance</u>				
Physical state	: Solid.			
Color	: Off-white.			
Odor	: Characteristic.			
рН	: Not available.			
Melting point	: Not available.			
Boiling point	: Not available.			
Flash point	: 🕅 osed cup: Not applicable.			
Evaporation rate	: Not available.			
Material supports combustion.	: Yes.			
Flammability (solid, gas)	: Not available.			
		English (US)	Colombia	5/10

1.09

Section 9. Physical and	I chemical properties
-------------------------	-----------------------

Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 2.65
Solubility	: Insoluble in the following materials: cold water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): Not applicable.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

		~
<u>Conclusion/Summary</u> Skin Respiratory	There are no data available on the mixture itself.There are no data available on the mixture itself.	
Conclusion/Summary Skin Eyes Respiratory Sensitization Not available.	 There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. 	
Not available. Conclusion/Summary Irritation/Corrosion Not available.	: There are no data available on the mixture itself.	
Acute toxicity Not available.		

Section 11. Toxicological information

Mutagenicity

Not available.

Conclusion/Summary : There are no data available on the mixture itself.

Carcinogenicity

Not available.

Conclusion/Summary : There are no data available on the mixture itself.

Classification

Product/ingredient name	OSHA	IARC	NTP
crystalline silica, respirable powder (<10 microns)	-	1	Known to be a human carcinogen.

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4 NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

Reproductive toxicity

Not available.

Conclusion/Summary : There are no data available on the mixture itself.

Teratogenicity

Not available.

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
crystalline silica, respirable powder (<10 microns)	Category 1	Inhalation	Not determined

Target organs

: Contains material which causes damage to the following organs: liver, spleen, bone marrow.

Contains material which may cause damage to the following organs: kidneys, lungs, upper respiratory tract, immune system, eyes.

Aspiration hazard

Not available.

Information on the likely routes of exposure		Not available.		
Potential acute health effects				
Eye contact	1	No known significant effects or critical hazards.		
Inhalation	:	No known significant effects or critical hazards.		
Skin contact	:	No known significant effects or critical hazards.		
		English (US)	Colombia	7/10

Section 11. Toxicological information

Ingestion

: No known significant effects or critical hazards.

Symptoms related	to the physical, chemical and toxicological characteristics
Eye contact	: No specific data.

Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

:	There are no data available on the mixture itself. This product contains crystalline silica which can cause lung cancer or silicosis. The risk of cancer depends on the duration and level of exposure to dust from sanding surfaces or mist from spray applications. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
:	There are no data available on the mixture itself.
:	There are no data available on the mixture itself.
1	There are no data available on the mixture itself.
:	There are no data available on the mixture itself.
ecte	
:	Causes damage to organs through prolonged or repeated exposure.
	: : : <u>:</u> :

General	· Causes damage to organs through protonged of repeated exposure.
Carcinogenicity	: May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

ŝ

Acute toxicity estimates

Not available.

Other information

Sanding and grinding dusts may be harmful if inhaled. This product contains crystalline silica which can cause lung cancer or silicosis. The risk of cancer depends on the duration and level of exposure to dust from sanding surfaces or mist from spray applications. Emits toxic fumes when heated.

Code	00338340	Date of issue	8 May 2019	Version	1.09
Product nam	е	MEGASEAL SL Heavy Duty Powder Additive			

Section 12. Ecological information

Ecotoxicity

Not available.

Persistence/degradability Not available.	
Bioaccumulative potential Not available.	
<u>Mobility in soil</u> Soil/water partition coefficient (K _{oc})	: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied
	must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	Brazil (ANTT)	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

UN : None identified.

Brazil : None identified.

English (US) C

Section 14. Transport information

Risk number	: Not available.
IMDG	: None identified.
IATA	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Safety, health and environmental regulations specific for the product : No known specific national and/or regional regulations applicable to this product (including its ingredients).

Section 16. Other information

History

Date of previous issue Version	9/2018 09 HS	
Key to abbreviations	DN = European Provisions concerning the International Carriage of Da bods by Inland Waterway DR = The European Agreement concerning the International Carriage angerous Goods by Road ITE = Acute Toxicity Estimate CF = Bioconcentration Factor HS = Globally Harmonized System of Classification and Labelling of C TA = International Air Transport Association IDG = International Maritime Dangerous Goods ogPow = logarithm of the octanol/water partition coefficient ARPOL = International Convention for the Prevention of Pollution From the modified by the Protocol of 1978. ("Marpol" = marine pollution) D = The Regulations concerning the International Carriage of Danger ail N = United Nations	e of Chemicals m Ships, 1973
References	3NT NBR 14725-4: 2014 NTT - National Land Transportation Agency	

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.