SAFETY DATA SHEET



Conforms to Official Mexican Standard NOM-018-STPS-2015

Date of revision 8 May 2019

Version 2

Date of issue 8 May 2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name	: AMERCOAT 100A POWDER
Product code	: NU100-P/03
Other means of identification	: Not applicable.
Product type	: Powder.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	: Industrial applications.
Use of the substance/ mixture	: Coating.
Uses advised against	Not applicable.
Manufacturer	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272
Emergency telephone number	: (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 or + 52 55 5559 1588 (Mexico)
Technical Phone Number	: 888-977-4762

SECTION 2: Hazards identification

Classification of the substance or mixture	: CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 98.9% (Oral), 98.9% (Dermal), 98.9% (Inhalation)
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H350 - May cause cancer. H372 - Causes damage to organs through prolonged or repeated exposure.
Precautionary statements	

SECTION 2: Hazards identification

Prevention	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection. P260 - Do not breathe dust or mist. P270 - Do not eat, drink or smoke when using this product. P264 - Wash hands thoroughly after handling.
Response	: P314 - Get medical attention if you feel unwell. P308 + P313 - IF exposed or concerned: Get medical attention.
Storage	: P405 - Store locked up.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not result in classification	: May form explosible dust-air mixture if dispersed. Sanding and grinding dusts may be harmful if inhaled. This product contains crystalline silica which can cause lung cancer or silicosis. The risk of cancer depends on the duration and level of exposure to dust from sanding surfaces or mist from spray applications. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Emits toxic fumes when heated.
On a family all subset information	(Contine 14)

See toxicological information (Section 11)

SECTION 3: Composition/information on ingredients

Substance/mixture Product name	: Mixture : AMERCOAT 100A POWDER
Other means of identification	: Not applicable.

Ingredient name	%	CAS number
crystalline silica, respirable powder (<10 microns)	≥90	14808-60-7

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

Description of necessary first aid measures

Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

SECTION 4: First aid measures

Eye contact	 Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact Ingestion	No known significant effects or critical hazards.No known significant effects or critical hazards.

Over-exposure signs/symptoms

See toxicological information (Section 11)

Indication of immediate med	lical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

SECTION 5: Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical powder.
Unsuitable extinguishing media	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	: May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

Personal precautions, protectiv	ve equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SECTION 6: Accidental release measures

Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7: Handling and storage

Precautions for safe handling	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8: Exposure controls/personal protection

Control parameters

Control parameters		
Occupational exposure limit	<u>}</u>	
Ingredient name		Exposure limits
crystalline silica, respirable po	wder (<10 microns)	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 0.025 mg/m ³ 8 hours. Form: Respirable
	Key to abbreviations	
C = Ceiling Limit IPEL = Internal Permissible Expo	sure Limit TL	EL = Short term exposure limit LV = Threshold Limit Value VA = Time Weighted Average
Consult local authorities for	acceptable exposure limits.	
Recommended monitoring procedures	atmosphere or biological monitorin of the ventilation or other control n protective equipment. Reference	with exposure limits, personal, workplace ng may be required to determine the effectiveness neasures and/or the necessity to use respiratory should be made to appropriate monitoring guidance documents for methods for the ances will also be required.
Appropriate engineering controls	vapor or mist, use process enclos controls to keep worker exposure recommended or statutory limits.	 If user operations generate dust, fumes, gas, ures, local exhaust ventilation or other engineering to airborne contaminants below any The engineering controls also need to keep gas, w any lower explosive limits. Use explosion-proof
Environmental exposure controls	they comply with the requirements cases, fume scrubbers, filters or e	c process equipment should be checked to ensure s of environmental protection legislation. In some engineering modifications to the process duce emissions to acceptable levels.
Individual protection measure	25	
Hygiene measures	: Wash hands, forearms and face the eating, smoking and using the lave Appropriate techniques should be	horoughly after handling chemical products, before atory and at the end of the working period. used to remove potentially contaminated clothing. re reusing. Ensure that eyewash stations and orkstation location.
Eye/face protection	: Safety glasses with side shields.	
Skin protection		
Hand protection	be worn at all times when handling this is necessary. Considering the check during use that the gloves a should be noted that the time to be different for different glove manufa	oves complying with an approved standard should g chemical products if a risk assessment indicates e parameters specified by the glove manufacturer, are still retaining their protective properties. It reakthrough for any glove material may be acturers. In the case of mixtures, consisting of a time of the gloves cannot be accurately
Body protection		the body should be selected based on the task olved and should be approved by a specialist
Other skin protection		itional skin protection measures should be performed and the risks involved and should be andling this product.

Product name AMERCOAT 100A POWDER

SECTION 8: Exposure controls/personal protection

Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
	noocoury.

SECTION 9: Physical and chemical properties

Physical state : Solid. Color : Gray. Odor : Characteristic. Odor threshold : Not available. Molecular weight : Not available. pH : Not available. Boiling point : Not available. Boiling point : Not available. Boiling point : Not available. Flash point : Ølosed cup: 537°C (998.6°F) Material supports : Øles. combustion. : Auto-ignition temperature : Not available. Plammability (solid, gas) : Not available. Lower and upper explosive : Not available. Evaporation rate : Not available. Vapor pressure : Not available. Vapor pressure : Not available. Vapor density : Not available. Vapor density : 2.65 Density (lbs / gal) : 22.12 Solubility : Insoluble in the following materials: cold water. Solubility in water : Not available. Partition coefficient: n- : Not available. Viscosity : Kinematic (40°C (104°E)): Not applicable	Appearance		
Odor: Characteristic.Odor threshold: Not available.Molecular weight: Not available.pH: Not available.Boiling point: Not available.Boiling point: Not available.Flash point: Ølosed cup: 537°C (998.6°F)Material supports: Ølesed cup: 537°C (998.6°F)Material supports: Ølesed cup: 537°C (998.6°F)Material supports: Ølesed cup: 537°C (998.6°F)Combustion.: Ølesed cup: 537°C (998.6°F)Material supports: Ølesed cup: 537°C (998.6°F)Combustion.: Ølesed cup: 537°C (998.6°F)Material supports: Ølesed cup: 537°C (998.6°F)Combustion.: Ølesed cup: 537°C (998.6°F)Material supports: Ølesed cup: 537°C (998.6°F)Lower and upper explosive: Not available.(flammable) limits: Not available.Evaporation rate: Not available.Vapor density: Not available.Vapor density: 2.65Density (Ibs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.<	Physical state	:	Solid.
Oddor threshold:Not available.Molecular weight:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Closed cup: 537°C (998.6°F)Material supports:Closed cup: 537°C (998.6°F)Combustion.:Not available.Auto-ignition temperature:Not available.Pecomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits:Not available.Evaporation rate:Not available.Vapor pressure:Not available.Vapor density:2.65Density (Ibs / gal):22.12Solubility:Insoluble in the following materials: cold water.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.	Color	4	Gray.
Molecular weight:Not applicable.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Ølosed cup: 537°C (998.6°F)Material supports:Øres.combustion.:Øres.Auto-ignition temperature:Not available.Pecomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits::Evaporation rate:Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density::Solubility:Insoluble in the following materials: cold water.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.	Odor	1	Characteristic.
pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Ølosed cup: 537°C (998.6°F)Material supports:Øres.combustion.:Not available.Auto-ignition temperature:Not available.Pecomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits:Not available.Evaporation rate:Not available.Vapor density:Not available.Relative density:2.65Density (lbs / gal):22.12Solubility:Insoluble in the following materials: cold water.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.	Odor threshold	:	Not available.
Melting point:Not available.Boiling point:Not available.Flash point:Ølosed cup: 537°C (998.6°F)Material supports:Øes.combustionØes.Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits:Not available.Evaporation rate:Not available.Vapor pressure:Not available.Vapor density:2.65Density (Ibs / gal):22.12Solubility:Insoluble in the following materials: cold water.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.	•	4	••
Boiling point: Not available.Flash point: Dosed cup: 537°C (998.6°F)Material supports: Descent cup: 537°C (998.6°F)Material supports: Descent cup: 537°C (998.6°F)Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.(flammable) limits: Not available.Evaporation rate: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.	· ·	÷	
Flash point: Ølosed cup: 537°C (998.6°F)Material supports: Øes.Combustion.Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.(flammable) limits: Not available.Evaporation rate: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.	Melting point	÷	Not available.
Material supports combustion.:Fes.Auto-ignition temperature Decomposition temperature Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits Evaporation rate:Not available.Vapor pressure Vapor density:Not available.Vapor density Solubility:22.12Solubility Solubility in water:Insoluble in the following materials: cold water.Solubility Or cotanol/water:Not available.	Boiling point	4	Not available.
combustion.Auto-ignition temperature:Not available.Decomposition temperature:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits:Not available.Evaporation rate:Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:2.65Density (lbs / gal):22.12Solubility:Insoluble in the following materials: cold water.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.	Flash point	4	Ølosed cup: 537°C (998.6°F)
Decomposition temperature Flammability (solid, gas): Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits Evaporation rate: Not available.Vapor pressure: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.		1	Yes.
Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Evaporation rate: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.	Auto-ignition temperature	4	Not available.
Lower and upper explosive (flammable) limits: Not available.Evaporation rate: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.			
(flammable) limits Evaporation rate: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.		4	Not available.
Vapor pressure: Not available.Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n-octanol/water: Not available.	(flammable) limits	1	
Vapor density: Not available.Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n-octanol/water: Not available.	Evaporation rate	4	Not available.
Relative density: 2.65Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.	Vapor pressure	4	Not available.
Density (lbs / gal): 22.12Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.	Vapor density	1	Not available.
Solubility: Insoluble in the following materials: cold water.Solubility in water: Not available.Partition coefficient: n- octanol/water: Not available.	Relative density	:	2.65
Solubility in water : Not available. Partition coefficient: n- : Not available. octanol/water : Not available.	Density(lbs / gal)	:	22.12
Partition coefficient: n- : Not available. octanol/water	Solubility	:	Insoluble in the following materials: cold water.
octanol/water	Solubility in water	1	Not available.
Viscosity : Kinematic (40°C (104°F)): Not applicable		:	Not available.
	Viscosity	:	Kinematic (40°C (104°F)): Not applicable.
Volatility : 0% (v/v), 0% (w/w)	Volatility	4	0% (v/v), 0% (w/w)
% Solid. (w/w) : 100	% Solid. (w/w)	1	100

SECTION 10: Stability and reactivity

	Mexico Page: 6/11
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Product name AMERCOAT 100A POWDER

SECTION 10: Stability and reactivity

		Refer to protective measures listed in sections 7 and 8.
Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

Information on toxicological effects					
Acute toxicity					
Not available.					
Conclusion/Summary	: There ar	e no data	available on the mixture itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There ar	re no data	available on the mixture itself.		
Eyes	: There ar	re no data	available on the mixture itself.		
Respiratory	: There ar	re no data	available on the mixture itself.		
Sensitization					
Conclusion/Summary					
Skin	: There ar	re no data	available on the mixture itself.		
Respiratory	: There ar	re no data	available on the mixture itself.		
<u>Mutagenicity</u>					
Conclusion/Summary	: There ar	re no data	available on the mixture itself.		
Carcinogenicity					
Conclusion/Summary	: There ar	re no data	available on the mixture itself.		
Classification					
Product/ingredient name	OSHA	IARC	NTP		
crystalline silica, respirable powder (<10 microns)	-	1	Known to be a human carcinogen.		

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

Reproductive toxicity

Conclusion/Summary : There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
crystalline silica, respirable powder (<10 microns)	Category 1	Inhalation	Not determined

Mexico Page: 7/11

SECTION 11: Toxicological information

Target organs	: Contains material which causes damage to the following organs: liver, spleen, bone
<u></u>	 Contains material which eause damage to the following organs: kidneys, lungs upper respiratory tract, immune system, eyes.
Aspiration hazard	
Not available.	
Information on the likely rou	ites of exposure
Potential acute health effect	•
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	 Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effe	ects and also chronic effects from short and long term exposure
Conclusion/Summary	: There are no data available on the mixture itself. This product contains crystalline silica which can cause lung cancer or silicosis. The risk of cancer depends on the duration and level of exposure to dust from sanding surfaces or mist from spray applications. Repeated exposure of the eyes to a low level of dust can produce eye
	irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact.
Short term exposure	irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact.
<u>Short term exposure</u> Potential immediate effects	irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma
Potential immediate	irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact.
Potential immediate effects	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself.
Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself.
Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself.
Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself.
Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects Potential delayed effects	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself.
Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. Causes damage to organs through prolonged or repeated exposure. Repeated or
Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. Chauses damage to organs through prolonged or repeated exposure. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health eff General Carcinogenicity	 irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and derma routes of exposure and eye contact. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself. Causes damage to organs through prolonged or repeated exposure. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. May cause cancer. Risk of cancer depends on duration and level of exposure.

Product name AMERCOAT 100A POWDER

SECTION 11: Toxicological information

Fertility effects

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

SECTION 12: Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition : Not available. coefficient (K_{oc})

Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

SECTION 14: Transport information

Product name AMERCOAT 100A POWDER

SECTION 14: Transport information

	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

Mexico	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: Regulatory information

<u>Mexico</u>

Classification

Flammability : 1 Health : 1 Reactivity : 0

International regulations

Montreal Protocol (Annexes A, B, C, E) Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

SECTION 16: Other information

Hazardous Material Information System (U.S.A.)

Health : 1 * Flammability : 1 Physical hazards : 0 (*) - Chronic

effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Date of previous issue	: 7/21/2018
Organization that prepared the MSDS	: EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

The information, which is based on the current knowledge of the chemical substance or mixture and applies to appropriate safety precautions for the product, is deemed correct but is not exhaustive and will be used only as a guide.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.