## **SAFETY DATA SHEET**



Date of issue/Date of revision 15 May 2019

Version 1.08

### Section 1. Identification

Product code Product name	: 00317644 : AMERCOAT 888 ANTI SKID ADDITIVE
Chemical name	: aluminium oxide
Other means of identification	<ul> <li>Aluminum oxide; Delta alumina; Theta alumina; .detaAlumina; Activated aluminium oxide; ALUMINA; Aluminum oxide (Al2O3); .alphaAlumina; alpha-Alumina; α- ALUMINA</li> </ul>
Product type	: Powder.

#### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Coating. Paints. Painting-related materials.	
Product use	: Professional applications.
Supplier's information	: PPG Asian Paints Private Limited 6A Shanti Nagar Santa Cruz (East) Mumbai - 400055 India
Emergency telephone number:	: 🕫 1 22 6815 8700

#### Section 2. Hazards identification

Classification of the substance or mixture	-	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	1	Not applicable.
Other hazards which do not	:	Handling and/or processing of this material may generate a dust which can cause

#### result in classification mechanical irritation of the eyes, skin, nose and throat.

### Section 3. Composition/information on ingredients

Substance/mixture	: Substance
Chemical name	: aluminium oxide
Other means of identification	<ul> <li>Aluminum oxide; Delta alumina; Theta alumina; .detaAlumina; Activated aluminium oxide; ALUMINA; Aluminum oxide (Al2O3); .alphaAlumina; alpha-Alumina; α- ALUMINA</li> </ul>

### Section 3. Composition/information on ingredients

#### CAS number/other identifiers

CAS number	: 1344-28-1	

Ingredient name	%	CAS number
aluminium oxide	50 - 100	1344-28-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

#### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show the container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>

#### Most important symptoms/effects, acute and delayed

# Potential acute health effects Eye contact Expo limits

Eye contact	<ul> <li>Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.</li> </ul>
Inhalation	<ul> <li>Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.</li> </ul>
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	symptoms
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate	e medical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

#### Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing dust. Put on appropriate personal protective equipment.	
For emergency responders	<ul> <li>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</li> </ul>	
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and material for containment and cleaning up		
Small spill	<ul> <li>Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.</li> </ul>	
Large spill	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up	

### Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid breathing dust.

#### Section 7. Handling and storage

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	, :	Storage temperature: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name			Exposure limits
aluminium oxide			ACGIH TLV (United States). TWA: 3 mg/m <sup>3</sup> Form: Respirable ACGIH TLV (United States, 3/2018). TWA: 1 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction ACGIH TLV (United States, 1/2007). TWA: 10 mg/m <sup>3</sup> 8 hours.
Recommended monitoring procedures	:	atmosphere or biological monitoring n of the ventilation or other control measured	
Appropriate engineering controls	:	vapour or mist, use process enclosure	user operations generate dust, fumes, gas, es, local exhaust ventilation or other exposure to airborne contaminants below any
Environmental exposure controls	:	Emissions from ventilation or work pro	
Individual protection measur	<u>es</u>		
Hygiene measures	:	eating, smoking and using the lavator Appropriate techniques should be use	bughly after handling chemical products, before y and at the end of the working period. ed to remove potentially contaminated clothing. eusing. Ensure that eyewash stations and tation location.
Eye/face protection	:	Safety eyewear complying with an app assessment indicates this is necessar gases or dusts. If contact is possible, unless the assessment indicates a hig	broved standard should be used when a risk ry to avoid exposure to liquid splashes, mists, the following protection should be worn, gher degree of protection: safety glasses with ause high dust concentrations to be produced,

### Section 8. Exposure controls/personal protection

Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): nitrile rubber, butyl rubber, PVC
Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: nitrile rubber, butyl rubber, PVC
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties

Appearance		
Physical state	:	Solid. [Powder.]
Colour	4	Not available.
Odour	:	Characteristic.
Odour threshold	1	Not available.
рН	1	Not available.
Melting point	1	2054°C (3729.2°F)
Boiling point	:	3000°C (5432°F)
Flash point	:	Closed cup: Not applicable.
Evaporation rate	1	Not available.
Material supports	1	Yes.
combustion.		
Flammability (solid, gas)	÷	Not available.
Lower and upper explosive (flammable) limits	-	Not available.
Vapour pressure	1	Not available.
Vapour density	:	Not available.
Relative density	:	3.94
Solubility	1	Insoluble in the following materials: cold water.
Solubility in water	4	····· ··· ··· ··· ··· ··· ··· ··· ···
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	1	Not Applicable

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.

### Section 11. Toxicological information

Information on toxicologica	<u>l effects</u>
<u>Acute toxicity</u> Conclusion/Summary <u>Irritation/Corrosion</u>	: There are no data available on the mixture itself.
<b>Conclusion/Summary</b>	
Skin	: There are no data available on the mixture itself.
Eyes	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
Sensitisation	
<b>Conclusion/Summary</b>	
Skin	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
<u>Mutagenicity</u>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Reproductive toxicity	
Conclusion/Summary	: There are no data available on the mixture itself.
<b>Teratogenicity</b>	
Conclusion/Summary	: There are no data available on the mixture itself.
Specific target organ toxic Not available.	<u>ity (single exposure)</u>
Specific target organ toxic Not available.	ity (repeated exposure)

#### **Aspiration hazard**

## Section 11. Toxicological information

#### Not available.

Information on likely routes of exposure	: N	lot available.
Potential acute health effects		
Eye contact	: 🛃	xposure to airborne concentrations above statutory or recommended exposure mits may cause irritation of the eyes.
Inhalation		xposure to airborne concentrations above statutory or recommended exposure mits may cause irritation of the nose, throat and lungs.
Skin contact	: 🕅	o known significant effects or critical hazards.
Ingestion	: 🕅	o known significant effects or critical hazards.
Symptoms related to the phy	<u>sical,</u>	, chemical and toxicological characteristics
Eye contact	irr	dverse symptoms may include the following: ritation edness
Inhalation	: A	dverse symptoms may include the following: espiratory tract irritation
		oughing
Skin contact Ingestion		lo specific data. o specific data.
ingestion	. IN	o specific data.
Delayed and immediate effect	<u>ts as</u>	well as chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	: N	lot available.
Potential delayed effects	: N	lot available.
<u>Long term exposure</u>		
Potential immediate effects	: N	lot available.
Potential delayed effects	: N	lot available.
Potential chronic health eff	ects	
Not available.		
General	: R	epeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity		o known significant effects or critical hazards.
Mutagenicity		o known significant effects or critical hazards.
Teratogenicity		o known significant effects or critical hazards.
Developmental effects		o known significant effects or critical hazards.
Fertility effects		o known significant effects or critical hazards.
Numerical measures of toxic	ity	
Acute toxicity estimates		
Not available.		
Other information	:	

#### Product code 00317644 Product name AMERCOAT 888 ANTI SKID ADDITIVE

#### Section 11. Toxicological information

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

### Section 12. Ecological information

<u>Toxicity</u>

Not available.

#### Persistence and degradability

Not available.

#### Bioaccumulative potential

Not available.

Mobility in soil Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

#### Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and
	contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-

India GHS

Product code 00317644 Product name AMERCOAT 888 ANTI SKID ADDITIVE			Date of issue 15 Ma E	ay 2019 Version 1.08
Section 14	. Transpo	ort informatio	on	
Environmental hazards		No.	No.	No.
Marine pollutant substances	: N	ot applicable.	Not applicable.	Not applicable.
Additional inform	nation			
UN	: None identi	fied.		
IMDG	: None identi	fied.		
IATA	: None identi	fied.		
Special precaut	ions for user	•	<b>ser's premises:</b> always transpor Ensure that persons transporting dent or spillage.	

#### Section 15. Regulatory information

Safety, health and environmental regulations specific for the product : No known specific national and/or regional regulations applicable to this product (including its ingredients).

### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 15 May 2019
Date of previous issue	: 7/24/2017
Version	: 1.08
Prepared by	: EHS
rey to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>
Other information	: Pigments.

Indicates information that has changed from previously issued version.

#### Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.