SAFETY DATA SHEET

PPG AQUACOVER PEEL COAT



Date of issue 19 July 2020

Version 4.01

1. Product and company identification

Product name	: PPG AQUACOVER PEEL COAT
Product code	: 00390265
Product type	: Liquid.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	: Professional applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG PMC Japan Co., Ltd. 8F, Shintetsu Bldg., 1-1, Daikaidori 1-chome, Kobe 652-0803 Tel : +81 78 574 2777

	Fax : +81 78 576 0035
Emergency telephone number	: 078 574 2777

2. Hazards identification		
GHS Classification	: SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A GERM CELL MUTAGENICITY - Category 2 CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	
GHS label elements		
Hazard pictograms		
Signal word	: Danger	
Hazard statements	 Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Suspected of causing genetic defects. May cause cancer. May cause damage to organs through prolonged or repeated exposure. (immune system, kidneys, respiratory system) 	
Precautionary statemen	ts	
Prevention	: Øbtain special instructions before use. Wear protective gloves, protective clothing and eye or face protection. Do not breathe vapor. Wash thoroughly after handling.	

Product code 00390265 Product name PPG AQUACO	Date of issue 19 July 2020 Version 4.01 ER PEEL COAT	
2. Hazards identification		
Response	: Fexposed or concerned: Get medical advice or attention. IF INHALED: Call a POISON CENTER or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.	
Storage	: Store in a well-ventilated place. Keep container tightly closed.	
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.	
Other hazards which do not result in classification	: None known.	

3. Composition/information on ingredients

Substance/mixture

: Mixture

CAS number/other identifiers

CAS number: Not applicable.ENCS number: Not available.			
Ingredient name	%	CAS number	ENCS
Vinyl acetal polymers, butyrals crystalline silica (quartz) 2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) titanium dioxide (nanoparticle) 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	25 - <50 7 - <10 5 - <7 1 - <2 0.2 - <0.5	63148-65-2 14808-60-7 94-28-0 13463-67-7 147-14-8	6-708 1-548 2-658; 7-88 1-558; 5-5225 5-3299; 5-3300; 5-5216

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

4. First aid measures

Description of necessary first aid measures		
Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. 	
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. 	
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. 	
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.	

Most important symptoms/effects, acute and delayed		
Potential acute health effects		
Eye contact	: Causes serious eye irritation.	
Inhalation	: May cause respiratory irritation.	
Skin contact	: Causes skin irritation.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/symptoms		

Product code 00390265 Product name PPG AQUAC	Date of issue 19 July 2020 Version 4.01 OVER PEEL COAT
4. First aid measu	ires
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate med	lical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

 Personal precautions, protective equipment and emergency procedures

 For non-emergency personnel
 : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

6. Accidental release measures

For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

 Methods and materials for containment and cleaning up

 Small spill
 : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material

and place in an appropriate waste disposal container. Dispose of via a licensed waste
disposal contractor.Large spill: Stop leak if without risk. Move containers from spill area. Approach release from
upwind. Prevent entry into sewers, water courses, basements or confined areas.
Wash spillages into an effluent treatment plant or proceed as follows. Contain and
collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite
or diatomaceous earth and place in container for disposal according to local
regulations (see Section 13). Dispose of via a licensed waste disposal contractor.
Contaminated absorbent material may pose the same hazard as the spilled product.
Note: see Section 1 for emergency contact information and Section 13 for waste
disposal.

7. Handling and storage

Precautions for safe
 Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for safe storage : Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

<u>Control parameters</u> <u>Occupational exposure limits</u>

8. Exposure controls/personal protection

		Exposure limits
rystalline silica (quartz)		Japan Society for Occupational Health (Japan, 5/2019). OEL-C: 0.03 mg/m ³ Form: Respirable dust
titanium dioxide (nanoparticle)	Japan Society for Occupational Health (Japan, 5/2019). OEL-M: 1 mg/m ³ 8 hours. Form: Respirable dust
		OEL-M: 4 mg/m ³ 8 hours. Form: Total dust OEL-M: 0.3 mg/m ³ , (as Ti) 8 hours. Form: nanoparticle
Recommended monitoring procedures	the ventilation or other control measure protective equipment. Reference shou	ay be required to determine the effectiveness of es and/or the necessity to use respiratory and be made to appropriate monitoring standard ments for methods for the determination of
Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.	
Environmental exposure controls	they comply with the requirements of e	cess equipment should be checked to ensure invironmental protection legislation. In some eering modifications to the process equipment to acceptable levels.
ndividual protection measu	<u>'es</u>	
lygiene measures	eating, smoking and using the lavatory Appropriate techniques should be used	d to remove potentially contaminated clothing. using. Ensure that eyewash stations and
Eye protection	: Chemical splash goggles.	
Skin protection		
Hand protection	be worn at all times when handling che this is necessary. Considering the para check during use that the gloves are si should be noted that the time to break for different glove manufacturers. In the	complying with an approved standard should emical products if a risk assessment indicates ameters specified by the glove manufacturer, till retaining their protective properties. It through for any glove material may be different be case of mixtures, consisting of several gloves cannot be accurately estimated.
Body protection		body should be selected based on the task I and should be approved by a specialist
Other skin protection		al skin protection measures should be selected d the risks involved and should be approved by ct.
Respiratory protection	hazards of the product and the safe we workers are exposed to concentrations appropriate, certified respirators. Use	known or anticipated exposure levels, the orking limits of the selected respirator. If above the exposure limit, they must use a properly fitted, air-purifying or air-fed standard if a risk assessment indicates this is

9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Odor	: Odorless.
Boiling point	: >37.78°C (>100°F)
Flash point	: Closed cup: Not applicable.
Relative density	: 1.09
Solubility	: Partially soluble in the following materials: cold water.
Viscosity	: Not Applicable

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

11. Toxicological information

Information on toxicological effects

Acuto	toxicity
Acute	UNICITY
	_

Product/ingredient name	Result	Species	Dose	Exposure
2,2'-ethylenedioxydiethyl bis (2-ethylhexanoate)	LD50 Dermal	Rabbit	14100 mg/kg	-
	LD50 Oral	Rat	31 g/kg	-
titanium dioxide (nanoparticle)	LC50 Inhalation Dusts and mists	Rat	>6.82 mg/l	4 hours
,	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
29H,31H-phthalocyaninato (2-)-N29,N30,N31,N32	LD50 Dermal	Rat	>5000 mg/kg	-
copper	LD50 Oral	Rat	5.1 g/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

11. Toxicological information

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Vinyl acetal polymers, butyrals	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
crystalline silica (quartz)	Category 1	-	immune system, kidneys, respiratory system
titanium dioxide (nanoparticle)	Category 1	-	respiratory system

Aspiration hazard

Not available.

Information on the likely routes of exposure	: Not available.
Potential acute health effe	icts
Eye contact	: Causes serious eye irritation.
Inhalation	: May cause respiratory irritation.
Skin contact	: Causes skin irritation.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the p	physical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Delayed and immediate effo	ects and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.

Potential delayed effects : Not available.

Long term exposure

Product name PPG AQUACOVER PEEL COAT

11. Toxicological information

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>5</u>
General	:	May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity	:	May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	:	Suspected of causing genetic defects.
Reproductive toxicity	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	31000 5100	14100 N/A	N/A N/A	N/A N/A	N/A N/A

Other information

Sanding and grinding dusts may be harmful if inhaled. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

12. Ecological information

÷

Toxicity

Product/ingredient name	Result	Species	Exposure
2,2'-ethylenedioxydiethyl bis (2-ethylhexanoate)	Acute EC50 >55 mg/l	Aquatic plants - Desmodesmus subspicatus	72 hours
	Acute EC50 38.7 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 >97 mg/l	Fish - Pimephales promelas (Fathead minnow)	96 hours
titanium dioxide (nanoparticle)	Acute LC50 >100 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
29H,31H-phthalocyaninato (2-)-N29,N30,N31,N32 copper	Acute LC50 >100 mg/l	Fish	96 hours

Persistence/degradability

Product/ingredient name	Test	Result		Dose		Inoculum
2,2'-ethylenedioxydiethyl bis (2-ethylhexanoate)	-	92 % - 28 d	ays	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
2,2'-ethylenedioxydiethyl bis (2-ethylhexanoate)	-		-		Readily	1

Bioaccumulative potential

Japan Page: 8/12

Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

UN	: None identified.
IMDG	: None identified.
IATA	: None identified.

14. Transport information

Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

15. Regulatory information

Fire Service Law

None of the components are listed.

Pollutant Release and Transfer Registers (PRTR)

None of the components are listed.

ISHL

Use of specified chemical substances

None of the components are listed.

Substances requiring labelling

Ingredient name	%		Reference number
Crystalline silica	<10	Listed	165-2
Titanium(IV) oxide	≤3.0	Listed	191

Chemicals requiring notification

Ingredient name	%		Reference number
Crystalline silica	<10	Listed	165-2
Titanium(IV) oxide	≤3.0	Listed	191
Copper and its compounds	≤1.0	Listed	379

Carcinogen

None of the components are listed.

Mutagen

None of the components are listed.

Corrosive liquid	: Not listed
Occupational Safety and Health Law	: Not available.
Regulations on the Prevention of Tetraalkyl Lead Poisoning	: Not listed
Harmful Substances Subject to Obtaining Permission for Manufacturing	: Not listed
Harmful Substances, Prohibited for Manufacturing	: Not listed
Dangerous Substances	: Not listed

Product name PPG AQUACOVER PEEL COAT 15. Regulatory information		
Lead regulation	: Not listed	
Organic solvents poisoning prevention	: Not applicable.	
Poisonous and Deleteriou None of the components a		
Chemical Substances Con None of the components a		
High Pressure Gas Contro Law	I : Not available.	
Explosives Control Law		
None of the components a	re listed.	
Law Concerning Prevention of Pollution of the Ocean and Maritime Disaster	on : Not available.	

Maritime Safety Law

Notification Regulating Transportation of Dangerous Materials by Sea

None of the components are listed.

Container class

None of the components are listed.

JSOH Carcinogen	: Group 1
List of Specially Controlled Industrial Waste	: Not listed
Japan inventory	: All components are listed or exempted.
Road law	: Not available.

16. Other information

: 19 July 2020
: 5/21/2020
: 4.01
: EHS
 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

16. Other information

UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.