SAFETY DATA SHEET



Date of issue	29 June 2021
---------------	--------------

Version 3

Section 1. Product and company identification

Product name Product code Other means of identification Product type : SIGMALINE 2500 HARDENER

- : 00195815
- : Not available.
 - : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Coating. Paints. Painting-related materials.

Uses advised against	Reason
Not applicable.	

Supplier's details:	
Supplier	: PPG INDUSTRIES ARGENTINA S.R.L. Calle 9 y Del gasoducto N° 3810 Parque Industrial Pilar -(CP 1629) Pilar Provincia de Buenos Aires - Argentina Teléfono : 54-0230 4529700 Fax : 54-0230 4529706
Email address:	: HazComLatam@ppg.com
Emergency telephone number	: Centro de intoxicaciones 0800-333-0160 /CIQUIME 0800-222-2933

Section 2. Hazards identification

Classification of the	: ACUTE TOXICITY (oral) - Category 4
substance or mixture	ACUTE TOXICITY (dermal) - Category 4
	ACUTE TOXICITY (inhalation) - Category 4
	SKIN CORROSION - Category 1
	SERIOUS EYE DAMAGE - Category 1
	SKIN SENSITIZATION - Category 1
	TOXIC TO REPRODUCTION - Category 2
	AQUATIC HAZARD (ACUTE) - Category 2
	AQUATIC HAZARD (LONG-TERM) - Category 2
Target organs	: Contains material which causes damage to the following organs: blood, liver, heart, brain.
	Contains material which may cause damage to the following organs: kidneys, gastrointestinal tract, upper respiratory tract, skin, eyes, central nervous system
	(CNS).

Code 00195815 Product name SIGMALINE	2500 HARDENER	Date of issue	29 June 2021	Version	3
Section 2. Hazards	identific	cation			
	Percentage toxicity: 65		sting of ingredient(s) of u	nknown acute d	ermal
	Percentage toxicity: 62		sting of ingredient(s) of u	nknown acute in	halation
		e of the mixture consis vironment: 84.7%	sting of ingredient(s) of u	nknown hazards	to the
GHS label elements					
Hazard pictograms					
Signal word	: Danger	•	•		
Hazard statements	Causes se May cause Suspected	swallowed, in contact vere skin burns and e an allergic skin react of damaging fertility o quatic life with long las	on. or the unborn child.		
Precautionary statements					
Prevention	and eye or	face protection. Avoi	e use. Wear protective g d release to the environn we when using this produce	nent. Avoid brea	athing
Response	INHALED: Immediate vomiting. I Rinse skin contaminat doctor if yo Get medica minutes. R	Immediately call a PC ly call a POISON CEN F ON SKIN (or hair): with water. Immediat ted clothing before reu ou feel unwell. Wash al advice or attention.	concerned: Get medical a DISON CENTER or docto ITER or doctor. Rinse m Take off immediately all o ely call a POISON CENT use. IF ON SKIN: Call a with plenty of water. If sk IF IN EYES: Rinse cauti s, if present and easy to c ITER or doctor.	or. IF SWALLON oouth. Do NOT in contaminated clo 'ER or doctor. V POISON CENTI in irritation or ra ously with water	VED: nduce othing. Vash ER or sh occurs: for several
Storage	: Not applica	able.			
Disposal		contents and contain ational regulations.	er in accordance with all	local, regional, r	national
Other hazards which do not result in classification	: 🗭auses dig	gestive tract burns.			

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers

CAS number

: Not applicable.

3

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
picyclo[2.2.1]heptanebis(methylamine)	30 - <60	56602-77-8
benzyl alcohol	30 - <60	100-51-6
Formaldehyde, polymer with N,N-dimethyl-1,3-propanediamine and phenol	3 - <5	445498-00-0
salicylic acid	3 - <5	69-72-7
N-(3-(trimethoxysilyl)propyl)ethylenediamine	3 - <5	1760-24-3
2,4,6-tris(dimethylaminomethyl)phenol	1 - <2	90-72-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Date of issue

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

Section 4. First aid measures

Description of necessary fire	t aid measures
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
Indication of immediate med	cal attention and special treatment needed, if necessary
Notes to physician Specific treatments	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Potential acute health effect	
Eye contact	: Causes serious eye damage.
Inhalation	: Harmful if inhaled.
Skin contact	: Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed. Corrosive to the digestive tract. Causes burns.

See toxicological information (Section 11)

SIGMALINE 2500 HARDENER

Date of issue

3

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides Formaldehyde.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	
Environmental precautions	drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
Methods and materials for c	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the

English (US)

Argentina

3

Section 6. Accidental release measures

spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	:	Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	:	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up, Keep container tightly

(see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits	
None.	
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some

Individual protection measures

cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Code00195815Product nameSIG	MALINE 2500 HARDEN	Date of issue ER	29 June 2021	Version	3
Section 8. Exp	osure cont	rols/personal p	protection		
Hygiene measures	before ea Appropri Contami contamir	nds, forearms and face ating, smoking and using ate techniques should be nated work clothing shou nated clothing before reu are close to the worksta	the lavatory and at the e used to remove potent and not be allowed out of sing. Ensure that eyewa	end of the worki ially contaminate the workplace.	ng period. ed clothing. Wash
Eye protection	: Chemica	I splash goggles and fac	e shield.		
Skin protection		I want to the target and the second			
Hand protection	be worn this is ne check du should b different	Il-resistant, impervious g at all times when handlir cessary. Considering th uring use that the gloves e noted that the time to b for different glove manuf substances, the protectio d.	ng chemical products if a be parameters specified are still retaining their pro preakthrough for any glo facturers. In the case of	risk assessmer by the glove man rotective propert ve material may mixtures, consi	nt indicates nufacturer, ies. It be sting of
Gloves	: butyl rub	ber			
Body protection	being pe	l protective equipment fo rformed and the risks inv andling this product.			
Other skin protectio	on : Appropria selected	ate footwear and any ad based on the task being d by a specialist before h	performed and the risks		
Respiratory protection	hazards workers appropria	or selection must be bas of the product and the sa are exposed to concentr ate, certified respirators. r complying with an appr	afe working limits of the ations above the exposu Use a properly fitted, ai	selected respira ure limit, they mu r-purifying or air	tor. If ist use -fed

Section 9. Physical and chemical properties

necessary.

<u>Appearance</u>	
Physical state	: Liquid.
Color	: 🔽 arious
Odor	: Amine-like. [Strong]
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: >37.78°C (>100°F)
Flash point	: Closed cup: 118°C (244.4°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.03
Solubility	: Insoluble in the following materials: cold water.

Section 9. Physical and chemical properties

Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: 430°C (806°F)
Decomposition temperature	: Not available.
Viscosity	: K inematic (40°C (104°F)): >21 mm²/s (>21 cSt)

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materiation oxides nitrogen oxides Formaldehyde. metal oxide/oxides

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
picyclo[2.2.1]heptanebis (methylamine)	LD50 Oral	Rat	961 to 1400 mg/ kg	-
benzyl alcohol	LC50 Inhalation Dusts and mists	Rat	>4178 mg/m ³	4 hours
	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1.23 g/kg	-
salicylic acid	LD50 Oral	Rat	0.891 g/kg	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	LD50 Oral	Rat	2413 mg/kg	-
2,4,6-tris (dimethylaminomethyl) phenol	LD50 Dermal	Rabbit	1.28 g/kg	-
	LD50 Dermal	Rat	1280 mg/kg	-
	LD50 Oral	Rat	1200 mg/kg	-

Conclusion/Summary

: There are no data available on the mixture itself.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
₽,4,6-tris (dimethylaminomethyl) phenol	Skin - Visible necrosis	Rabbit	-	4 hours	7 days

Conclusion/Summary

Eligiisti (US) Algenti	English	(US)	Argentina
------------------------	---------	------	-----------

Code 00195815 Product name Si	GMALINE 2500 HARDENER	Date of issue	29 June 2021	Version	3
	oxicological in	formation			
Skin	<u> </u>	data available on the	e mixture itself.		
Eyes Respiratory <u>Sensitization</u>		data available on the data available on the			
Product/ingredient	name Route of exposure	Species	Result		
2,4,6-tris (dimethylaminomethy phenol	skin	Guinea pig	Sensitizing]	
Conclusion/Summa Skin Respiratory <u>Mutagenicity</u> Not available.	: There are no	data available on the data available on the			
Conclusion/Summa Carcinogenicity Not available.	ry : There are no	data available on the	e mixture itself.		
Conclusion/Summa Reproductive toxicit Not available.		data available on the	e mixture itself.		
Conclusion/Summa Teratogenicity Not available.	ry : There are no	data available on the	e mixture itself.		
Conclusion/Summa Specific target organ Not available.	Iry : There are no I toxicity (single exposu	data available on the <u>ire)</u>	e mixture itself.		
Specific target organ Not available.	<u>ı toxicity (repeated expo</u>	<u>osure)</u>			
<u>Target organs</u>	brain. Contains mate	erial which may caus	amage to the following o se damage to the followir atory tract, skin, eyes, ce	ng organs: kidne	eys,
Aspiration hazard					
Name			Result		
benzyl alcohol			ASPIRATION HAZ	ARD - Categor	y 2
Information on the lik routes of exposure Potential acute health					

Argentina

English (US)

8/13

Code	00195815		Date of issue	29 June 2021	Version	3
Product name	e	SIGMALINE 2500 HARDENER				

Section 11. Toxicological information

Eye contact	: Causes serious eye damage.
Inhalation	: Harmful if inhaled.
Skin contact	: Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
Symptoms related to	the physical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary	: There are no data available on the mixture itself. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness. This product either contains formaldehyde or is capable of releasing formaldehyde above 0.5 ppm under certain conditions. Formaldehyde is a known cancer hazard, a skin sensitizer and a respiratory sensitizer. Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. There is some evidence that repeated exposure to organic solvent vapors in combination with constant loud noise can cause greater hearing loss than expected from exposure to noise alone. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
Short term exposure	
Potential immediate	: There are no data available on the mixture itself.

effects

Code	00195815		
Product na	ne	SIGMAL	.IN

Date of issue

3

Section 11. Toxicological information

Potential delayed effects	: There are no data available on the mixture itself.
Long term exposure	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
Potential chronic health eff	ects
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity	: No known significant effects or critical hazards.

- Mutagenicity : No known significant effects or critical hazards.
- **Reproductive toxicity** : Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
GMALINE 2500 HARDENER bicyclo[2.2.1]heptanebis(methylamine) benzyl alcohol Formaldehyde, polymer with N,N-dimethyl- 1,3-propanediamine and phenol	675.2 500 1230 500	1998.6 N/A 2000 N/A	N/A N/A N/A N/A	108 N/A N/A N/A	1.5 N/A 1.5 N/A
salicylic acid N-(3-(trimethoxysilyl)propyl)ethylenediamine 2,4,6-tris(dimethylaminomethyl)phenol	891 2413 1200	N/A N/A 1280	N/A N/A N/A	N/A 11 N/A	N/A 1.5 N/A

Other information

: Not available.

Section 12. Ecological information

Ecotoxicity

Product/ingredient name	Result	Species	Exposure
salicylic acid	Acute EC50 1147.57 mg/l Fresh water	Daphnia - Daphnia longispina - Neonate	48 hours
	Chronic NOEC 5.6 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
2,4,6-tris (dimethylaminomethyl)phenol	Acute LC50 175 mg/l	Fish	96 hours

Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
penzyl alcohol	-	-	Readily

English (US) Argentina 10/1

Code	00195815	;				Date of issue	29 June 2021	Version	3
Product nam	е	SIGMALIN	E 2500	HARDEN	ER				
	4.0								

Section 12. Ecological information

Bioaccumulative potential			
Product/ingredient name	LogPow	BCF	Potential
benzyl alcohol salicylic acid 2,4,6-tris (dimethylaminomethyl)phenol	0.87 2.21 to 2.26 0.219	-	low low low

Mobility in soil

Soil/water partition : Not available. coefficient (K_{oc})

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

 Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	Brazil (ANTT)	IMDG	ΙΑΤΑ
UN number UN3066		UN3066	UN3066	UN3066
UN proper shipping name	PAINT	PAINT	PAINT	PAINT
Transport hazard class(es)	8	8	8	8
Packing group	II	II	II	П
Environmental hazards			Yes.	Yes. The environmentally hazardous substance mark is not required.
Marine pollutant substances	Not applicable.	Not applicable.	(Formaldehyde, polymer with N,N- dimethyl- 1,3-propanediamine and phenol)	Not applicable.

Additional information

English (US)	Argentina	11/13

Section 14. Transport information

	-				
UN	: None identified.				
Brazil	: None identified.				
Risk number	: 80				
IMDG	: The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.				
ΙΑΤΑ	: The environmentally hazardous substance mark may appear if required by other transportation regulations.				
Special precaution	ons for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.				

Transport in bulk according : Not applicable.

to IMO instruments

Section 15. Regulatory information

Safety, health and	1	No known specific national and/or regional regulations applicable to this product
environmental regulations		(including its ingredients).
specific for the product		

Section 16. Other information

<u>History</u>

Date of previous issue	: 4/4/2019
Version	: 3
	EHS
Key to abbreviations	 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail UN = United Nations
References	: ABNT NBR 14725-4: 2014 ANTT - National Land Transportation Agency

Indicates information that has changed from previously issued version.

Version

Section 16. Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.