# **SAFETY DATA SHEET**



### Conforms to Official Mexican Standard NOM-018-STPS-2015

Date of revision 11 August 2021

Version 8

Date of issue 11 August 2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

	_
Product name	: PITT-TECH PLUS GLOSS WHITE/PASTEL BASE
Product code	: 00337970
Other means of identification	: Not applicable.
Product type	: Liquid.
Relevant identified uses of	the substance or mixture and uses advised against
Product use	: Consumer applications, Professional applications.
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Manufacturer	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272
Emergency telephone_ number	<ul> <li>(412) 434-4515 (U.S.)</li> <li>(514) 645-1320 (Canada)</li> <li>SETIQ Interior de la República: 800-00-214-00 (México)</li> <li>SETIQ Ciudad de México: (55) 5559-1588 (México)</li> </ul>
<b>Technical Phone Number</b>	: 888-977-4762

# **SECTION 2: Hazards identification**

Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 31.7% (oral), 31.7% (dermal), 34.4% (inhalation)
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	<ul> <li>▶103 - Read label before use.</li> <li>P102 - Keep out of reach of children.</li> <li>P101 - If medical advice is needed, have product container or label at hand.</li> </ul>
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.

### Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

### **SECTION 2: Hazards identification**

Disposal

: Not applicable.

Other hazards which do not	1	Contains isothiazolinones.	May cause allergic reaction.	Emits toxic fumes when
result in classification		heated.		

See toxicological information (Section 11)

# **SECTION 3: Composition/information on ingredients**

Substance/mixture	: Mixture
Product name	: PITT-TECH PLUS GLOSS WHITE/PASTEL BASE
Other means of identification	: Not applicable.

Ingredient name	%	CAS number
Manium dioxide	≥10 - ≤20	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### Description of necessary first aid measures

Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

**Over-exposure signs/symptoms** 

See toxicological information (Section 11)

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

## **SECTION 5: Firefighting measures**

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

# SECTION 6: Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

# **SECTION 7: Handling and storage**

Precautions for safe handling	L	
Protective measures	1	Put on appropriate personal protective equipment (see Section 8).
Special precautions	:	If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Manium dioxide	NOM-010-STPS-2014 (Mexico, 4/2016). TWA: 10 mg/m³ 8 hours.

Key to abbreviations

		···· <b>,</b> ································	
С	= Ceiling Limit		ST
IPEL	= Internal Permissible Exposure Limit		TL

TEL	= Short term exposure limit
ΓLV	= Threshold Limit Value

TWA = Time Weighted Average

#### Consult local authorities for acceptable exposure limits.

:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
•	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
<u>s</u> :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

# **SECTION 8: Exposure controls/personal protection**

Eye/face protection	: Safety glasses with side shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: 🕫 prolonged or repeated handling, use the following type of gloves:
	Recommended: Viton®
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# **SECTION 9: Physical and chemical properties**

### Appearance

Appearance		
Physical state	1	Liquid.
Color	1	Not available.
Odor	1	Characteristic.
Odor threshold	:	Not available.
Molecular weight	1	Not applicable.
рН	1	Not available.
Melting point	1	Not available.
Boiling point	1	>37.78°C (>100°F)
Flash point	1	Closed cup: 93.33°C (200°F)
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	1	Not available.
Evaporation rate	1	Not available.
Vapor pressure	1	Not available.
Vapor density	1	Not available.
Relative density	1	1.2
Density(lbs / gal)	:	10.01
Solubility	1	Partially soluble in the following materials: cold water.
Solubility in water	:	Not available.
Partition coefficient: n- octanol/water	:	Not applicable.
Viscosity	:	Kinematic (40°C (104°F)): >21 mm²/s (>21 cSt)
Volatility	1	60% (v/v), 49.462% (w/w)

Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

# **SECTION 9: Physical and chemical properties**

: 50.538

% Solid. (w/w)

# **SECTION 10: Stability and reactivity**

Reactivity       : No specific test data related to reactivity available for this product or its ingredients.         Chemical stability       : The product is stable.         Possibility of hazardous reactions       : Under normal conditions of storage and use, hazardous reactions will not occur.         Conditions to avoid       : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.         Incompatible materials       : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.         Hazardous decomposition products       : Depending on conditions, decomposition products may include the following material carbon oxides metal oxide/oxides		-	-
Possibility of hazardous       : Under normal conditions of storage and use, hazardous reactions will not occur.         Conditions to avoid       : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.         Incompatible materials       : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.         Hazardous decomposition       : Depending on conditions, decomposition products may include the following materials	Reactivity	: No sp	pecific test data related to reactivity available for this product or its ingredients.
reactions         Conditions to avoid       : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.         Incompatible materials       : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.         Hazardous decomposition       : Depending on conditions, decomposition products may include the following materials	Chemical stability	: The p	product is stable.
products.       Refer to protective measures listed in sections 7 and 8.         Incompatible materials       : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.         Hazardous decomposition       : Depending on conditions, decomposition products may include the following materials	-	: Unde	r normal conditions of storage and use, hazardous reactions will not occur.
oxidizing agents, strong alkalis, strong acids.Hazardous decomposition: Depending on conditions, decomposition products may include the following materia	Conditions to avoid	produ	icts.
	Incompatible materials		
	-	•	

# **SECTION 11: Toxicological information**

### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result			Species	Dose	Exposure
iitanium dioxide	LC50 Inha	lation Du	sts and mists	Rat	>6.82 mg/l	4 hours
	LD50 Deri			Rabbit	>5000 mg/kg	-
	LD50 Oral			Rat	>5000 mg/kg	-
Conclusion/Summary	: There a	re no data	a available on	the mixture i	itself.	
Irritation/Corrosion						
Conclusion/Summary						
Skin	: There a	re no data	a available on	the mixture i	itself.	
Eyes	: There a	re no data	a available on	the mixture i	itself.	
Respiratory	: There a	re no data	a available on	the mixture i	itself.	
<u>Sensitization</u>						
Conclusion/Summary						
Skin	: There a	re no data	a available on	the mixture i	itself.	
Respiratory	: There a	re no data	a available on	the mixture i	itself.	
<u>Mutagenicity</u>						
Conclusion/Summary	: There a	re no data	a available on	the mixture i	itself.	
Carcinogenicity						
Conclusion/Summary	: There a	re no data	a available on	the mixture i	itself.	
<b>Classification</b>						
Product/ingredient name	OSHA	IARC	NTP			
titanium dioxide	-	2B	-			

Carcinogen Classification code:

### Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

# **SECTION 11: Toxicological information**

SECTION 11: 10	xicological information
IARC: 1, 2A, 2 NTP: Known OSHA: + Not listed/not	to be a human carcinogen; Reasonably anticipated to be a human carcinogen
Reproductive toxicity	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
<b>Teratogenicity</b>	
Conclusion/Summary	: There are no data available on the mixture itself.
Specific target organ toxi	<u>icity (single exposure)</u>
Not available.	
Specific target organ toxi	<u>icity (repeated exposure)</u>
Not available.	
<u>Target organs</u>	: Contains material which may cause damage to the following organs: upper respiratory tract.
Aspiration hazard	
Not available.	
Information on the likely re	outes of exposure
Potential acute health effe	<u>ects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
	ffects and also chronic effects from short and long term exposure
Conclusion/Summary	: There are no data available on the mixture itself. For many PPG products, TiO2 is utilized as a raw material in a liquid coating formulation. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied with a brush or roller. Sanding the coating surface or mist from spray applications may be harmful depending on the duration and level of exposure and require the use of appropriate personal protective equipment and/or engineering controls (see Section 8). If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u> Potential immediate	: There are no data available on the mixture itself.
effects	
Potential delayed effects	s : There are no data available on the mixture itself.
Long term exposure	

### **SECTION 11: Toxicological information**

Potential immediate effects	:	There are no data available on the mixture itself.
Potential delayed effects	:	There are no data available on the mixture itself.
Potential chronic health effe	<u>cts</u>	
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
Numerical measures of toxic	<u>ity:</u>	
Acute toxicity estimates		
N/A		

# **SECTION 12: Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 >100 mg/l Fresh water	Daphnia - Daphnia magna	48 hours

### Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

 Mobility in soil

 Soil/water partition
 : Not available.

 coefficient (Koc)
 : Not available.

Other adverse effects : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### Product name PITT-TECH PLUS GLOSS WHITE/PASTEL BASE

# **SECTION 14: Transport information**

	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

### Additional information

Mexico	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

# **SECTION 15: Regulatory information**

#### **Mexico**

Classification

Flammability : 1 Health : 1 Reactivity : 0

### International regulations

**Montreal Protocol** 

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

Mexico Page: 9/10

### **SECTION 16: Other information**

Health : 1 \* Flammability : 1 Physical hazards : 0 (\*) - Chronic

#### effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Date of previous issue	: 5/28/2020
Organization that prepared the SDS	: EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

#### Indicates information that has changed from previously issued version.

#### Notice to reader

The information, which is based on the current knowledge of the chemical substance or mixture and applies to appropriate safety precautions for the product, is deemed correct but is not exhaustive and will be used only as a guide.

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.