Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SAFETY DATA SHEET

Date of issue/Date of revision

: 27 August 2021

Version : 15



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

| 1.1 Product identifier | |
|--|---|
| Product name | : SIGMAGUARD CSF 585 HARDENER |
| Product code | : 00219189 |
| Product type | : Liquid. |
| Other means of identification | on |
| Not available. | |
| 1.2 Relevant identified uses | of the substance or mixture and uses advised against |
| Product use | : Professional applications, Used by spraying. |
| Use of the substance/ mixture | : Coating. |
| Uses advised against | : Product is not intended, labelled or packaged for consumer use. |
| 1.3 Details of the supplier of | the safety data sheet |
| PPG Sénégal BP1107, Dakar | |
| Senegal | |
| Tel: 00221 33 832 3475 | |
| Fax: 00221 33 832 0973 e-mail address of person | : PS.ACEMEA@ppg.com |
| responsible for this SDS | |
| | |
| 1.4 Emergency telephone number | : ORFILA (INRS) 0033 (0)1 45 42 59 59 / 00221 33 832 3475 |
| | |

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture

 Product definition
 : Mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Skin Corr. 1C, H314

 Eye Dam. 1, H318

 Skin Sens. 1, H317

 Aquatic Chronic 3, H412

 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



Signal word

| Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II | | | |
|---|---|--|--|
| Code : 00219189 | Date of issue/Date of revision : 27 August 2021 | | |
| SIGMAGUARD CSF 585 HAR | DENER | | |
| SECTION 2: Hazards | identification | | |
| Hazard statements | : Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects. | | |
| Precautionary statements | | | |
| Prevention | : Wear protective gloves, protective clothing and eye or face protection. | | |
| Response | : IF INHALED: Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | |
| Storage | : Not applicable. | | |
| Disposal | : Not applicable. | | |
| Hazardous ingredients | : Poly[oxy(methyl-1,2-ethanediyl)], α-(2-aminomethylethyl)-ω-(2-aminomethylethoxy)- 2,4,6-tris(dimethylaminomethyl)phenol | | |
| Supplemental label elements | : Not applicable. | | |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. | | |
| Special packaging requiren | nents | | |
| Containers to be fitted with child-resistant fastenings | : Not applicable. | | |
| Tactile warning of danger | : Not applicable. | | |
| 2.3 Other hazards | | | |
| Product meets the criteria for PBT or vPvB | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | | |
| Other hazards which do | : None known. | | |

not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

| Product/ingredient name | Identifiers | % by weight | <u>Classification</u> Regulation (EC) No. 1272/2008 [CLP] | Туре |
|---|---|--------------------------|--|------|
| (2-aminomethylethyl)-ω-(2-aminomethylethoxy)- | REACH #: 01-2119557899-12 EC: 618-561-0 CAS: 9046-10-0 (n = 2-6) REACH #: 01-2119560597-27 EC: 202-013-9 CAS: 90-72-2 Index: 603-069-00-0 | ≥50 - ≤75 ≥1.0 - ≤5.0 | Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 | [1] |

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

| English (GB) | Senegal | 2/12 |
|--------------|---------|------|
| | | |

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Date of issue/Date of revision

: 00219189 SIGMAGUARD CSF 585 HARDENER

SECTION 3: Composition/information on ingredients

Type

Code

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

| 4.1 Description of first aid m | neasures |
|--------------------------------|---|
| Eye contact | : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention. |
| Inhalation | Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| Skin contact | Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners. |
| Ingestion | : If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

4.2 Most important symptoms and effects, both acute and delayed

| ma moor important oy | iptonio ana onooto, both adato ana adiajoa |
|--------------------------|--|
| Potential acute healt | <u>n effects</u> |
| Eye contact | : Causes serious eye damage. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Causes severe burns. May cause an allergic skin reaction. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs | /symptoms |
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |
| 4.3 Indication of any ir | nmediate medical attention and special treatment needed |
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |

| Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II | | | |
|---|---|----------------------|--|
| Code : 00219189 | Date of issue/Date of revision : 27 August | st 2021 | |
| SIGMAGUARD CSF 585 HAF | DENER | | |
| SECTION 5: Firefigh | ing measures | | |
| 5.1 Extinguishing media | | | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. | | |
| Unsuitable extinguishing media | : None known. | | |
| 5.2 Special hazards arising | om the substance or mixture | | |
| Hazards from the substance or mixture | : In a fire or if heated, a pressure increase will occur and the container may bur material is harmful to aquatic life with long lasting effects. Fire water contamin this material must be contained and prevented from being discharged to any v sewer or drain. | nated with | |
| Hazardous combustion products | : Decomposition products may include the following materials: carbon oxides nitrogen oxides | | |
| 5.3 Advice for firefighters | | | |
| Special precautions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the inci there is a fire. No action shall be taken involving any personal risk or without s training. | | |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained apparatus (SCBA) with a full face-piece operated in positive pressure mode. for fire-fighters (including helmets, protective boots and gloves) conforming to standard EN 469 will provide a basic level of protection for chemical incidents. | Clothing European | |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| | cive equipment and emergency procedures |
|----|---|
| : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| со | ntainment and cleaning up |
| : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| : | Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. |
| | : : : : |

English (GB)

4/12

Senegal

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Code : 00219189 SIGMAGUARD CSF 585 HARDENER Date of issue/Date of revision

: 27 August 2021

SECTION 6: Accidental release measures

| 6.4 Reference to other sections | : See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. |
|---------------------------------|---|
| | See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | • Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| 7.2 Conditions for safe storage, including any incompatibilities | : Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| 7.3 Specific end use(s) | |

See Section 1.2 for Identified uses.

| Recommendations | : Not available. |
|--------------------------------------|------------------|
| Industrial sector specific solutions | : Not available. |

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for

: 00219189

SIGMAGUARD CSF 585 HARDENER

Code

Date of issue/Date of revision

SECTION 8: Exposure controls/personal protection

methods for the determination of hazardous substances will also be required.

| 8.2 Exposure controls | |
|---|---|
| Appropriate engineering controls | : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Individual protection measured | res |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection <u>Skin protection</u> | : Chemical splash goggles and face shield. |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. |
| Gloves | : nitrile neoprene |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| Appearance | |
|-----------------|------------------|
| Physical state | : Liquid. |
| Colour | : Colourless. |
| Odour | : Amine-like. |
| Odour threshold | : Not available. |
| | |

| Conforms to Regulation (EC) No. | 19 | 07/2006 (REACH), Ar | nnex II | | | | | |
|---|----|--|---|-------------|----------------|-------------------------|----------|------------|
| Code : 00219189 | | | Date of | issue/Da | ate of revisio | on | : 27 A | ugust 2021 |
| SIGMAGUARD CSF 585 HARDEN | EF | R | | | | | | |
| SECTION 9: Physical ar | ۱d | chemical prop | erties | | | | | |
| рН | : | insoluble in water. | | | | | | |
| Melting point/freezing point | : | May start to solidify a on data for the follow | | | | | | |
| Initial boiling point and boiling range | : | >37.78°C | | | | | | |
| Flash point | : | Closed cup: 80°C | | | | | | |
| Evaporation rate | : | Not available. | | | | | | |
| Flammability (solid, gas) | : | liquid | | | | | | |
| Upper/lower flammability or explosive limits | : | Not available. | | | | | | |
| Vapour pressure | | | Vapour Pressure at 20°C | | Vapo | Vapour pressure at 50°C | | |
| | | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| | | Pory[oxy(methyl-1,2-ethanediyl)], C- (2-aminomethylethyl)-w-(2-aminomethylethoxy)- | 0.675 | 0.09 | | 1.575 | 0.21 | |
| Relative density | : | 0.98 | | | ļ | | | |
| Solubility(ies) | : | Insoluble in the follow | /ing mate | rials: colo | d water. | | | |
| Partition coefficient: n-octanol/ water | : | Not applicable. | - | | | | | |
| Auto-ignition temperature | : | 426°C (798.8°F) | | | | | | |
| Decomposition temperature | : | Stable under recomm | nended st | torage an | d handling co | onditions | (see Sec | tion 7). |
| Viscosity | : | Kinematic (40°C): <1 | 4 mm²/s | | | | | |
| Viscosity | : | < 30 s (ISO 6mm) | | | | | | |
| Explosive properties | : | Product does not pre | Product does not present an explosion hazard. | | | | | |
| Oxidising properties | : | Product does not pre | sent an c | xidizing h | nazard. | | | |
| | | | | | | | | |

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

| 10.1 Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|--|---|---|
| 10.2 Chemical stability | : | The product is stable. |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : | When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8. |
| 10.5 Incompatible materials | : | Reep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids. |
| 10.6 Hazardous decomposition products | : | Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides |

Code : 00219189 SIGMAGUARD CSF 585 HARDENER Date of issue/Date of revision

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|--|-----------------------------|---|-------------|
| Poly[oxy(methyl-1,2-ethanediyl)], α- (2-aminomethylethyl)-ω-(2-aminomethylethoxy)- | LD50 Dermal | Rat | 2980 mg/kg | - |
| 2,4,6-tris(dimethylaminomethyl)phenol | LD50 Oral LD50 Dermal LD50 Dermal LD50 Oral | Rat Rabbit Rat Rat | 2885 mg/kg 1.28 g/kg 1280 mg/kg 1200 mg/kg | - - - |

Conclusion/Summary Acute toxicity estimates

: There are no data available on the mixture itself.

RouteATE valueOral
Dermal51085.57 mg/kg
54491.27 mg/kg

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---------------------------------------|-------------------------|---------|-------|----------|-------------|
| 2,4,6-tris(dimethylaminomethyl)phenol | Skin - Visible necrosis | Rabbit | - | 4 hours | 7 days |

Conclusion/Summary Skin : There

- : There are no data available on the mixture itself.
- : There are no data available on the mixture itself.
- Respiratory

Eyes

: There are no data available on the mixture itself.

Sensitisation

| Product/ingredient name | Route of exposure | Species | Result |
|---------------------------------------|-------------------|------------|-------------|
| 2,4,6-tris(dimethylaminomethyl)phenol | skin | Guinea pig | Sensitising |

| Conclusion/Summary | |
|--|--|
| Skin | : There are no data available on the mixture itself. |
| Respiratory | : There are no data available on the mixture itself. |
| <u>Mutagenicity</u> | |
| Conclusion/Summary | : There are no data available on the mixture itself. |
| Carcinogenicity | |
| Conclusion/Summary | : There are no data available on the mixture itself. |
| Reproductive toxicity | |
| Conclusion/Summary | : There are no data available on the mixture itself. |
| Teratogenicity | |
| Conclusion/Summary | : There are no data available on the mixture itself. |
| Specific target organ toxicit | <u>y (single exposure)</u> |
| Not available. | |
| Specific target organ toxicit | <u>y (repeated exposure)</u> |
| Not available. | |
| Aspiration hazard | |
| Not available. | |
| Information on likely routes of exposure | : Not available. |

| Code : 00219189 | Date of issue/Date of revision : 27 August 2021 |
|--------------------------------|---|
| SIGMAGUARD CSF 585 HARE | - |
| SECTION 11: Toxicol | ogical information |
| Potential acute health effect | |
| Inhalation | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Skin contact | : Causes severe burns. May cause an allergic skin reaction. |
| Eye contact | : Causes serious eye damage. |
| Symptoms related to the phy | sical, chemical and toxicological characteristics |
| Inhalation | : No specific data. |
| Ingestion | : Adverse symptoms may include the following: stomach pains |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Delayed and immediate effe | ts as well as chronic effects from short and long-term exposure |
| Short term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Reproductive toxicity | No known significant effects or critical hazards. |
| Other information | : Not available. |

nervous system damage. Inhalation of vapour/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---|---------------------|---------|----------|
| Poly[oxy(methyl-1,2-ethanediyl)], α- (2-aminomethylethyl)-ω-(2-aminomethylethoxy)- | EC50 15 mg/l | Algae | 72 hours |
| 2,4,6-tris(dimethylaminomethyl)phenol | Acute LC50 175 mg/l | Fish | 96 hours |

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary

: There are no data available on the mixture itself.

English (GB)

| Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II | | | | | | |
|---|---------------|-------------------|------------------|--|--|--|
| Code : 00219189 | Date of issue | /Date of revision | : 27 August 2021 | | | |
| SIGMAGUARD CSF 585 HARDENER | | | | | | |
| SECTION 12: Ecological information | | | | | | |
| Product/ingredient name Aquatic half-life Photolysis Biodegradability | | | | | | |
| Poly[oxy(methyl-1,2-ethanediyl)], α- | - | - | Not readily | | | |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|---------------------------------------|--------|-----|-----------|
| 2,4,6-tris(dimethylaminomethyl)phenol | 0.219 | - | low |

12.4 Mobility in soil

| Soil/water partition coefficient (Koc) | : Not available. |
|--|------------------|
| Mobility | : Not available. |

(2-aminomethylethyl)-ω-(2-aminomethylethoxy)-

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Disposal
of this product, solutions and any by-products should at all times comply with the
requirements of environmental protection and waste disposal legislation and any
regional local authority requirements. Dispose of surplus and non-recyclable products
via a licensed waste disposal contractor. Waste should not be disposed of untreated to
the sewer unless fully compliant with the requirements of all authorities with jurisdiction.Hazardous waste: Yes.

European waste catalogue (EWC)

| Waste code | Waste designation | |
|------------|---|--|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances | |

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

| Type of packaging | European waste catalogue (EWC) | |
|---------------------|---|-----------------|
| Container | 15 01 06 | mixed packaging |
| Special precautions | : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. | |

Date of issue/Date of revision

: 27 August 2021

11/12

Senegal

SIGMAGUARD CSF 585 HARDENER

: 00219189

Code

SECTION 14: Transport information

| | ADR/RID | IMDG | ΙΑΤΑ |
|------------------------------------|-----------------|-----------------|-----------------|
| 14.1 UN number | UN3066 | UN3066 | UN3066 |
| 14.2 UN proper shipping name | PAINT | PAINT | PAINT |
| 14.3 Transport hazard class(es) | 8 | 8 | 8 |
| 14.4 Packing group | Ш | III | |
| 14.5 Environmental hazards | No. | No. | No. |
| Marine pollutant substances | Not applicable. | Not applicable. | Not applicable. |

Additional information

| ADR/RID | : None identified. |
|-------------|--------------------|
| Tunnel code | : (E) |
| IMDG | : None identified. |
| IATA | : None identified. |

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

| 14.7 Transport in bulk | : Not applicable. |
|------------------------|-------------------|
| according to IMO | |
| instruments | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

| Annex XIV - List of substa | nces subject to authorisation | |
|---|---|--------------------|
| Annex XIV | | |
| None of the components are | e listed. | |
| Substances of very high o | <u>concern</u> | |
| None of the components are | e listed. | |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. | |
| Other national and internati | onal regulations. | |
| Ozone depleting substance Not listed. | es (1005/2009/EU) | |
| Social Security Code, : Articles L 461-1 to L 461-7 | 2,4,6-tris(dimethylaminomethyl)phenol | RG 15; RG 15Bis |
| | Surveillance médicale spéciale selon l'arrêté du 11 ju Pour les applications des peintures et vernis par pul | |

English (GB)

Date of issue/Date of revision

SECTION 15: Regulatory information

| Reinforced medical surveillance | : Act of July 11, 1977 determining the list of activities which require reinforced medical surveillance: not applicable |
|---------------------------------|---|
| References | Reinforced medical surveillance ; Decree no. 2001-97 of 1 February 2001 establishing specific rules for the prevention of risks from carcinogens, mutagens and reprotoxics and amending the Labour code ; Decree no. 2003-1254 of 23 December 2003 relating to prevention of chemical risks and amending the Labour code ; Decree no. 2004-187 of 26 February 2004 on the placing on the market of biocidal products ; Decree no. 88-1231 of 29/12/1988 relating to poisonous preparations and substances. ; Decree no. 95-517 of 15 May 1997, relating to the classification of dangerous waste. ; Labour code article: R231-53 ; Labour code: Occupational air (ventilation, air purification): Art. R 232-5 to R 232-5-14 ; Labour code: Prevention of chemical risk: Art.R231-51 and R 231-54 to R 231-54-9 ; Labour code: Prevention of fires: Art.R232-12-13 to R 232-12-29 and R 233-30 ; Labour code: provisions applicable to women: Art. L 234-3 to L 236-6 ; Labour code: provisions applicable to young workers: Art. L 234-3 to L 236-6; Art: R234-16 ; Labour code: Sanitary installations: Art. R 232-2 à R 232-2-7 ; Law 76-663 of 19 July 1976 amending and implementing decree of 21 September 1977 relating to classified installations for the protection of the environment ; Tables of anticipated professional diseases according to article R461-3 of the labour code |
| 5.2 Chemical safety | : No Chemical Safety Assessment has been carried out. |
| | |

assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

| | nde enanged nem previedely ie | |
|---|--|--|
| Abbreviations and acronyms | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number | |
| Full text of abbreviated H statements | H317 May cause an a H318 Causes serious | act with skin. skin burns and eye damage. Ilergic skin reaction. |
| Full text of classifications [CLP/GHS] | : Acute Tox. 4 Aquatic Chronic 3 Eye Dam. 1 Skin Corr. 1C Skin Sens. 1 Skin Sens. 1B | ACUTE TOXICITY - Category 4 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 1C SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1B |
| <u>History</u> | | |
| Date of issue/ Date of revision | : 27 August 2021 | |
| Date of previous issue | : 23 December 2020 | |
| Prepared by | : EHS | |
| Version | : 15 | |
| <u>Disclaimer</u> | | |

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

English (GB)