## **SAFETY DATA SHEET**

Date of issue : 8 November 2021 : 5

Version

### Section 1. Identification

Product code	: 40575-BHARD/4L
Product name	: SIGMAGUARD CSF575 CLEAR
Product type	: Liquid.
Recommended use and res	trictions
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG INDUSTRIES NEW ZEALAND LTD 5 MONAHAN ROAD, MT WELLINGTON, AUCKLAND www.ppgnz.co.nz Telephone Numbers:
	09 573 1620, 0800 659378 021 940 920 (24 Hours)
Emergency telephone number (with hours of operation)	: New Zealand 0800 000 096 (24 hours) / Australia 1800 883 254 (24 hours) For international shipping emergencies: 1-412-391-1618
e-mail address of person responsible for this SDS	: ehsnz@ppg.com

## Section 2. Hazards identification

	New Zeeland Page
Fievention	<ul> <li>Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Avoid breathing vapour. Wash thoroughly after handling.</li> </ul>
Prevention	
Precautionary statement	
	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
	Causes severe skin burns and eye damage.
Hazard statements	: Harmful if swallowed or in contact with skin.
Signal word	: Danger
GHS label elements	
Symbol	SERIOUS EYE DAMAGE - Category 1 SKIN SENSITISATION - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 :
	ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1C
HSNO Classification	: CUTE TOXICITY (oral) - Category 4



Page: 1/11 **New Zealand** 

### Section 2. Hazards identification

Response	IMPALED: Immediately call a POISON CENTER or doctor. IF SWALLON Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induvomiting. IF ON SKIN (or hair): Take off immediately all contaminated cloth Rinse skin with water. Immediately call a POISON CENTER or doctor. Wa contaminated clothing before reuse. IF ON SKIN: Call a POISON CENTER doctor if you feel unwell. Wash with plenty of water. If skin irritation or rash Get medical advice or attention. IF IN EYES: Rinse cautiously with water for minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor.	
Storage	1	Not applicable.
Disposal	1	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not	:	None known.

#### result in classification

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and has been classified according to the Hazardous Substances (Classifications) Notice 2017.

This material is classified as DANGEROUS GOODS according to criteria in New Zealand Land Transport Rule: Dangerous Goods 2005.

### Section 3. Composition/information on ingredients

Substance/mixture	÷	Mixture
<b>CAS number/other identifiers</b>		
Product code	÷	40575-BHARD/4L

Hazardous ingredients	%	CAS number
3-aminomethyl-3,5,5-trimethylcyclohexylamine	30 - 60	2855-13-2
Phenol, methylstyrenated	10 - <30	68512-30-1
benzyl alcohol	10 - <30	100-51-6
2,4,6-tris(dimethylaminomethyl)phenol	10 - <30	90-72-2
salicylic acid	1 - <10	69-72-7
bis[(dimethylamino)methyl]phenol	1 - <10	71074-89-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessa	rry first aid measures
Eye contact	<ul> <li>Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.</li> </ul>
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>

New Zealand Page: 2/11

### Section 4. First aid measures

Potential acute health effe		
Eye contact	Causes serious eye damage.	
Inhalation	lo known significant effects or critical hazards.	
Skin contact	Causes severe burns. Harmful in contact with skin. May cause an eaction.	allergic skin
Ingestion	łarmful if swallowed.	
Over-exposure signs/symp		
Eyes	Adverse symptoms may include the following: pain vatering edness	
Inhalation	lo specific data.	
Skin	dverse symptoms may include the following: ain or irritation edness listering may occur	
Ingestion	dverse symptoms may include the following: tomach pains	
Indication of immediate mee	<u>ittention and special treatment needed, if necessary</u>	
Specific treatments	lot available.	
Notes to physician	n case of inhalation of decomposition products in a fire, symptoms The exposed person may need to be kept under medical surveilland	
Protection of first-aiders	to action shall be taken involving any personal risk or without suital s suspected that fumes are still present, the rescuer should wear an nask or self-contained breathing apparatus. It may be dangerous t providing aid to give mouth-to-mouth resuscitation. Wash contamin noroughly with water before removing it, or wear gloves.	n appropriate to the person
See toxicological information	ction 11)	

### Section 5. Firefighting measures

Ŭ	5	
Extinguishing media		
Suitable	lse an extinguishing agent suitable for the surrounding fire.	
Not suitable	lone known.	
Specific hazards arising from the chemical	n a fire or if heated, a pressure increase will occur and the container may bu his material is harmful to aquatic life with long lasting effects. Fire water ontaminated with this material must be contained and prevented from being ischarged to any waterway, sewer or drain.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: arbon oxides itrogen oxides	
Special precautions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the inc nere is a fire. No action shall be taken involving any personal risk or without uitable training.	
Special protective equipment for fire-fighters	ire-fighters should wear appropriate protective equipment and self-containe reathing apparatus (SCBA) with a full face-piece operated in positive pressunde.	

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	<b>F</b> specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and material for cor	nta	inment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

Precautions for safe handling	Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### Control parameters

Ingredient name	Exposure limits
None.	

### Section 8. Exposure controls/personal protection

Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measur	<u>es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Gloves	1	nitrile neoprene
Eye protection	:	Chemical splash goggles and face shield.
Skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Clear.
Odour	: Amine-like.
Odour threshold	: Not available.
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: >37.78°C (>100°F)

New Zealand Page: 5/11

#### Product name SIGMAGUARD CSF575 CLEAR

### Section 9. Physical and chemical properties

Flash point: Closed cup: 100°C (212°F)Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapour pressure Relative density: Not available.Relative density: 0.99Bulk Density (g/cm³): 4.52Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Mot available.Auto-ignition temperature Decomposition temperature: Not available.Viscosity: Insent (40°C (104°F)): >21 mm²/s (>21 cSt)		
Lower and upper explosive (flammable) limits: Not available.Vapour pressure Relative density: Not available.Relative density Bulk Density (g/cm³): 4.52Solubility Partition coefficient: n- octanol/water: Mot applicable.Auto-ignition temperature Decomposition temperature: Not available.	Flash point	: Closed cup: 100°C (212°F)
(flammable) limitsVapour pressure: Not available.Relative density: 0.99Bulk Density (g/cm³): 4.52Solubility: Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water: Mot applicable.Auto-ignition temperature: Not available.Decomposition temperature: Not available.	Flammability (solid, gas)	: Not available.
Relative density:0.99Bulk Density (g/cm³):4.52Solubility:Insoluble in the following materials: cold water.Partition coefficient: n- octanol/water:Mot applicable.Auto-ignition temperature:Not available.Decomposition temperature:Not available.		: Not available.
Bulk Density (g/cm³)       : 4.52         Solubility       : Insoluble in the following materials: cold water.         Partition coefficient: n- octanol/water       : Mot applicable.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.	Vapour pressure	: Not available.
Solubility       : Insoluble in the following materials: cold water.         Partition coefficient: n- octanol/water       : Mot applicable.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.	Relative density	: 0.99
Partition coefficient: n- octanol/water       : Mot applicable.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.	Bulk Density (g/cm³)	: 4.52
octanol/water         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.	Solubility	: Insoluble in the following materials: cold water.
Decomposition temperature : Not available.		: Not applicable.
	Auto-ignition temperature	: Not available.
Viscosity         : <b>K</b> inematic (40°C (104°F)): >21 mm²/s (>21 cSt)	Decomposition temperature	: Not available.
	Viscosity	: <b>K</b> inematic (40°C (104°F)): >21 mm²/s (>21 cSt)

### Section 10. Stability and reactivity

Stability	: The product may not be stable under certain conditions of storage or use.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials strong acids strong alkalis
Hazardous decomposition products Hazardous polymerisation	<ul> <li>Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides</li> <li>Under normal conditions of storage and use, hazardous polymerisation will not occur.</li> </ul>

### Section 11. Toxicological information

### Information on likely routes of exposure

Inhalation	: No known significant effects or critical hazards.
Ingestion	: Harmful if swallowed.
Skin contact	: Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Eye contact	: Causes serious eye damage.
Symptoms related to the p	hysical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: Adverse symptoms may include the following: stomach pains
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur

#### Product name SIGMAGUARD CSF575 CLEAR

### Section 11. Toxicological information

#### Eye contact

: Adverse symptoms may include the following:

- pain watering
- redness

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
♂aminomethyl-	LC50 Inhalation Dusts and mists	Rat	>5.01 mg/l	4 hours
3,5,5-trimethylcyclohexylamine			-	
	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	1030 mg/kg	-
Phenol, methylstyrenated	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>2000 mg/kg	-
benzyl alcohol	LC50 Inhalation Dusts and mists	Rat	>4178 mg/m <sup>3</sup>	4 hours
-	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1.23 g/kg	-
2,4,6-tris	LD50 Dermal	Rabbit	1.28 g/kg	-
(dimethylaminomethyl)				
phenol				
	LD50 Dermal	Rat	1280 mg/kg	-
	LD50 Oral	Rat	1200 mg/kg	-
salicylic acid	LD50 Oral	Rat	0.891 g/kg	-

**Conclusion/Summary** 

: There are no data available on the mixture itself.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
₹,4,6-tris (dimethylaminomethyl) phenol	Skin - Visible necrosis	Rabbit	-	4 hours	7 days

#### **Conclusion/Summary**

Skin : There are no data available on the mixture it
--

- **Eyes** : There are no data available on the mixture itself.
- Respiratory : There are no data available on the mixture itself.

#### **Sensitisation**

•	Route of exposure	Species	Result
<b>3</b> -aminomethyl- 3,5,5-trimethylcyclohexylamine	skin	Guinea pig	Sensitising
2,4,6-tris (dimethylaminomethyl) phenol	skin	Guinea pig	Sensitising

#### **Conclusion/Summary**

Skin

- : There are no data available on the mixture itself.
- Respiratory

#### : There are no data available on the mixture itself.

#### Potential chronic health effects

General

: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

### Section 11. Toxicological information

Skin contact	<ul> <li>Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.</li> </ul>
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Chronic toxicity	
Not available.	
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Mutagenicity	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
<b>Teratogenicity</b>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Not available.	
Aspiration hazard	

#### Aspiration hazard

Not available.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Øral	1575.37 mg/kg
Dermal	1955.06 mg/kg

#### Other information

Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapour/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death.

### Section 12. Ecological information

Ecotoxicity	: This material is harmful to aquatic life with long lasting effects.				
Aquatic and terrestrial toxicity					
Product/ingredient name	Result	Species	Exposure		
2,4,6-tris (dimethylaminomethyl)pheno	Acute LC50 175 mg/l	Fish	96 hours		
salicylic acid	Acute EC50 1147.57 mg/l Fresh water	Daphnia - Daphnia longispina - Neonate	48 hours		
	Chronic NOEC 5.6 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days		

#### Persistence/degradability

Product name SIGMAGUARD CSF575 CLEAR

### Section 12. Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
benzyl alcohol	-	-	Readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
3-aminomethyl- 3,5,5-trimethylcyclohexylamine	0.99	-	low
Phenol, methylstyrenated benzyl alcohol 2,4,6-tris (dimethylaminomethyl)phenol	3.627 0.87 0.219	-	low low low
salicylic acid	2.21 to 2.26	-	low

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

### Other adverse effects

: No known significant effects or critical hazards.

Do not allow to enter drains or watercourses.

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

#### Not suitable:

: Do not allow to enter drains or watercourses.

The classification of the product may meet the criteria for a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

### 14. Transport information

	NZ	IMDG	IATA
UN number	UN3066	UN3066	UN3066
UN proper shipping name	PAINT	PAINT	PAINT
Transport hazard class(es)	8	8	8
I		1	New Zealand Page:

### 14. Transport information

	CORROQUE		
Packing group	II	II	11
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### **Additional information**

# Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

### Section 15. Regulatory information

New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.
HSNO Approval Number	: HSR002658 Corrosive
Emergency Management Regulations	: Level 1: Not applicable.
	Level 2: MSDS required when any amount is present in a workplace.
	Level 3: Emergency Response Plans and Secondary Containment required when 1000L is stored.
	Toxic Signage required when 10000L is present in a workplace.
	Corrosive Signage required when 1000L is present in a workplace.
Approved Handler	: Not applicable.
International regulations	
Chemical Weapon Conver	ntion List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol	
Not listed.	
Stockholm Convention on Not listed.	Persistent Organic Pollutants
Rotterdam Convention on	Prior Informed Consent (PIC)

Product name SIGMAGUARD CSF575 CLEAR

### Section 15. Regulatory information

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

### Section 16. Other information

Date of issue	:	8 November 2021
✓ Indicates information that has changed from previously issued version.		
Key to abbreviations	:	STEL = Short Term Exposure Limit TWA = Time-Weighted Average WES = Work Exposure Standard
References	:	Not available.
Organisation that prepared the SDS	1	EHS
Disclatures		

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.