# **SAFETY DATA SHEET**



Date of issue/Date of revision 22 February 2022

Version 2

# Section 1. Identification of the substance/mixture and of the company/undertaking

**Product code** : 000001103707

Product name : PPG AQUACOVER 45 BASE WHITE.

Other means of : 00146103

identification

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Coating.

Professional applications, Used by spraying.

**Uses advised against**: Product is not intended, labelled or packaged for consumer use.

Supplier's details : PPG Coatings (Thailand) Co., Ltd.

15 Rama 9 Road, Kwaeng Huamark, Khet Bangkapi, Bangkok 10240 Thailand

T: 662-319-4190 #224 F: 662-319-4189

**Emergency telephone** number (with hours of

operation)

: CHEMTREC 001-800-13-203-9987 (CCN 17704)

# Section 2. Hazards identification

Classification of the substance or mixture

: AQUATIC HAZARD (ACUTE) - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the

aquatic environment: 1.4%

**GHS label elements** 

Hazard pictograms



Signal word : No signal word.

**Hazard statements**: Foxic to aquatic life with long lasting effects.

Thailand Page: 1/13

Product code 000001103707 Date of issue 22 February 2022 **Version 2** 

**Product name PPG AQUACOVER 45 BASE WHITE.** 

#### Section 2. Hazards identification

**Precautionary statements** 

: Avoid release to the environment. **Prevention** 

: Collect spillage. Response : Not applicable. **Storage** 

**Disposal** : Dispose of contents and container in accordance with all local, regional, national

and international regulations.

result in classification

Other hazards which do not : Prolonged or repeated contact may dry skin and cause irritation. Contains

isothiazolinones. May cause allergic reaction.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

#### **CAS** number/other identifiers

**CAS** number : Not applicable.

| Ingredient name   | %  | CAS number   |
|---|--|--|
| Sobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol tetraamminezinc(2+) carbonate propylidynetrimethanol ammonia 4,5-dichloro-2-octyl-2H-isothiazol-3-one 3-iodo-2-propynyl butylcarbamate | 1- <3<br>0.1- <0.3<br>0.1- <0.3<br>0.1- <0.3<br><0.1<br><0.1<br><0.1 | 25265-77-4<br>38714-47-5<br>77-99-6<br>1336-21-6<br>64359-81-5<br>55406-53-6<br>556-67-2 |
|   | <0.1   | 13463-41-7   |

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is Inhalation irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by

trained personnel.

: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and Skin contact

water or use recognized skin cleanser. Do NOT use solvents or thinners.

: If swallowed, seek medical advice immediately and show this container or label. Ingestion

Keep person warm and at rest. Do NOT induce vomiting.

**Thailand** Page: 2/13 Product code 000001103707 Date of issue 22 February 2022 **Version 2** 

**Product name PPG AQUACOVER 45 BASE WHITE.** 

#### Section 4. First aid measures

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

**Skin contact** : Defatting to the skin. May cause skin dryness and irritation.

: No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

**Eve contact** : No specific data. Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

> irritation dryness cracking

: No specific data. Ingestion

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water

contaminated with this material must be contained and prevented from being

discharged to any waterway, sewer or drain.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials:

carbon oxides metal oxide/oxides

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without

suitable training.

**Thailand** Page: 3/13

Date of issue 22 February 2022 **Version 2** 

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# Section 5. Fire-fighting measures

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions: Kvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

**Precautions for safe** handling

Fut on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Thailand** Page: 4/13

Date of issue 22 February 2022 **Version 2** 

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# Section 7. Handling and storage

including any incompatibilities

Conditions for safe storage, : Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

None.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

**Environmental exposure** controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye protection Skin protection **Hand protection**  : Safety glasses with side shields.

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Gloves** 

For prolonged or repeated handling, use the following type of gloves:

Recommended: butyl rubber, Viton®, nitrile rubber

**Thailand** Page: 5/13

Date of issue 22 February 2022 Version 2

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# Section 8. Exposure controls/personal protection

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Liquid.
Color : White.
Odor : Amine-like.
Odor threshold : Not available.

pH : 8

**Melting point** : May start to solidify at the following temperature: 0°C (32°F) This is based on data

for the following ingredient: water. Weighted average: -9.3°C (15.3°F)

**Boiling point** : >37.78°C (>100°F)

Flash point : Closed cup: 120°C (248°F)

**Evaporation rate**: Highest known value: 0.02 ((2-methoxymethylethoxy)propanol) Weighted average:

0.02compared with butyl acetate

Flammability (solid, gas)

Lower and upper explosive

(flammable) limits

: Greatest known range: Lower: 1.1% Upper: 14% ((2-methoxymethylethoxy)

propanol

: liquid

Vapor pressure : Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average:

2.75 kPa (20.63 mm Hg) (at 20°C)

Vapor density : Highest known value: 7.5 (Air = 1) (isobutyric acid, monoester with

2,2,4-trimethylpentane-1,3-diol). Weighted average: 5.35 (Air = 1)

Relative density : 1.25

**Solubility** : Partially soluble in the following materials: cold water.

Partition coefficient: n-

octanol/water

: Not applicable.

**Auto-ignition temperature** : 207°C

Decomposition temperature : Stabl

: Stable under recommended storage and handling conditions (see Section 7).

Viscosity : Kinematic (40°C): >21 mm²/s

**Viscosity** : 60 - 100 s (ISO 6mm)

Thailand Page: 6/13

Date of issue 22 February 2022 Version 2

Product code 000001103707

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** 

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** 

: When exposed to high temperatures may produce hazardous decomposition

products.

**Incompatible materials** 

: Keep away from the following materials to prevent strong exothermic reactions:

oxidizing agents, strong alkalis, strong acids.

Hazardous decomposition products

: Depending on conditions, decomposition products may include the following

materials: carbon oxides metal oxide/oxides

# **Section 11. Toxicological information**

#### Information on toxicological effects

#### **Acute toxicity**

| Product/ingredient name  | Result                          | Species | Dose        | Exposure |
|--|---------------------------------|---------|-------------|----------|
| sobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol | LD50 Dermal                     | Rabbit  | >15.2 g/kg  | -        |
|  | LD50 Oral                       | Rat     | 6.5 g/kg    | -        |
| propylidynetrimethanol   | LD50 Dermal                     | Rabbit  | 10 g/kg     | -        |
|  | LD50 Oral                       | Rat     | 14000 mg/kg | -        |
| ammonia  | LD50 Oral                       | Rat     | 350 mg/kg   | -        |
| 4,5-dichloro-2-octyl-2H-isothiazol-<br>3-one                   | LC50 Inhalation Dusts and mists | Rat     | 0.16 mg/l   | 4 hours  |
|  | LD50 Dermal                     | Rabbit  | 3.9 g/kg    | -        |
|  | LD50 Oral                       | Rat     | 567 mg/kg   | -        |
| 3-iodo-2-propynyl butylcarbamate                               | LC50 Inhalation Dusts and mists | Rat     | 0.67 mg/l   | 4 hours  |
|  | LD50 Dermal                     | Rabbit  | >2 g/kg     | -        |
|  | LD50 Oral                       | Rat     | 1470 mg/kg  | -        |
| octamethylcyclotetrasiloxane                                   | LC50 Inhalation Vapor           | Rat     | 36 g/m³     | 4 hours  |
|  | LD50 Oral                       | Rat     | >4800 mg/kg | -        |
| pyrithione zinc  | LC50 Inhalation Dusts and mists | Rat     | 0.14 mg/l   | 4 hours  |
|  | LD50 Dermal                     | Rabbit  | >2 g/kg     | -        |
|  | LD50 Oral                       | Rat     | 177 mg/kg   | -        |

#### **Conclusion/Summary**

: There are no data available on the mixture itself.

#### **Irritation/Corrosion**

| Product/ingredient name                  | Result                 | Species | Score | Exposure | Observation |
|--|------------------------|---------|-------|----------|-------------|
| <b>3</b> -iodo-2-propynyl butylcarbamate | Eyes - Severe irritant | Rabbit  | -     | -        | -           |
| pyrithione zinc                          | Eyes - Cornea opacity  | Rabbit  | 4     | 24 hours | 24 hours    |

#### **Conclusion/Summary**

| Thailand Pa |
|-------------|
|-------------|

Product code 000001103707 Date of issue 22 February 2022 **Version 2** 

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# Section 11. Toxicological information

Skin : There are no data available on the mixture itself. There are no data available on the mixture itself. **Eyes** Respiratory : There are no data available on the mixture itself.

**Sensitization** 

**Conclusion/Summary** 

Skin : There are no data available on the mixture itself. : There are no data available on the mixture itself. Respiratory

**Mutagenicity** 

**Conclusion/Summary** : There are no data available on the mixture itself.

**Carcinogenicity** 

**Conclusion/Summary** : There are no data available on the mixture itself.

Reproductive toxicity

**Conclusion/Summary** : There are no data available on the mixture itself.

**Teratogenicity** 

**Conclusion/Summary** : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

| Name  | 3 3 3                    | Route of exposure | Target organs   |
|---|--------------------------|-------------------|---|
| mmonia 4,5-dichloro-2-octyl-2H-isothiazol-3-one | Category 3<br>Category 3 |                   | Respiratory tract irritation Respiratory tract irritation |

#### Specific target organ toxicity (repeated exposure)

| Name | 3.3                      | Route of exposure | Target organs |
|------|--------------------------|-------------------|---------------|
|      | Category 1<br>Category 1 | -                 | trachea<br>-  |

#### **Aspiration hazard**

Not available.

Information on the likely

routes of exposure

: Not available.

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards.

Skin contact : Defatting to the skin. May cause skin dryness and irritation.

Ingestion : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

: No specific data. Eye contact Inhalation : No specific data.

**Thailand** Page: 8/13

Date of issue 22 February 2022 Version 2

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# **Section 11. Toxicological information**

**Skin contact**: Adverse symptoms may include the following:

irritation dryness cracking

**Ingestion** : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

**Potential immediate** 

effects

: Not available.

Potential delayed effects

: Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/

or dermatitis.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Not available.

#### Other information

Prolonged or repeated contact may dry skin and cause irritation. Sanding and grinding dusts may be harmful if inhaled. Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapor/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death. Contains isothiazolinones. May cause allergic reaction. Avoid contact with skin and clothing.

# Section 12. Ecological information

#### **Toxicity**

Thailand Page: 9/13

Product code 000001103707 Date of issue 22 February 2022 Version 2

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# **Section 12. Ecological information**

| Product/ingredient name  | Result   | Species  | Exposure                                    |
|--|--|--|---|
| sobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol | Acute LC50 33 mg/l   | Fish   | 96 hours                                    |
| propylidynetrimethanol   | Acute LC50 >1000 mg/l  | Fish   | 96 hours                                    |
| 4,5-dichloro-2-octyl-2H-isothiazol-3-one                       | Acute EC50 267.368 µg/l Marine water   | Algae - Nitzschia pungens  | 96 hours                                    |
|  | Acute LC50 0.318 mg/l Marine water   | Crustaceans - Artemia sp.  | 48 hours                                    |
|  | Acute LC50 0.0027 mg/l Fresh water   | Fish   | 96 hours                                    |
|  | Chronic NOEC 19.789 μg/l Marine water  | Algae - Nitzschia pungens  | 96 hours                                    |
|  | Chronic NOEC 0.00056 mg/l Fresh water  | Fish   | 97 days                                     |
| 3-iodo-2-propynyl butylcarbamate                               | Acute EC50 0.186 mg/l Fresh water  | Daphnia - Daphnia magna  | 48 hours                                    |
|  | Acute LC50 0.067 mg/l  | Fish   | 96 hours                                    |
|  | Chronic NOEC 0.049 mg/l  | Fish   | 96 hours                                    |
| pyrithione zinc  | Acute EC50 5.513 µg/l Marine water<br>Acute LC50 0.0082 mg/l<br>Chronic NOEC 1.889 µg/l Marine water<br>Chronic NOEC 0.0027 mg/l | Algae - Nitzschia pungens<br>Daphnia<br>Algae - Nitzschia pungens<br>Daphnia | 96 hours<br>48 hours<br>96 hours<br>21 days |

Conclusion/Summary

: There are no data available on the mixture itself.

#### Persistence/degradability

| Product/ingredient name                                | Test      | Result                    | Dose | Inoculum |
|--|-----------|---------------------------|------|----------|
| sobutyric acid, monoester with 2,2,4-trimethylpentane- | OECD 301B | >76 % - Readily - 28 days | -    | -        |
| 1,3-diol<br>3-iodo-2-propynyl<br>butylcarbamate        | -         | 25 % - Inherent - 28 days | -    | -        |
| pyrithione zinc  | -         | 39 % - 28 days            | -    | -        |

**Conclusion/Summary**: There are no data available on the mixture itself.

| Product/ingredient name                         | Aquatic half-life | Photolysis       | Biodegradability |
|---|-------------------|------------------|------------------|
| with 2,2,4-trimethylpentane-                    | -                 | -                | Readily          |
| 1,3-diol<br>3-iodo-2-propynyl<br>butylcarbamate | -                 | -                | Inherent         |
| pyrithione zinc                                 | -                 | 50%; < 28 day(s) | Not readily      |

#### **Bioaccumulative potential**

Thailand Page: 10/13

Product code 000001103707 Date of issue 22 February 2022 Version 2

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# Section 12. Ecological information

| Product/ingredient name                                | LogPow | BCF | Potential | i |
|--|--------|-----|-----------|---|
| sobutyric acid, monoester with 2,2,4-trimethylpentane- | 3.2    | -   | low       | ì |
| 1,3-diol   |        |     |           |   |
| propylidynetrimethanol                                 | -0.47  | -   | low       |   |
| octamethylcyclotetrasiloxane                           | 6.488  | -   | high      |   |
| pyrithione zinc  | 0.9    | 0.9 | low       |   |

**Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

|                             | UN  | IMDG  | IATA  |
|-----------------------------|---|---|---|
| UN number                   | VN3082  | VN3082  | VN3082  |
| UN proper shipping name     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
|                             | (tetraamminezinc(2+) carbonate)                     | (tetraamminezinc(2+) carbonate)                     | (tetraamminezinc(2+) carbonate)                     |
| Transport hazard class(es)  | 9   | 9   | 9   |
| Packing group               | <b></b> Ⅲ   | <b>✓</b> III  | <b></b> Ⅲ   |
| Environmental hazards       | Yes.  | Yes.  | Yes.  |
| Marine pollutant substances | Not applicable.                                     | (tetraamminezinc(2+) carbonate)                     | Not applicable.                                     |

#### **Additional information**

Thailand Page: 11/13

Date of issue 22 February 2022 **Version 2** 

**Product name PPG AQUACOVER 45 BASE WHITE.** 

# **Section 14. Transport information**

UN

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

**IMDG** 

This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

**IATA** 

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according: Not applicable.

to IMO instruments

# Section 15. Regulatory information

**Harmful Chemicals List** 

Safety, health and environmental regulations specific for the product

: Listed

: No known specific national and/or regional regulations applicable to this product (including its ingredients).

#### **International regulations**

#### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

### Section 16. Other information

**History** 

Date of issue/Date of

revision

: 22 February 2022

**Date of previous issue** 2/26/2021

**Version** : 2 **Prepared by** : EHS

Key to abbreviations : ADN = European Provisions concerning the International Carriage of Dangerous

Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

**Thailand** Page: 12/13 Product code 000001103707 Date of issue 22 February 2022 Version 2

**Product name PPG AQUACOVER 45 BASE WHITE.** 

#### **Section 16. Other information**

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
RID = The Regulations concerning the International Carriage of Dangerous Goods
by Rail
UN = United Nations

**✓** Indicates information that has changed from previously issued version.

#### **Notice to reader**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

Thailand Page: 13/13