Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SAFETY DATA SHEET

Date of issue/Date of revision

: 7 June 2022

Version : 1.01



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

: SIGMAZINC 158/SIGMAGUARD 750 PIGMENT
: 00444811
: Powder.
ion
s of the substance or mixture and uses advised against
: Professional applications.
: Coating.
: Product is not intended, labelled or packaged for consumer use.
f the safety data sheet d.

e-mail address of person : ndpic@sfda.gov.sa responsible for this SDS

1.4 Emergency telephone : 00966 138473100 extn 1001 number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
Aquatic Acute 1, H400 Aquatic Chronic 1, H410
The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended
See Section 16 for the full text of the H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



Signal word Hazard statements

- : Warning
- : Very toxic to aquatic life with long lasting effects.

Conforms to Regulation (EC)	No. 1907/2006 (REACH)), Annex II	
Code : 00444811		Date of issue/Date of revision	: 7 June 2022
SIGMAZINC 158/SIGMAGUAF	RD 750 PIGMENT		
SECTION 2: Hazards	identification		
Precautionary statements			
Prevention	: Avoid release to the	environment.	
Response	: Collect spillage.		
Storage	: Not applicable.		
Disposal	: Dispose of contents a international regulation	and container in accordance with all local ons.	, regional, national and
Hazardous ingredients	: Not applicable.		
Supplemental label elements	: Not applicable.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.		
Special packaging requiren	<u>ients</u>		
Containers to be fitted with child-resistant fastenings	: Not applicable.		
Tactile warning of danger	: Not applicable.		
2.3 Other hazards			
Product meets the criteria for PBT or vPvB	: This mixture does no	t contain any substances that are assess	ed to be a PBT or a vPvB.
Other hazards which do not result in classification		dust-air mixture if dispersed. Handling ai te a dust which can cause mechanical irri	

SECTION 3: Composition/information on ingredients

3.2 Mixtures :	Mixture			
Product/ingredient name	Identifiers	% by weight	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
nc powder zinc dust (stabilised)	REACH #: 01-2119467174-37 EC: 231-175-3 CAS: 7440-66-6 Index: 030-001-01-9	≥90	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1]
zinc oxide	REACH #: 01-2119463881-32 EC: 215-222-5 CAS: 1314-13-2 Index: 030-013-00-7	≤1.0	Àquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1] [2]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II			
Code : 0044481		Date of issue/Date of revision	: 7 June 2022
SIGMAZINC 158/SIGMAGUARD 750 PIGMENT			
SECTION 3: Composition/information on ingredients			
[1] Substance classified v	ith a health or environmental	hazard	
[2] Substance with a work	place exposure limit		
[3] Substance meets the	riteria for PBT according to R	egulation (EC) No. 1907/2006, Annex XIII	
[4] Substance meets the	riteria for vPvB according to F	Regulation (EC) No. 1907/2006, Annex XII	I
[E] Substance of equivalent concern			

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid n	neasures
Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	effects
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/s</u>	<u>ymptoms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any imm	nediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 00444811	Date of issue/Date of revision : 7 June 2022
SIGMAZINC 158/SIGMAGUAF	RD 750 PIGMENT
SECTION 5: Firefight	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use dry chemical powder.
Unsuitable extinguishing media	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: May form explosible dust-air mixture if dispersed. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

erri ereenan preesaanene, pre		ouro oquipinont una onioi gonoj procedurec
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Code : 00444811 SIGMAZINC 158/SIGMAGUARD 750 PIGMENT Date of issue/Date of revision

: 7 June 2022

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid release to the environment. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.0 On a sift a surplus $r(s)$	

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values ACGIH TLV (United States, 1/2021). STEL: 10 mg/m³ 15 minutes. Form: Respirable fraction TWA: 2 mg/m³ 8 hours. Form: Respirable fraction		
<mark>z∕</mark> nc oxide			
procedures atmosphere or the ventilation of protective equip following: Euro assessment of	contains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effective or other control measures and/or the necessity to use respirate opeant. Reference should be made to monitoring standards, su opean Standard EN 689 (Workplace atmospheres - Guidance f exposure by inhalation to chemical agents for comparison with asurement strategy) European Standard EN 14042 (Workplace		fectiveness of biratory ds, such as the nce for the n with limit
	English (GB)	United Arab Emirates	5/12

) NO	. 1907/2006 (REACH), Annex II
Code : 00444811		Date of issue/Date of revision : 7 June 2022
SIGMAZINC 158/SIGMAGUA	RD	750 PIGMENT
SECTION 8: Exposu	re	controls/personal protection
		atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
8.2 Exposure controls		
Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Individual protection measu	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection <u>Skin protection</u>	:	Safety glasses with side shields.
Hand protection		Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Gloves	:	nitrile rubber, butyl rubber, PVC, Viton®
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Solid.
Product type	: Powder.
Colour	: Various
Odour	: Characteristic.
Odour threshold	: Not available.
рН	: insoluble in water.
Melting point/freezing point	: Not available.
Initial boiling point and	: Not available.
boiling range	
Flash point	: Closed cup: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Minimum explosive	: 10 g/m³
concentration (MEC)	
Vapour pressure	: Not available.
Relative density	: 7.14
Solubility(ies)	: Insoluble in the following materials: cold water.
Partition coefficient: n-octanol/ water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Stable under recommended storage and handling conditions (see Section 7).
Viscosity	: Kinematic (40°C): Not applicable.
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: Product does not present an oxidizing hazard.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

	English (GB) United Arab Emirates 7/12		
10.6 Hazardous decomposition products	: Evolves hydrogen on contact with water. Depending on conditions, decomposition products may include the following materials: metal oxide/oxides		
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.		
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.		
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.		
10.2 Chemical stability	: The product is stable.		
10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.		

Date of issue/Date of revision

: 7 June 2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

SIGMAZINC 158/SIGMAGUARD 750 PIGMENT

Acute toxicity

Product/ingredient	t name	Result	Species	Dose	Exposure
Znc powder - zinc dust (sta	bilized)	LC50 Inhalation Dusts and mists	Rat	>5.4 mg/l	4 hours
zinc oxide		LD50 Oral LC50 Inhalation Dusts and mists	Rat Rat	>2000 mg/kg >5700 mg/m³	- 4 hours
		LD50 Dermal LD50 Oral	Rat Rat	>2000 mg/kg >5000 mg/kg	-
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
Acute toxicity estimates Not available.					
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are r	no data available on the mixture	itself.		
Eyes	: There are r	no data available on the mixture	itself.		
Respiratory	: There are r	no data available on the mixture	itself.		
Sensitisation					
Conclusion/Summary					
Skin		no data available on the mixture			
Respiratory	: There are	no data available on the mixture	e itself.		
<u>Mutagenicity</u>					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
Carcinogenicity					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
Reproductive toxicity					
Conclusion/Summary	: There are	no data available on the mixture	e itself.		
<u>Teratogenicity</u>					
Conclusion/Summary		no data available on the mixture	e itself.		
Specific target organ toxic	<u>ity (single expo</u>	<u>osure)</u>			
Not available.					
Specific target organ toxic	tity (repeated ex	<u>xposure)</u>			
Not available.					
Aspiration hazard					
Not available.					
Information on likely routes of exposure	: Not availat	ble.			
Potential acute health effe	<u>cts</u>				
Inhalation		o airborne concentrations abov riritation of the nose, throat an		recommended ex	posure limits
Ingestion	: No known	significant effects or critical haz	zards.		
Skin contact	: No known	significant effects or critical haz	zards.		
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.				
Symptoms related to the p	hvsical. chemi	cal and toxicological character	eristics		

English (GB) United Arab Emirates

	lo. 1907/2006 (REACH), Annex					
Code : 00444811		te of issue/Date of revision	: 7 June 2022			
SIGMAZINC 158/SIGMAGUARD 750 PIGMENT						
SECTION 11: Toxicol	ogical information					
Inhalation	: Adverse symptoms may inclu respiratory tract irritation coughing	de the following:				
Ingestion	: No specific data.					
Skin contact	: No specific data.					
Eye contact	: Adverse symptoms may inclu irritation redness	de the following:				
Delayed and immediate effe	ts as well as chronic effects fr	om short and long-term expos	ure			
Short term exposure						
Potential immediate effects	: Not available.					
Potential delayed effects	: Not available.					
Long term exposure						
Potential immediate effects	: Not available.					
Potential delayed effects	: Not available.					
Potential chronic health effe	<u>cts</u>					
Not available.						
Conclusion/Summary	: Not available.					
General	: Repeated or prolonged inhala	tion of dust may lead to chronic r	espiratory irritation.			
Carcinogenicity	: No known significant effects of	or critical hazards.				
Mutagenicity	: No known significant effects of	or critical hazards.				
Reproductive toxicity	: No known significant effects of	r critical hazards.				
Other information	: Not available.					

Sanding and grinding dusts may be harmful if inhaled.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Zinc powder - zinc dust (stabilized)	Acute EC50 0.106 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Chronic NOEC 0.0727 mg/l Fresh water	Daphnia - Daphnia Magna	21 days
zinc oxide	Acute EC50 0.17 mg/l Acute EC50 0.481 mg/l Fresh water	Algae Daphnia - Daphnia magna - Neonate	72 hours 48 hours
	Chronic NOEC 0.017 mg/l Fresh water	Algae	72 hours

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

SECTION 12: Ecological information

Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Waste designation		
08 02 01	waste coating powders		
Packaging			
Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Was			

packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)		
Container	15 01 06 mixed packaging		
Special precautions	taken when ł Empty contai	I and its container must be disposed of in a safe way. Care should be nandling emptied containers that have not been cleaned or rinsed out. iners or liners may retain some product residues. Avoid dispersal of spilt runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

	ADR/RID	IMDG	IATA		
14.1 UN number	UN3077	UN3077	UN3077		
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Zinc powder - zinc dust (stabilized))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
14.3 Transport hazard class(es)	9	9	9		
14.4 Packing group		111			
	English (GB) United Arab Emirates 10/12				

Conforms to Re	egulatior	n (EC) No. 1907/2006 (F	REACH), Annex II					
	0044481			Date of issue/Date of revision: 7 June 2022				
SIGMAZINC 158/SIGMAGUARD 750 PIGMENT								
SECTION 14: Transport information								
14.5 Environm hazards	ental	Yes.	Yes.	Yes.				
Marine polluta substances	nt	Not applicable.	Inc powder - zinc dust (stabilized))	Not applicable.				
Additional info	rmation							
ADR/RID		his product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, rovided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.						
IMDG	pro	product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, vided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. The regation group has been manually assigned based upon product analysis.						
ΙΑΤΑ		s product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, vided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.						
14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.								
14.7 Transport according to IN instruments		: Not applicable	e.					
SECTION 15: Regulatory information								
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture								

|--|

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market

and use of certain

dangerous substances,

mixtures and articles

Other national and international regulations.

Ozone depleting substances (1005/2009/EU)

Not listed.

15.2 Chemical safety : No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Indicates information that	has changed from previously issued version.
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II								
Code : 00444811		Date of issue/Date of revision	: 7 June 2022					
SIGMAZINC 158/SIGMAGUARD 750 PIGMENT								
SECTION 16: Other information								
Full text of abbreviated H statements	: H400 Very toxic to a H410 Very toxic to a	quatic life. quatic life with long lasting effects.						
Full text of classifications [CLP/GHS]	: Aquatic Acute 1 Aquatic Chronic 1	SHORT-TERM (ACUTE) AQUAT LONG-TERM (CHRONIC) AQUA						
<u>History</u>								
Date of issue/ Date of revision	: 7 June 2022							
Date of previous issue	: 18 August 2021							
Prepared by	: EHS							
Version	: 1.01							
<u>Disclaimer</u>								

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.