Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SAFETY DATA SHEET

Date of issue/Date of revision

: 19 September 2022 Version : 3



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier		
Product name	:	AMERCOAT 114A CURE
Product code	1	00333880
Product type	:	Liquid.
Other means of identification	on	
Not available.		
1.2 Relevant identified uses of	of t	he substance or mixture and uses advised against
Product use	:	Industrial applications, Used by spraying.
Use of the substance/ mixture	1	Coating.
Uses advised against	4	Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier of	the	safety data sheet
Sigma Paint Saudi Arabia Ltd. PO Box 7509 Dammam 31472 Saudi Arabia Tel: 00966 138 47 31 00 Fax: 00966 138 47 17 34		
e-mail address of person responsible for this SDS	:	ndpic@sfda.gov.sa

1.4 Emergency telephone : 00966 138473100 extn 1001 number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Conforms to			Dete of increase (Dete of residence of the ACO of the A
Code	: 00333880		Date of issue/Date of revision: 19 September2022
AMERCOAT	114A CURE		
SECTIO	N 2: Hazards	s id	entification
Hazard pic	tograms	:	
Signal wo	rd	:	Danger
Hazard sta		:	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.
Precaution	nary statements		
Preventio	on		Wear protective gloves, protective clothing and eye or face protection. Do not breathe vapour.
Respons	e	-	IF INHALED: Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
Storage		:	Not applicable.
Disposal		:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous	s ingredients	:	crystalline silica, respirable powder (<10 microns) 2-Propenenitrile, reaction products with 2,2,4(or 2,4,4)-trimethyl-1,6-hexanediamine 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide)
Suppleme elements	ntal label	:	Not applicable.
on the ma placing on use of cer	I - Restrictions nufacture, the market and tain dangerous s, mixtures and	:	Not applicable.
Special pa	ckaging require	nent	t <u>s</u>
Container with child fastening		:	Not applicable.
Tactile wa	arning of danger	:	Not applicable.
2.3 Other ha	azards		
Product me for PBT or	eets the criteria vPvB	:	This mixture does not contain any substances that are assessed to be a PBT or a vPv
	rds which do n classification	:	Causes digestive tract burns. Contains a substance that may emit formaldehyde if stored beyond its shelf life and/or during cure at curing temperatures greater than 60C/140F.

Conform	Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II					
Code	: 00333880	Date of issue/Date of revision	: 19 September 2022			
AMERCO	DAT 114A CURE					
SECT	SECTION 3: Composition/information on ingredients					

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
crystalline silica, respirable powder (<10 microns)	EC: 238-878-4 CAS: 14808-60-7	≥25 - ≤50	STOT RE 1, H372 (inhalation)	-	[1] [2]
2-Propenenitrile, reaction products with 2,2,4(or 2,4,4) -trimethyl- 1,6-hexanediamine	EC: 292-059-6 CAS: 90530-20-4	≥25 - ≤50	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	ATE [Oral] = 500 mg/ kg	[1]
Formaldehyde, polymer with 1,3-dimethylbenzene	CAS: 26139-75-3	≥5.0 - ≤10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	-	[1]
2,2,4(or 2,4,4)- trimethylhexane- 1,6-diamine	REACH #: 01-2119560598-25 EC: 247-063-2 CAS: 25513-64-8	≥5.0 - ≤10	Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317	ATE [Oral] = 910 mg/ kg	[1]
N,N'-ethane-1,2-diylbis (12-hydroxyoctadecan- 1-amide)	REACH #: 01-2119978265-26 EC: 204-613-6 CAS: 123-26-2	<1.0	Skin Sens. 1B, H317 Aquatic Chronic 3, H412	-	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention. Inhalation : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water Skin contact or use recognised skin cleanser. Do NOT use solvents or thinners. : If swallowed, seek medical advice immediately and show the container or label. Keep Ingestion person warm and at rest. Do NOT induce vomiting. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. 3/14

English (GB) **United Arab Emirates** AMERCOAT 114A CURE

Code

SECTION 4: First aid measures

: 00333880

Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes severe burns. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed. Corrosive to the digestive tract. Causes burns.
Over-exposure signs/	/symptoms
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides Formaldehyde.
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

English (GB) **United Arab Emirates** Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II Date of issue/Date of revision

AMERCOAT 114A CURE

Code

: 00333880

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

: 19 September 2022

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code : 00333880	Date of issue/Date of revision: 19 September 2022			
AMERCOAT 114A CURE				
SECTION 7: Hand	ling and storage			
7.2 Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.			
7.3 Specific end use(s) See Section 1.2 for Identifi	ed uses.			
Recommendations	: Not available.			

Recommendations	i Not available.
Industrial sector specific solutions	: Not available.
Solutions	

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8

Product/ingredie	nt name		Exposure limit values	
crystalline silica, respirable powder (<10 microns) N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan- 1-amide)		ACGIH TLV (United States, 1/2021). [Silica, crystalline] TWA: 0.025 mg/m ³ 8 hours. Form: Respirable ACGIH TLV (United States). TWA: 3 mg/m ³ Form: Respirable TWA: 10 mg/m ³ Form: Total dust		
Recommended monitoring procedures	atmosphere or b the ventilation or protective equipr following: Europ assessment of e values and meas atmospheres - G exposure to cher atmospheres - G measurement of	iological monitoring other control measu ment. Reference sho ean Standard EN 68 exposure by inhalatio surement strategy) E Guide for the applicat mical and biological General requirements chemical agents) R	th exposure limits, personal, workpla- may be required to determine the efferences and/or the necessity to use respin- buld be made to monitoring standards 9 (Workplace atmospheres - Guidan- n to chemical agents for comparison European Standard EN 14042 (Workp on and use of procedures for the ass agents) European Standard EN 482 for the performance of procedures for eference to national guidance docum ardous substances will also be require	ectiveness of ratory s, such as the ce for the with limit blace sessment of (Workplace or the nents for
8.2 Exposure controls				
Appropriate engineering controls	local exhaust ve	ntilation or other eng	es, gas, vapour or mist, use process ineering controls to keep worker expo ommended or statutory limits.	
Individual protection measu				
Hygiene measures	eating, smoking Appropriate tech Contaminated w contaminated clo	and using the lavato niques should be us ork clothing should r	oughly after handling chemical produ ry and at the end of the working perio ed to remove potentially contaminate ot be allowed out of the workplace. V . Ensure that eyewash stations and s location.	od. d clothing. Wash
Eye/face protection Skin protection	: Chemical splash	l goggles and face sl	nield.	
		English (GB)	United Arab Emirates	6/14

Code	: 00333880	Date of issue/Date of revision : 19 Septem 2022	ıber
AMERCOA	T 114A CURE	2022	
SECTIO	N 8: Exposu	controls/personal protection	
	otection	Chemical-resistant, impervious gloves complying with an approved standard showorn at all times when handling chemical products if a risk assessment indicates necessary. Considering the parameters specified by the glove manufacturer, che during use that the gloves are still retaining their protective properties. It should noted that the time to breakthrough for any glove material may be different for di glove manufacturers. In the case of mixtures, consisting of several substances, protection time of the gloves cannot be accurately estimated. When prolonged of frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough time greater than 30 minutes according to EN 374) is recomment (breakthrough tim	es this is heck I be lifferent , the or nded. er ded. this
Gloves		nitrile neoprene	
Body pr	otection	Personal protective equipment for the body should be selected based on the tas performed and the risks involved and should be approved by a specialist before handling this product.	
Other sk	kin protection	Appropriate footwear and any additional skin protection measures should be sel based on the task being performed and the risks involved and should be approv specialist before handling this product.	
Respirato	ory protection	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If ware exposed to concentrations above the exposure limit, they must use appropri certified respirators. Use a properly fitted, air-purifying or air-fed respirator comparish an approved standard if a risk assessment indicates this is necessary.	workers iate,
Environm controls	nental exposure	Emissions from ventilation or work process equipment should be checked to en- they comply with the requirements of environmental protection legislation. In so cases, fume scrubbers, filters or engineering modifications to the process equip will be necessary to reduce emissions to acceptable levels.	ome
SECTIO	N 9: Physica	Ind chemical properties	
The conditio	ons of measureme	f all properties are at standard temperature and pressure unless otherwise indica	ated.
9.1 Informa	ition on basic phy	al and chemical properties	
<u>Appearan</u>			
Physical	etato		

Physical state	: Liquid.			
Colour	: Off-white.			
Odour	: Characteristic.			
Odour threshold	: Not available.			
Melting point/freezing point	: Not available.			
Initial boiling point and boiling range	: >37.78°C			
Flammability (solid, gas)	: liquid			
Upper/lower flammability or explosive limits	: Not available.			
Auto-ignition temperature	: Ingredient name	°C	°F	Method
	Ethene, homopolymer	330 to 410	626 to 770	
Decomposition temperature pH	Stable under recommended sNot available.	torage and ha	andling conditi	ons (see Section 7).
Viscosity	: Kinematic (40°C): >21 mm ² /s			
Solubility(ies)	:			
	English (GB) United	Arab Emirate	es 7/14

ode : 00333880			Date of	issue/l	Date of revision	on	: 19 S 2022	eptember
MERCOAT 114A CURE								
ECTION 9: Physical	and	c benical pro	perties					
Media		Result						
cold water		Soluble						
Water Solubility at room emperature	:	0 g/l						
Partition coefficient: n-octar vater	nol/ :	Not applicable.						
/apour pressure	:	Ingredient name	Vapour Pressure at 20°C		Vapour pressure at 50°C			
			mm Hg	kPa	Method	mm Hg	kPa	Method
		2,2,4(or 2,4,4)- trimethylhexane- 1,6-diamine	0.03	0.004	OECD 104			
Evaporation rate	:	Not available.			·		·	
Relative density	:	1.38						
Explosive properties	:	Product does not pr	esent an e	xplosio	n hazard.			
		Product does not pr	esent an c	xidizing	hazard.			
Dxidising properties		•						
Dxidising properties article characteristics								

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides Formaldehyde. metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine N,N'-ethane-1,2-diylbis (12-hydroxyoctadecan-1-amide)	LC50 Inhalation Dusts and mists LD50 Dermal	Rat Rat Rat	910 mg/kg >5.11 mg/l >2000 mg/kg	- 4 hours -
	LD50 Dermai	Rat	>2000 mg/kg >2000 mg/kg	-

English (GB) United Arab Emirates

Conforms to Regulation (E	C) No. 1907/200	06 (REACH), /	Annex II					
Code : 00333880			Date of	issue/I	Date of revis	sion	: 19 S 2022	eptember 2
AMERCOAT 114A CURE								
SECTION 11: Toxic	ological in	formatior	ו					
Conclusion/Summary	: There are	e no data avail	able on the	mixture	e itself.			
Irritation/Corrosion		1		1				
Product/ingredier		Res		· ·	cies Score	e Ex	posure	Observation
2,2,4(or 2,4,4)-trimethylhe 1,6-diamine	xane-	Skin - Prima irritation inde		Rabbi	it 8	-		-
Conclusion/Summary								
Skin		no data availa						
Eyes Beenireten/		no data availa no data availa						
Respiratory Sensitisation	: There are	no data avalla	adie on the r	nixture	e ilsell.			
	redient name		Route	of	Snd	cies		Result
Froducting			expos		She	CIE5		Result
2,2,4(or 2,4,4)-trimethylhe	xane-1,6-diamin	е	skin		Guinea pig		Sensiti	sing
Conclusion/Summary			1				1	
Skin	: There are	e no data avail	able on the	mixture	e itself.			
Respiratory	: There are	e no data avail	able on the	mixture	e itself.			
Mutagenicity								
Conclusion/Summary	: There are	e no data avail	able on the	mixture	e itself.			
Carcinogenicity								
Conclusion/Summary	: There are	e no data avail	able on the	mixture	e itself.			
<u>Reproductive toxicity</u> Conclusion/Summary	• Thoro are	e no data avail	able on the	mixture	o itcolf			
Teratogenicity	. There are	no uala avaii		mixture				
Conclusion/Summary	: There are	no data avail	able on the	mixture	e itself.			
Specific target organ tox								
Product/i	ngredient name)	Cate	gory	Route o exposu		Targe	t organs
Formaldehyde, polymer w	ith 1,3-dimethylb	enzene	Categ	ory 3	-	R	espiratory	tract irritation
Specific target organ tox	icity (repeated e	exposure)				ł		
Product/i	ngredient name)	Cate	gory	Route exposi		Targe	t organs
Quartz (SiO2)			Categ	ory 1	inhalation	-		
Aspiration hazard			I			I		
Not available.								
Information on likely routes of exposure	: Not availa	able.						
Potential acute health eff	ects							
Inhalation	: No knowr	n significant ef	fects or criti	cal haz	zards.			
Ingestion	: Harmful if	swallowed.	Corrosive to	the dig	gestive tract.	Causes	burns.	
Skin contact	: Causes s	evere burns.	May cause	an allei	rgic skin rea	ction.		
Eye contact		erious eye dai	-					
Symptoms related to the			<u>cological cl</u>	haracte	<u>eristics</u>			
Inhalation	: No specif	ic data.						

Conforms to Regulation (C) No. 1907/2006 (REACH), Annex II
Code : 00333880	Date of issue/Date of revision: 19 September2022
AMERCOAT 114A CURE	
SECTION 11: Toxi	ological information
Ingestion	: Adverse symptoms may include the following: stomach pains
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Eye contact	: Adverse symptoms may include the following: pain watering redness
Delayed and immediate	ffects as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effe	ts : Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effe	ts : Not available.
Potential chronic health	effects
Not available.	
Conclusion/Summary	: Not available.
General	: Causes damage to organs through prolonged or repeated exposure. Once sensitized, severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.
Causes digestive tract bu	ns. Sanding and grinding dusts may be harmful if inhaled. Contains a substance that may emit

formaldehyde if stored beyond its shelf life and/or during cure at curing temperatures greater than 60C/140F.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	NOEC 16 mg/l	Algae - pseudokirchneriella subcapitata	72 hours
	Acute EC50 29.5 mg/l	Algae - Scenedesmus subspicatus	72 hours
N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan- 1-amide)	Acute EC50 29 to 43 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 94 mg/l	Daphnia - Daphnia magna	48 hours

English (GB)

United Arab Emirates

10/14

Conform	Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II								
Code	: 00333880	Date of issue/Date of revision	: 19 September 2022						
AMERC	OAT 114A CURE								
SECT	ION 12: Ecological info	rmation							

Conclusion/Summary

: There are no data available on the mixture itself.

12.2 Persistence and degradability

Product/ingredient name	Test	Result	I	Dose	Inoculum	
N,N'-ethane-1,2-diylbis (12-hydroxyoctadecan- 1-amide)	-	63 % - 28 days	-		-	
Conclusion/Summary : There are no data available on the mixture itself.						
Product/ingredient name		Aquatic half-life	Photoly	/sis E	Biodegradability	

		=	
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	-	-	Not readily
N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-	-	-	Readily
1-amide)			

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan- 1-amide)	-0.3 >6	-	low high

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product			
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.		
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.		
European waste catalogue (EWC)			

Code : 00333880	Date of issue/Date of revision: 19 September2022		
MERCOAT 114A CURE			
SECTION 13: Disp	osal considerations		
Waste code	Waste designation		
08 01 99	wastes not otherwise specified		
Packaging			
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered where		

Type of packaging	European waste catalogue (EWC)		
Container	15 01 06	mixed packaging	
Special precautions	 This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. 		

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	W N1760	I N1760	₩ N1760
14.2 UN proper shipping name	CORROSIVE LIQUID, N.O.S. C-Propenenitrile, reaction products with 2,2,4(or 2,4,4)- trimethyl-1,6-hexanediamine, 2,2,4(or 2,4,4)- trimethylhexane-1,6-diamine)	ORROSIVE LIQUID, N.O.S.	ORROSIVE LIQUID, N.O.S.
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	III	W	M
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID: None identified.IMDG: None identified.IATA: None identified.

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not applicable.according to IMOinstruments

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code : 00333880	Date of issue/Date of revision	: 19 September 2022		
AMERCOAT 114A CURE				
SECTION 15: Regulatory informa	tion			
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
EU Regulation (EC) No. 1907/2006 (REACH)				
Annex XIV - List of substances subject to authorisation				
Annex XIV				
None of the components are listed.				
Substances of very high concern				
None of the components are listed.				
Annex XVII - Restrictions : Not applicable				
on the manufacture,				
placing on the market and use of certain				
dangerous substances,				
mixtures and articles				
Other national and international regulations.				
Ozone depleting substances (1005/2009/EU)	1			
Not listed.				

15.2 Chemical safety

: No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Indicates information that	has changed from previously is	ssued version.
Abbreviations and acronyms	: ATE = Acute Toxicity Esti CLP = Classification, Lab 1272/2008] DNEL = Derived No Effec EUH statement = CLP-sp PNEC = Predicted No Eff RRN = REACH Registrati	elling and Packaging Regulation [Regulation (EC) No. et Level pecific Hazard statement fect Concentration
Full text of abbreviated H statements	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H372 Causes damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. 	
Full text of classifications [CLP/GHS]	: Acute Tox. 4 Aquatic Chronic 3 Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1A Skin Corr. 1B Skin Irrit. 2 Skin Sens. 1 Skin Sens. 1A Skin Sens. 1B STOT RE 1 STOT SE 3	ACUTE TOXICITY - Category 4 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 1A SKIN CORROSION/IRRITATION - Category 1B SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1A SKIN SENSITISATION - Category 1A SKIN SENSITISATION - Category 1B SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3

<u>History</u>

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II					
Code : 00333880		Date of issue/Date of revision	: 19 September 2022		
AMERCOAT 114A CURE	AMERCOAT 114A CURE				
SECTION 16: Other information					
Date of issue/ Date of revision	: 19 September 2022				
Date of previous issue	: 29 August 2022				
Prepared by	: EHS				
Version	: 3				

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.