Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SAFETY DATA SHEET

Date of issue/Date of revision

: 23 February 2023 Version : 2.06



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

: PSX 700 COLORANT 64 YELLOW GREEN
: 00293929
: Liquid.
on
of the substance or mixture and uses advised against
: Professional applications, Used by spraying.
: Coating.
: Product is not intended, labelled or packaged for consumer use.
the safety data sheet
: ndpic@sfda.gov.sa
: 00966 138473100 extn 1001

SECTION 2: Hazards identification

number

Storage

2.1 Classification of the subs	stance or mixture
Product definition	: Mixture
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]
Not classified.	
The product is not classified a	as hazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full tex	t of the H statements declared above.
See Section 11 for more deta	iled information on health effects and symptoms.
2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.

: Not applicable.

Code : 00293929		Date of issue/Date of revision	: 23 February 2023
PSX 700 COLORANT 64 YELI	OW GREEN		
SECTION 2: Hazards	identificat	tion	
Disposal		contents and container in accordance with all local al regulations.	l, regional, national and
Hazardous ingredients	: Not applicab	ble.	
Supplemental label elements	: Safety data	sheet available on request.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicab	ble.	
Special packaging requiren	<u>nents</u>		
Containers to be fitted with child-resistant fastenings	: Not applicab	ble.	
Tactile warning of danger	: Not applicab	ble.	
2.3 Other hazards			
Product meets the criteria for PBT or vPvB	: I his mixture	e does not contain any substances that are assess	sed to be a PBT or a vPvB.
Other hazards which do	: None known	n.	

Other hazards which do not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
toluene	REACH #: 01-2119471310-51 EC: 203-625-9 CAS: 108-88-3 Index: 601-021-00-3	<1.0	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 See Section 16 for the full text of the H statements declared above.	-	[1] [2]

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II
Code : 00293929	Date of issue/Date of revision : 23 February 2023
PSX 700 COLORANT 64 YEL	LOW GREEN
SECTION 4: First aid	d measures
4.1 Description of first aid m	leasures
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	ns and effects, both acute and delayed
Potential acute health effect	
Eye contact	: No known significant effects or critical hazards.
Inhalation	C C
	: No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immed	iate medical attention and special treatment needed
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	iting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 00293929	Date of issue/Date of revision : 23 February 2023
PSX 700 COLORANT 64 YELL	OW GREEN
SECTION 5: Firefight	ing measures
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SECTION 6: Accident	al release measures
6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene	 Fut on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Conforms to Regulation (EC) No. 1907/2006 (REACH)), Annex II	
Code : 00293929	Date of issue/Date of revision	: 23 February 2023
PSX 700 COLORANT 64 YELLOW GREEN		
SECTION 7: Handling and storage		

See Section 1.2 for Identified uses.

Recommendations : Not available. Industrial sector specific : Not available. solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredie	nt i	name		Exposure limit values	
t oluene			EU OEL (Europe, 1/2 STEL: 384 mg/m ³ 1 STEL: 100 ppm 15 TWA: 192 mg/m ³ 8 TWA: 50 ppm 8 hou	minutes. hours.	
Recommended monitoring procedures	:	Standard EN 689 by inhalation to c strategy) Europe application and u biological agents requirements for agents) Referen	 (Workplace atmosph hemical agents for corean Standard EN 1404 se of procedures for th European Standard the performance of pr 	ng standards, such as the following: eres - Guidance for the assessment of mparison with limit values and measu 2 (Workplace atmospheres - Guide for he assessment of exposure to chemic EN 482 (Workplace atmospheres - Gocedures for the measurement of che e documents for methods for the dete equired.	of exposure rement or the cal and General emical
8.2 Exposure controls					
Appropriate engineering controls	:	Good general ve contaminants.	ntilation should be suf	ficient to control worker exposure to a	iirborne
Individual protection measured	res				
Hygiene measures	-	eating, smoking a Appropriate tech Wash contamina	and using the lavatory niques should be used	ughly after handling chemical products and at the end of the working period. I to remove potentially contaminated ousing. Ensure that eyewash stations a cation.	clothing.
Eye/face protection Skin protection	:	Safety glasses w	ith side shields.		
Hand protection	:			complying with an approved standard cal products if a risk assessment indic	
Gloves	:	nitrile rubber, but	yl rubber, PVC, Viton®	\bigcirc	
Body protection	:		ne risks involved and s	body should be selected based on the hould be approved by a specialist bef	
Other skin protection		based on the tas		al skin protection measures should be I the risks involved and should be app	
Respiratory protection	:	hazards of the pr are exposed to c certified respirato	oduct and the safe wo oncentrations above th ors. Use a properly fitt	known or anticipated exposure levels rking limits of the selected respirator. ne exposure limit, they must use appr ed, air-purifying or air-fed respirator c essment indicates this is necessary.	If workers opriate,
			English (GB)	United Arab Emirates	5/11

conforms to	Regulation (EC) No. 1907/2006 (REACH), A	Annex II	
Code	: 00293929	Date of issue/Date of revision	: 23 February 2023
PSX 700 CO	LORANT 64 YELLOW GREEN		

SECTION 8: Exposure controls/personal protection

Environmental exposure :	Emissions from ventilation or work process equipment should be checked to ensure
controls	they comply with the requirements of environmental protection legislation. In some
	cases, fume scrubbers, filters or engineering modifications to the process equipment
	will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

9.1 Information on basic physic	al ar	iu chemicai properti						
<u>Appearance</u>								
Physical state	:	Liquid.						
Colour	:	Green.						
Odour	1	Aromatic.						
Odour threshold	1	Not available.						
Melting point/freezing point	:	Not available.						
Initial boiling point and boiling range	-	>37.78°C						
Flammability	1	Not available.						
Upper/lower flammability or explosive limits	:	Not available.						
Flash point	:	Closed cup: Not appli	icable.					
Auto-ignition temperature	:	Ingredient name		°C	°F		Method	
		3,4,5,6-tetrachloro-N-[2- (4,5,6,7-tetrachloro-2,3-di 1,3-dioxo-1H-inden-2-yl)-8 phthalimide		>400	>752			
Decomposition temperature		Stable under recomm	nended st	orage an	d handling c	onditions	(see Sec	tion 7).
рН		Not applicable. insolu		-	Ũ		·	,
Viscosity		Kinematic (40°C): >2						
Viscosity	:	60 - 100 s (ISO 6mm)					
Solubility(ies)	:							
Media		Result						
old water		Not soluble						
Partition coefficient: n-octano	I/ :	Not applicable.						
Vapour pressure		r						
			Vapou	ır Pressu	ure at 20°C	Vap	our press	sure at 50°C
		Ingredient name	Vapou mm Hg		ure at 20°C Method	Vap mm Hg	our press kPa	sure at 50°C Method
		Ingredient name			1	mm		1
Evaporation rate		3 :4,5,6-tetrachloro-N-[2- (4,5,6,7-tetrachloro- 2,3-dihydro-1,3-dioxo- 1H-inden-2-yl)	mm Hg	kPa	1	mm Hg	kPa	1
-	:	4,5,6-tetrachloro-N-[2- (4,5,6,7-tetrachloro- 2,3-dihydro-1,3-dioxo- 1H-inden-2-yl) -8-quinoly]phthalimide	mm Hg	kPa	1	mm Hg	kPa	1
Evaporation rate Relative density Explosive properties		3.4,5,6-tetrachloro-N-[2- (4,5,6,7-tetrachloro- 2,3-dihydro-1,3-dioxo- 1H-inden-2-yl) -8-quinolyl]phthalimide Not available.	mm Hg	kPa 0 ive, but t	Method	mm Hg 0	kPa	Method
Relative density	: :	 4,5,6-tetrachloro-N-[2- (4,5,6,7-tetrachloro- 2,3-dihydro-1,3-dioxo- 1H-inden-2-yl) -8-quinoly]phthalimide Not available. 1.29 The product itself is n 	o not explos	kPa 0 ive, but t ble.	Method he formation	mm Hg 0	kPa	Method
Relative density Explosive properties	: :	3.4,5,6-tetrachloro-N-[2- (4,5,6,7-tetrachloro- 2,3-dihydro-1,3-dioxo- 1H-inden-2-yl) -8-quinoly]phthalimide Not available. 1.29 The product itself is n vapour or dust with ai	o not explos	kPa 0 ive, but t ble.	Method he formation	mm Hg 0	kPa	Method

English (GB)

United Arab Emirates

6/11

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 00293929	Date of issue/Date of revision : 23 February 2023
PSX 700 COLORANT 64 YEL	LOW GREEN
SECTION 9: Physica	l and chemical properties
9.2 Other information	
No additional information.	
SECTION 10: Stabilit	ty and reactivity
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredien	t name	Result	Species	Dose	Exposure
Ko luene		LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rabbit Rat	49 g/m³ 8.39 g/kg 5580 mg/kg	4 hours - -
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are	no data available on the mixtu	ure itself.		
Eyes	: There are	no data available on the mixtu	ure itself.		
Respiratory	: There are	no data available on the mixtu	ure itself.		
<u>Sensitisation</u>					
Conclusion/Summary					
Skin	: There are	no data available on the mixt	ure itself.		
Respiratory	: There are	no data available on the mixt	ure itself.		
<u>Mutagenicity</u>					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Carcinogenicity					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Reproductive toxicity					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Teratogenicity					
Conclusion/Summary	: There are no data available on the mixture itself.				
Specific target organ toxic	city (single exp	osure)			

Conforms to Regulation (EC	C) No. 1907/2006 (REACH), A	nnex II		
Code : 00293929 PSX 700 COLORANT 64 YE		Date of issue	/Date of revision	: 23 February 2023
	ological information			
				1
Product/in	gredient name	Category	Route of exposure	Target organs
toluene		Category 3	-	Narcotic effects
Specific target organ toxic	city (repeated exposure)	1	4	ł
Product/in	gredient name	Category	Route of	Target organs
	J	jj	exposure	
toluene		Category 2	-	-
Aspiration hazard				
Produc	t/ingredient name			Result
toluene	•	ASP	IRATION HAZARD	- Category 1
Information on likely routes of exposure	: Not available.			
Potential acute health effe	octe			
Inhalation	: No known significant effe	ects or critical ha	zards	
Ingestion	: No known significant effe			
Skin contact	: No known significant effe			
Eye contact	 No known significant effects or critical hazards. No known significant effects or critical hazards. 			
	ohysical, chemical and toxic			
Inhalation	: No specific data.			
Ingestion	: No specific data.			
Skin contact	: No specific data.			
Eye contact	: No specific data.			
Delayed and immediate ef	<u>fects as well as chronic effe</u>	cts from short a	and long-term exp	osure
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effect	s: Not available.			
Long term exposure				
Potential immediate effects	: Not available.			
Potential delayed effect	s: Not available.			
Potential chronic health e	<u>ffects</u>			
Not available.				
Conclusion/Summary	: Not available.			
General	 Not available. No known significant effects or critical hazards. 			
Carcinogenicity	: No known significant effects or critical hazards.			
Mutagenicity	: No known significant effects or critical hazards.			
Reproductive toxicity	: No known significant effe	ects or critical ha	zards.	
Other information	: Not available.			
Frimethoxysilanes are capa fatal or cause blindness.	ble of forming methanol if hydr	rolyzed or ingest	ed. If swallowed, m	ethanol may be harmful or
11.2 Information on other	hazards			
11.2.1 Endocrine disrupt	ing properties			
Not available.				

11.2.2 Other information

: 23 February 2023

PSX 700 COLORANT 64 YELLOW GREEN

SECTION 11: Toxicological information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
to luene	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
European waste cataloc	ue (EWC)

Waste code	Waste designation
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
Deekeging	

Packaging

Conforms to Regulation (E	C) No. 1907/2006 (REA	ACH), Annex II		
Code : 00293929		Date of issue/Date of revision	: 23 February 2023	
PSX 700 COLORANT 64 YELLOW GREEN				
SECTION 13: Dispo	osal considerati	ons		
Methods of disposal		of waste should be avoided or minimised wher d be recycled. Incineration or landfill should o easible.		
Type of packaging		European waste catalogue (EWC)		
Container	15 01 06	mixed packaging		
Special precautions	liners may retain	d its container must be disposed of in a safe w some product residues. Avoid dispersal of sp soil, waterways, drains and sewers.		

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not applicable.
according to IMO instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorisation
Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.

Conforms to Regulation (EC) No. 1907/2006 (F	REACH), Annex II	
Code : 00293929		Date of issue/Date of revision	: 23 February 2023
PSX 700 COLORANT 64 Y	ELLOW GREEN		
SECTION 15: Regu	latory informa	ation	
Annex XVII - Restriction on the manufacture, placing on the market and use of certain dangerous substances mixtures and articles		e.	
Other national and inter	•	—	
Ozone depleting substa	<u>nces (1005/2009/EU</u>	D	
Not listed.			
15.2 Chemical safety assessment	: No Chemical S	Safety Assessment has been carried out.	
SECTION 16: Othe	r information		
Indicates information th	at has changed from	previously issued version.	
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number 		
Full text of abbreviated H statements	H304 May H315 Cau H336 May H361d Sus	hly flammable liquid and vapour. y be fatal if swallowed and enters airways. uses skin irritation. y cause drowsiness or dizziness. spected of damaging the unborn child. y cause damage to organs through prolonged or	repeated exposure.

		age to organs through prolonged or repeated exposure.
	_ ·	
Full text of classifications	: Asp. Tox. 1	ASPIRATION HAZARD - Category 1
[CLP/GHS]	Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2
	Repr. 2	REPRODUCTIVE TOXICITY - Category 2
	Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
	STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY - REPEATED
		EXPOSURE - Category 2
	STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE
		EXPOSURE - Category 3
<u>History</u>		3,5
Date of issue/ Date of revision	: 23 February 2023	
Date of previous issue	: 25 April 2018	

: EHS

: 2.06

Disclaimer

Version

Prepared by

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.