Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SAFETY DATA SHEET

Date of issue/Date of revision

: 24 April 2023

Version : 2.01



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PSX 700 BASE RAL 3002
Product code	: 00322086
Product type	: Liquid.
Other means of identification	on
Not available.	
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Product use	: Professional applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier of	the safety data sheet
Sigma Paint Saudi Arabia Ltd	
PO Box 7509 Dammam 31472	
Saudi Arabia	
Tel: 00966 138 47 31 00	
Fax: 00966 138 47 17 34	
e-mail address of person responsible for this SDS	: ndpic@sfda.gov.sa

1.4 Emergency telephone : 00966 138473100 extn 1001 number

SECTION 2: Hazards identification

2.1 Classification of the sub	stance or mixture
Product definition	: Mixture
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]
Skin Sens. 1, H317 Aquatic Chronic 3, H412	
The product is classified as h	nazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full tex	xt of the H statements declared above.
See Section 11 for more deta	ailed information on health effects and symptoms.
2.2 Label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

Code : 00322086	Date of issue/Date of revision : 24 April 2023
PSX 700 BASE RAL 3002	
SECTION 2: Hazards	identification
Precautionary statements	
Prevention	: Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
Response	 Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: 4,4'-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requiren	nents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPv
Other hazards which do	None known

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
4'- Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro- 2,3-epoxypropane	REACH #: 01-2119959495-22 EC: 500-070-7 CAS: 30583-72-3	≥25 - ≤50	Skin Sens. 1, H317 Aquatic Chronic 3, H412	-	[1]
Reaction mass of bis (1,2,2,6,6-pentamethyl- 4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate	REACH #: 01-2119491304-40 EC: 915-687-0 CAS: 1065336-91-5	≥0.30 - <2.5	Skin Sens. 1A, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]
methanol	REACH #: 01-2119433307-44 EC: 200-659-6 CAS: 67-56-1	≤0.30	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331	ATE [Oral] = 100 mg/ kg ATE [Dermal] = 300 mg/kg	[1] [2]
		English	(GB) United Arab Er	mirates	2/12

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code : 00322086		Date of issue/Date of revis	sion : 24 April 2023	
PSX 700 BASE RAL 3002				
SECTION 3: Comp	osition/information	on ingredients		
	Index: 603-001-00-X	STOT SE 1, H370 See Section 16 for the full text of the H statements declared above.	ATE [Inhalation (vapours)] = 3 mg/l STOT SE 1, H370: C ≥ 10% STOT SE 2, H371: 3% ≤ C < 10%	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	I effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Code : 00322086	Date of issue/Date of revision : 24 April 2023
PSX 700 BASE RAL 3002	
SECTION 4: First aid	measures
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and material for containment and cleaning up

Small spill
 Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Conforms to Regulation (E	EC) No. 1907/2006 (REACH), Annex II
Code : 00322086	Date of issue/Date of revision : 24 April 2023
PSX 700 BASE RAL 3002	
SECTION 6: Accide	ental release measures
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values	
methanol	EU OEL (Europe, 1/2022). Absorbed through skin. TWA: 260 mg/m ³ 8 hours. TWA: 200 ppm 8 hours.	

	. 1907/2006 (REACH), Annex II	
Code : 00322086	Date of issue/Date of revision : 24 Ap	ril 2023
PSX 700 BASE RAL 3002		
SECTION 8: Exposu	controls/personal protection	
Recommended monitoring procedures	Reference should be made to monitoring standards, such as the following: Standard EN 689 (Workplace atmospheres - Guidance for the assessment by inhalation to chemical agents for comparison with limit values and meas strategy) European Standard EN 14042 (Workplace atmospheres - Guide application and use of procedures for the assessment of exposure to chem biological agents) European Standard EN 482 (Workplace atmospheres - requirements for the performance of procedures for the measurement of ch agents) Reference to national guidance documents for methods for the de- of hazardous substances will also be required.	t of exposure surement for the nical and General hemical
8.2 Exposure controls		
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to contaminants.	airborne
Individual protection measu		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical produce eating, smoking and using the lavatory and at the end of the working period Appropriate techniques should be used to remove potentially contaminated Contaminated work clothing should not be allowed out of the workplace. We contaminated clothing before reusing. Ensure that eyewash stations and satisfies showers are close to the workstation location.	d. I clothing. √ash
Eye/face protection Skin protection	Safety glasses with side shields.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standar worn at all times when handling chemical products if a risk assessment indi- necessary. Considering the parameters specified by the glove manufacture during use that the gloves are still retaining their protective properties. It sh- noted that the time to breakthrough for any glove material may be different glove manufacturers. In the case of mixtures, consisting of several substar protection time of the gloves cannot be accurately estimated. When prolon frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recom When only brief contact is expected, a glove with a protection class of 2 or (breakthrough time greater than 30 minutes according to EN 374) is recom The user must check that the final choice of type of glove selected for hand product is the most appropriate and takes into account the particular condit as included in the user's risk assessment.	licates this is er, check hould be for different nces, the nged or mmended. higher mended. dling this
Gloves	butyl rubber	
Body protection	Personal protective equipment for the body should be selected based on th performed and the risks involved and should be approved by a specialist be handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should b based on the task being performed and the risks involved and should be ap specialist before handling this product.	
Respiratory protection	Respirator selection must be based on known or anticipated exposure level hazards of the product and the safe working limits of the selected respirator are exposed to concentrations above the exposure limit, they must use app certified respirators. Use a properly fitted, air-purifying or air-fed respirator with an approved standard if a risk assessment indicates this is necessary.	r. If workers propriate, complying
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to they comply with the requirements of environmental protection legislation. cases, fume scrubbers, filters or engineering modifications to the process e will be necessary to reduce emissions to acceptable levels.	to ensure In some

Date of issue/Date of revision

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>					
Physical state	:	Liquid.			
Colour	:	Red.			
Odour	1	Aromatic.			
Odour threshold	1	Not available.			
Melting point/freezing point	:	May start to solidify at the follow data for the following ingredien reaction products with 1-chloro	t: 4,4'-Isopi	ropylidenedicy	
Initial boiling point and boiling range	:	>37.78°C			
Flammability	:	Not available.			
Upper/lower flammability or explosive limits	:	Not available.			
Flash point	:	Closed cup: Not applicable.			
Auto-ignition temperature	:	Ingredient name	°C	°F	Method
		ROMOPHTAL DPP RED BP	>400	>752	
Decomposition temperature	:	Stable under recommended sto	brage and I	nandling cond	itions (see Section 7).
pH	:	Not applicable. insoluble in wat	er.		
Viscosity	:	Kinematic (40°C): >21 mm ² /s			
Solubility(ies)	:				
Media		Result			
cold water		Not soluble			
Partition coefficient: n-octanol/ water	:	Not applicable.			
Vapour pressure	:	Not available.			
Evaporation rate	:	Not available.			
Relative density	1	1.39			
Explosive properties	1	The product itself is not explosivation vapour or dust with air is possible to the product of th		formation of a	an explosible mixture of
Oxidising properties	1	Product does not present an ox	kidizing haz	ard.	
Particle characteristics					
Median particle size	÷	Not applicable.			
9.2 Other information					

No additional information.

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		

Code : 00322086	Date of issue/Date of revision : 24 April 2023
PSX 700 BASE RAL 3002	
SECTION 10: Stabi	lity and reactivity
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
	Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible material	 Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides sulfur oxides halogenated compounds metal oxide/ oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Res	ult	Species	Dose	Exposure
Reaction mass of bis (1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacat	LD50 Dermal		Rat	>3170 mg/kg	-
·,_,_,_,_,_ P - · · · · · · · · · · · · · · · · · ·	LD50 Oral		Rat - Male, Female	3230 mg/kg	-
methanol	LC50 Inhalation LD50 Dermal LD50 Oral	Vapour	Rat Rabbit Rat	64000 ppm 15800 mg/kg 5600 mg/kg	4 hours - -
Conclusion/Summary : There ar	e no data available	on the mixtur	e itself.	•	
Irritation/Corrosion					
Conclusion/Summary					
Skin : There are	e no data available o	on the mixture	itself.		
Eyes : There are	e no data available o	on the mixture	itself.		
Respiratory : There are	e no data available o	on the mixture	itself.		
Sensitisation					
Conclusion/Summary					
Skin : There ar	e no data available	on the mixture	e itself.		
Respiratory : There ar	e no data available	on the mixtur	e itself.		
<u>Mutagenicity</u>					
Conclusion/Summary : There ar	e no data available	on the mixture	e itself.		
Carcinogenicity					
Conclusion/Summary : There ar	e no data available	on the mixture	e itself.		
Reproductive toxicity					
Conclusion/Summary : There ar	e no data available	on the mixture	e itself.		
<u>Teratogenicity</u>					
Conclusion/Summary : There are no data available on the mixture itself.					
Specific target organ toxicity (single ex	<u>posure)</u>				
Product/ingredient nam	9	Category	Route of	Та	rget organs

Product/ingredient name	Category	Route of exposure	Target organs
methanol	Category 1	-	-

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Code : 00322086	Date of issue/Date of revision : 24 April 2023
PSX 700 BASE RAL 3002	
SECTION 11: Toxicol	ogical information
Not available.	
Information on likely routes of exposure	: Not available.
Potential acute health effect	
Inhalation	- No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Eye contact	: No known significant effects or critical hazards.
	vsical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Eye contact	: No specific data.
	ts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	
Not available.	
Conclusion/Summary	: Not available.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.

Sanding and grinding dusts may be harmful if inhaled. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

Code : 00322086 PSX 700 BASE RAL 3002 Date of issue/Date of revision

: 24 April 2023

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
4-Isopropylidenedicyclohexanol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	LC50 11.5 mg/l	Fish	96 hours
Reaction mass of bis(1,2,2,6,6-pentamethyl- 4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	EC50 1.68 mg/l	Algae	72 hours
	LC50 0.9 mg/l	Fish	96 hours
methanol	Acute LC50 13 mg/l Fresh water	Fish	96 hours

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
methanol	-0.77	-	low

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Yes.
European waste catalogu	le (E	EWC)

Code : 00322086 PSX 700 BASE RAL 3002 Date of issue/Date of revision

: 24 April 2023

SECTION 13: Disposal considerations

Waste code	Waste designation
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
Packaging	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

recycling is net reachere.		
Type of packaging	European waste catalogue (EWC)	
Container	15 01 06	mixed packaging
Special precautions	 This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. 	

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not applicable.
according to IMO	
instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

English (GB) United Arab Emirates

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II	
Code : 00322086		Date of issue/Date of revision	: 24 April 2023
PSX 700 BASE RAL 3002			
SECTION 15: Regula	tory information		
None of the components ar	e listed.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.		
Other national and internat	ional regulations.		
Ozone depleting substance	<u>es (1005/2009/EU)</u>		
Not listed.			
15.2 Chemical safety assessment	: No Chemical Safety A	Assessment has been carried out.	
SECTION 16: Other i	nformation		
Indicates information that h	as changed from previou	isly issued version.	
Abbreviations and	: ATE = Acute Toxicity	v Estimate	

	ias changed north previously is	
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number 	
Full text of abbreviated H statements	 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H317 May cause an allergic skin reaction. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 	
Full text of classifications [CLP/GHS]	: Acute Tox. 3 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 3 Flam. Liq. 2 Repr. 2 Skin Sens. 1 Skin Sens. 1A STOT SE 1	ACUTE TOXICITY - Category 3 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN SENSITISATION - Category 1 SKIN SENSITISATION - Category 1A SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1
<u>History</u>		
Date of issue/ Date of revision	: 24 April 2023	
Date of previous issue	: 23 February 2023	
Prepared by	: EHS	
Version	: 2.01	
<u>Disclaimer</u>		

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

English (GB) United Arab Emirates