SAFETY DATA SHEET



Date of issue 27

27 April 2023

Version 1

Section 1. Product and company identification

Product name	
Product code	
Other means of identification	
Product type	

- : SIGMALINE 855 (11) HARDENER
- : 000001091340
- : 00349941
- : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Coating. Paints. Painting-related materials.

Uses advised against	Reason
Not applicable.	

Supplier's details:	
Supplier	 PPG INDUSTRIES CHILE S.A. Puerto Madero 9710, Of. 23 Pudahuel - Chile Teléfono: +56 (2) 2571 0750 Fax: +56 (2) 2571 0752
Email address:	: HazComLatam@ppg.com
Emergency telephone number	: +56 (2) 2777 1994 (RITA CHILE)

Section 2. Hazards identification

Classification of the substance or mixture	: ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract
Target organs	 irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eyes. Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 95%

Section 2. Hazards identification

GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. (respiratory system)
Precautionary statements	
Prevention	: Obtain special instructions before use. Wear protective gloves, protective clothing and eye or face protection. Wear respiratory protection. Do not breathe vapor. Wash thoroughly after handling.
Response	: IF exposed or concerned: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER or doctor. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	Store in a well-ventilated place. Keep container tightly closed.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not result in classification	: None known.
Classification according to NCh382:	: Not regulated.
Label according to NCh2190:	: Not Regulated as a Dangerous Good.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: 00349941
identification	

CAS number/other identifiers		
CAS number	:	Not applicable.

1

1

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha hydroomegahydroxypoly[oxy(methyl-1,2-ethanediyl)]	30 - <60	53862-89-8
4,4'-methylenediphenyl diisocyanate	30 - <60	101-68-8
Isocyanic acid, polymethylenepolyphenylene ester	30 - <60	9016-87-9
methylenediphenyl diisocyanate, oligomers, polymer	5 - <7	SUB137264

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Date of issue

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	•	Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. In case of accidental eye contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation or blistering occurs after contact.
Inhalation	:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	1	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	:	If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
Indication of immediate medi	<u>ca</u>	l attention and special treatment needed, if necessary
Notes to physician Specific treatments		In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Potential acute health effects		
Eye contact		Causes serious eye irritation.
Inhalation		Harmful if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact		Causes skin irritation. May cause an allergic skin reaction.
Ingestion	÷	No known significant effects or critical hazards.

See toxicological information (Section 11)

Chile

SIGMALINE 855 (11) HARDENER

27 April 2023

1

Section 5. Fire-fighting measures

: Use an extinguishing agent suitable for the surrounding fire.
: None known.
: In a fire or if heated, a pressure increase will occur and the container may burst.
: Decomposition products may include the following materials: carbon oxides nitrogen oxides Cyanate and isocyanate. hydrogen cyanide
: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue

Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up

Methods and materials in	r containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

English (US) Chile	4/13
--------------------	------

Date of issue

1

Section 6. Accidental release measures

Special provisions	: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Place in a suitable container. The contaminated area should be cleaned immediately with a suitable decontaminant. One possible (flammable) decontaminant comprises (by volume): water (45 parts), ethanol or isopropyl alcohol (50 parts) and concentrated (d: 0,880) ammonia solution (5 parts). A non-flammable alternative is sodium carbonate (5 parts) and water (95 parts). Add the same decontaminant to the remnants and let stand for several days until no further reaction in an unsealed container. Once this stage is reached, close container and dispose of according to local regulations (see section 13). Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.
	solution (5 parts). A non-flammable alternative is sodium carbonate (5 parts) and water (95 parts). Add the same decontaminant to the remnants and let stand for several days until no further reaction in an unsealed container. Once this stage is reached, close container and dispose of according to local regulations (see section 13). Do not allow to enter drains or watercourses. If the product contaminates lake rivers, or sewers, inform the appropriate authorities in accordance with local

Section 7. Handling and storage

Precautions for safe handling	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Precautions should be taken to minimize exposure to atmospheric humidity or water. CO ₂ will be formed, which, in closed containers, could result in pressurization.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Isocyanic acid, polymethylenepolyphenylene ester, polymer with . alpha.-hydro-.omega.-hydroxypoly[oxy(methyl-1,2-ethanediyl)] Diisocianato de 4,4'-metilen-difenilo

Isocyanic acid, polymethylenepolyphenylene ester methylenediphenyl diisocyanate, oligomers, polymer

Not regulated.

Ministry of Health (Chile, 2/2018). TWA: 0.045 mg/m³ 8 hours. TWA: 0.004 ppm 8 hours. Not regulated. Not regulated.

Chile

English (US)

1

• • • • • • •		
Recommended monitoring procedures	-	Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	:	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensur they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
ndividual protection measur	<u>es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period Appropriate techniques should be used to remove potentially contaminated clothin Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye protection	:	Chemical splash goggles.
Skin protection		.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard shou be worn at all times when handling chemical products if a risk assessment indicate this is necessary. Considering the parameters specified by the glove manufacture check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Gloves	1	polyethylene butyl rubber
Body protection	1	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	-	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use an air-fed respirator unless a site-specific assessment determines that an air- fed respirator is not necessary, in which case the results of the risk assessment should be utilized to determine whether respiratory protection is necessary and wh type of protection is appropriate. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Date of issue

Section 9. Physical and chemical properties

		English (US)	Chile	6/13
Boiling point	: >37.78°C (>100°F)			
Melting point	: Not available.			
рН	: Not applicable.			
Odor	: Aromatic.			
Color	: Colorless.			
Physical state	: Liquid.			
Appearance				

1

Section 9. Physical and chemical properties

Flash point	:	Closed cup: Not applicable.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	1.17
		Media Result
Solubility(ies)	ľ	cold water Not soluble
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic (40°C (104°F)): >21 mm²/s (>21 cSt)

Section 10. Stability and reactivity

Reactivity	No specific test data related to reactivity available for this product or its ingr	edients.
Chemical stability	The product is stable.	
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not o	occur.
Conditions to avoid	In a fire, hazardous decomposition products may be produced.	
Incompatible materials	Keep away from: oxidizing agents, strong alkalis, strong acids, amines, alco water. Uncontrolled exothermic reactions occur with amines and alcohols.	ohols,
Hazardous decomposition products	Depending on conditions, decomposition products may include the following Cyanate and isocyanate. carbon oxides nitrogen oxides hydrogen cyanide	•

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
4,4'-methylenediphenyl diisocyanate	LD50 Oral	Rat	9200 mg/kg	-
lsocyanic acid, polymethylenepolyphenylene ester	LD50 Dermal	Rabbit	>9400 mg/kg	-
	LD50 Oral	Rat	49 g/kg	-

Irritation/Corrosion

English (US)

Section 11. Toxico	•							
Product/ingredient name	Result			Species	Score	e Exposu	re ⁽	Observation
4,4'-methylenediphenyl diisocyanate	Skin - Irrita	int		Rabbit	-	-	-	-
<u>Conclusion/Summary</u> Skin Eyes Respiratory <u>Sensitization</u>	: There ar	re no da	ta availab	le on the mix le on the mix le on the mix	xture itse	lf.		
Product/ingredient name	Route of exposure		Species			Result		
4,4'-methylenediphenyl diisocyanate	Respiratory skin		Guinea pi Mouse	ig		Sensitizing Sensitizing		
<u>Conclusion/Summary</u> Skin	: There ar	re no da	ta availab	le on the mix	xture itse	lf.		
Skin Respiratory <u>Mutagenicity</u> Not available. Conclusion/Summary Carcinogenicity Product/ingredient name	: There ar : There ar Result	re no da	ta availab ta availab	le on the mix le on the mix Species	xture itse	f. f. Dose		posure /ears: 5 days
Skin Respiratory <u>Mutagenicity</u> Not available. Conclusion/Summary Carcinogenicity Product/ingredient name 4,4'-methylenediphenyl	: There ar : There ar Result Positive - In	re no da re no da nhalation	ta availab ta availab n - TC	le on the mix	xture itse	lf. Dose 0 to 6 mg/m ³	2)	<mark>posure</mark> /ears; 5 days r week
Skin Respiratory <u>Autagenicity</u> Not available. Conclusion/Summary Carcinogenicity Product/ingredient name 4,4'-methylenediphenyl diisocyanate	: There ar : There ar Result Positive - In : There ar	re no da re no da nhalation re no da	ta availab ta availab n - TC ta availab	le on the mix le on the mix Species Rat	xture itse	lf. Dose 0 to 6 mg/m ³	2)	/ears; 5 days
Skin Respiratory Mutagenicity Not available. Conclusion/Summary Carcinogenicity Product/ingredient name 4,4'-methylenediphenyl diisocyanate Conclusion/Summary <u>Classification</u> Product/ingredient name	: There ar : There ar Result Positive - In	re no da nhalation re no da	ta availab ta availab n - TC	le on the mix le on the mix Species Rat	xture itse	lf. Dose 0 to 6 mg/m ³	2)	/ears; 5 days
Skin Respiratory Mutagenicity Not available. Conclusion/Summary Carcinogenicity Product/ingredient name 4,4'-methylenediphenyl diisocyanate Conclusion/Summary Classification	: There ar : There ar Result Positive - In : There ar OSHA - -	re no da re no da nhalation re no da	ta availab ta availab n - TC ta availab	le on the mix le on the mix Species Rat	xture itse	lf. Dose 0 to 6 mg/m ³	2)	/ears; 5 days

Teratogenicity

Not available.

Conclusion/Summary

: There are no data available on the mixture itself.

Section 11. Toxicological information

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alphahydroomegahydroxypoly[oxy (methyl-1,2-ethanediyl)]	Category 3	-	Respiratory tract irritation
4,4'-methylenediphenyl diisocyanate	Category 3	-	Respiratory tract irritation
Isocyanic acid, polymethylenepolyphenylene ester	Category 3	-	Respiratory tract irritation
methylenediphenyl diisocyanate, oligomers, polymer	Category 3	-	Respiratory tract irritation

Date of issue

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alphahydroomegahydroxypoly[oxy (methyl-1,2-ethanediyl)]	Category 2	inhalation	-
4,4'-methylenediphenyl diisocyanate Isocyanic acid, polymethylenepolyphenylene ester	Category 2 Category 2	inhalation inhalation	respiratory system -

Target organs

: Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eyes.

Aspiration hazard

Not available.

Information on the likely routes of exposure	1	Not available.
Potential acute health effects		
Eye contact	1	Causes serious eye irritation.
Inhalation	:	Harmful if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	1	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	1	No known significant effects or critical hazards.
Symptoms related to the physical second seco	:	cal, chemical and toxicological characteristics Adverse symptoms may include the following: pain or irritation watering redness Adverse symptoms may include the following:
mnaiation	:	respiratory tract irritation coughing wheezing and breathing difficulties asthma

Chile

Code 000001091340 Product name SIGMALIN	Date of issue E 855 (11) HARDENER	27 April 2023	Version 1					
Section 11. Toxic	ological information	า						
Skin contact : Adverse symptoms may include the following: irritation redness								
Ingestion	: No specific data.							
Delayed and immediate effect	cts and also chronic effects fro	m short and long term expo	<u>sure</u>					
Conclusion/Summary	isocyanate components and mixture may cause acute irri leading to an asthmatic cond exposure may lead to perma mixture have irritating prope mucous membrane may res dermatitis etc. May cause a inhalation of airborne drople Ingestion may cause nausea splashed in the eyes, the liqu takes into account, where kr	ic lung reaction. Based on the considering toxicological data tation and/or sensitization of th lition, wheezing and tightness anent respiratory disability. Ac rties. Prolonged or repeated of ult in irritation symptoms, such llergic skin reactions with repe ts or aerosols may cause irrita a, weakness and central nervo uid may cause irritation and re nown, delayed and immediate short-term and long-term expo	e properties of the on similar mixtures, this ne respiratory system, of the chest. Repeated rylate components of the contact with skin or n as redness, blistering, ated exposure. The tion of the respiratory tract. us system effects. If versible damage. This effects and also chronic					
Short term exposure								
Potential immediate effects	: There are no data available	on the mixture itself.						
Potential delayed effects Long term exposure	: There are no data available	on the mixture itself.						
Potential immediate effects	: There are no data available	on the mixture itself.						
Potential delayed effects	: There are no data available	on the mixture itself.						
Potential chronic health effe	ects							
Not available.								
General		is through prolonged or repeat reaction may occur when subs						
Carcinogenicity	: Suspected of causing cance exposure.	r. Risk of cancer depends on	duration and level of					
Mutagenicity	: No known significant effects	or critical hazards.						
Reproductive toxicity	: No known significant effects	or critical hazards.						

Numerical measures of toxicity

Acute toxicity estimates

Chile

Code	00000109	91340	Date of issue	27 April 2023	Version	1
Product nam	ne	SIGMALINE 855 (11) HARDENER				

Section 11. Toxicological information

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
SIGMALINE 855 (11) HARDENER Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alphahydroomegahydroxypoly[oxy (methyl-1,2-ethanediyl)]	N/A N/A	N/A N/A	N/A N/A	17.3 11	2.2 1.5
4,4'-methylenediphenyl diisocyanate Isocyanic acid, polymethylenepolyphenylene ester methylenediphenyl diisocyanate, oligomers, polymer	9200 49000 N/A	N/A N/A N/A	N/A N/A N/A	11 N/A N/A	N/A 1.5 1.5

Other information

: Not available.

Section 12. Ecological information

Ecotoxicity

Not available.

Persistence/degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential	
4,4'-methylenediphenyl diisocyanate	4.51	-	high	
methylenediphenyl diisocyanate, oligomers, polymer	6.17	-	high	

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled

Code	00000109	91340	Date of issue	27 April 2023	Version	1
Product nam	ne	SIGMALINE 855 (11) HARDENER				

Section 13. Disposal considerations

material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	Brazil (ANTT)	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

UN	: None identified.
Brazil	: None identified.
Risk number	: Not available.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

Safety, health and	: NCh 382 - Hazardous substances - General terminology and classification.
environmental regulations	NCh 2245 - Material Safety Data Sheet for Chemicals - Contents and section order.
specific for the product	D. S. 148 - Sanitary regulations on hazardous waste management.
	D. S. 298 - Transport of dangerous goods by road.
	D. S. 374 – Limit for Lead content in paints.
	D. S. 594 - Regulation on basic sanitary and environmental conditions at workplace.

Section 16. Other information

History

Date of previous issue	: No previous validation
Version	: 1
	EHS

English (US)

Code	00000109	91340	Date of issue	27 April 2023	Version	1
Product nam	ne	SIGMALINE 855 (11) HARDENER				

Section 16. Other information

Key to abbreviations	: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
	ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
	-
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
	UN = United Nations
References	: ABNT NBR 14725-4: 2014 ANTT - National Land Transportation Agency
	· · · · · · · · · · · · · · · · · · ·

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.