SAFETY DATA SHEET

Date of issue : 19 August 2023 : 3.01

Version

Section 1. Identification

Product code	: 17000-157669/4L
Product name	: PSX 700 COLORANT 66 YELLOW RED SHADE
Product type	: Liquid.
Recommended use and res	strictions
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG INDUSTRIES NEW ZEALAND LTD 5 MONAHAN ROAD, MT WELLINGTON, AUCKLAND www.ppgnz.co.nz Telephone Numbers:
	09 573 1620, 0800 659378 021 940 920 (24 Hours)
Emergency telephone number (with hours of operation)	: New Zealand 0800 000 096 (24 hours) / Australia 1800 883 254 (24 hours) For international shipping emergencies: 1-412-391-1618
e-mail address of person responsible for this SDS	: ehsnz@ppg.com

Section 2. Hazards identification

result in classification

HSNO Classification	1	REPRODUCTIVE TOXICITY - Category 2
Symbol	:	
GHS label elements		
Signal word	:	Warning
Hazard statements	:	Suspected of damaging fertility or the unborn child.
Precautionary statements		
Prevention	;	Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection.
Response	1	IF exposed or concerned: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not	1	None known.

Page: 1/10 **New Zealand**

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 2. Hazards identification

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 and has been classified according to the Hazardous Substances (Classifications) Notice 2017.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Land Transport Rule: Dangerous Goods 2005.

Section 3. Composition/information on ingredients

Substance/mixture	1	Mixture
CAS number/other identifiers		
Product code		17000-157669/4L

Hazardous ingredients	%	CAS number
po luene	<1	108-88-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Most important sympto	ms/effects, acute and delayed
Potential acute health	<u>effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	<u>ymptoms</u>
Eyes	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 4. First aid measures

Ingestion	:	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths
		skeletal malformations
Indication of immediate med	lica	I attention and special treatment needed, if necessary
Specific treatments	1	Not available.
Notes to physician	1	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Protection of first-aiders	1	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media		
Suitable	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable	None known.	
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides	
Special precautions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.	t if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

Section 6. Accidental release measures

protective equipment and emergency proceduresinformation in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterway and sewers. Inform the relevant authorities if the product has caused env pollution (sewers, waterways, soil or air).Methods and material for containment and cleaning up:Small spill: Stop leak if without risk. Move containers from spill area. Dilute with wat up if water-soluble. Alternatively, or if water-insoluble, absorb with an ine material and place in an appropriate waste disposal contrainer. Dispose of licensed waste disposal contractor.Large spill: Stop leak if without risk. Move containers from spill area. Approach the r from upwind. Prevent entry into sewers, water courses, basements or co areas. Wash spillages into an effluent treatment plant or proceed as follo Contain and collect spillage with non-combustible, absorbent material e.g earth, vermiculite or diatomaceous earth and place in container for dispose according to local regulations (see Section 13). Dispose of via a licensed disposal contractor. Contaminated absorbent material may pose the sam as the spilt product. Note: see Section 1 for emergency contact information	Page: 3/10
emergency procedures information in "For non-emergency personnel". Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterway and sewers. Inform the relevant authorities if the product has caused environmental for containment and cleaning up Methods and material for containment and cleaning up : Stop leak if without risk. Move containers from spill area. Dilute with wat up if water-soluble. Alternatively, or if water-insoluble, absorb with an ine material and place in an appropriate waste disposal container. Dispose of the solution is a solution.	onfined ows. g. sand, sal d waste ne hazard
 emergency procedures information in "For non-emergency personnel". Avoid dispersal of spilt material and runoff and contact with soil, waterway and sewers. Inform the relevant authorities if the product has caused enpollution (sewers, waterways, soil or air). 	ert dry
 emergency procedures information in "For non-emergency personnel". Environmental precautions Avoid dispersal of spilt material and runoff and contact with soil, waterway and sewers. Inform the relevant authorities if the product has caused environmental precautions 	
Personal precautions, : If specialised clothing is required to deal with the spillage, take note of an	

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 6. Accidental release measures

Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name			Exposure limits
to luene			HSWA 2015 - HSW (GRWM) 2016. Workplace exposure standards (WES) (New Zealand, 4/2022). Absorbed through skin. WES-TWA: 75 mg/m ³ 8 hours. WES-TWA: 20 ppm 8 hours. WES-STEL: 377 mg/m ³ 15 minutes. WES-STEL: 100 ppm 15 minutes.
Recommended monitoring procedures	:		riate monitoring standards. Reference to nods for the determination of hazardous
Appropriate engineering controls	:		es, gas, vapour or mist, use process or other engineering controls to keep worker slow any recommended or statutory limits.
Environmental exposure controls	:		
Individual protection measur	res		
Hygiene measures	:	eating, smoking and using the lavator Appropriate techniques should be use	bughly after handling chemical products, before y and at the end of the working period. ed to remove potentially contaminated clothing. eusing. Ensure that eyewash stations and tation location.

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 8. Exposure controls/personal protection

Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Eye protection	: Safety glasses with side shields.
Skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	1	Liquid.
Colour	1	Yellow.
Odour	1	Aromatic.
Odour threshold	1	Not available.
рН	1	Not applicable.
Melting point	1	Not available.
Boiling point	1	>37.78°C (>100°F)
Flash point	1	Closed cup: Not applicable.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapour pressure	1	Not available.
Relative density	1	1.22
Bulk Density (g/cm³)	1	1.22
Solubility(ies)		Media Result
oolubility(ies)	1	Cold water Not soluble
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Viscosity	:	Kinematic (40°C (104°F)): >21 mm²/s (>21 cSt)
Viscosity	:	60 - 100 s (ISO 6mm)

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 10. Stability and reactivity

Stability	: The product may not be stable under certain conditions of storage or use.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials strong acids strong alkalis
Hazardous decomposition products Hazardous polymerisation	 Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides Under normal conditions of storage and use, hazardous polymerisation will not occur.

Section 11. Toxicological information

Information on likely r	outes of exposure
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Symptoms related to t	the physical, chemical and toxicological characteristics
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Eye contact	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
toluene	LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rabbit Rat	49 g/m³ 8.39 g/kg 5580 mg/kg	4 hours - -
Conclusion/Summary Irritation/Corrosion Conclusion/Summary	: There are no data available	on the mixture i	tself.	
Skin	: There are no data available	on the mixture i	tself.	
Eyes	: There are no data available on the mixture itself.			
Respiratory Sensitisation	: There are no data available	on the mixture i	tself.	

New Zealand Page: 6/10

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 11. Toxicological information

Conclusion/Summary	
Skin	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
Potential chronic health eff	<u>ects</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: Suspected of damaging the unborn child.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: Suspected of damaging fertility.
Chronic toxicity	
Not available.	
Carcinogenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Mutagenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Teratogenicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Reproductive toxicity	
Conclusion/Summary	: There are no data available on the mixture itself.
Specific target organ toxici	tv
	→

Name	•••	Route of exposure	Target organs
toluene	Category 2	inhalation	-

Aspiration hazard

Not available.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Other information

Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness.

Section 12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Not available.

Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
vluene	-	-	Readily
<u>.</u>	·	New Zealan	d Page: 7/10

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 12. Ecological information

Bioaccumulative potential			
Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low
Mobility in soil			

NODIIITY IN SOIL	
Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Do not allow to enter drains or watercourses.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Not cuitable:	Do not allow to optor drains or watercourses

Not suitable:

: Do not allow to enter drains or watercourses.

The classification of the product may meet the criteria for a hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	NZ	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

New Zealand Page: 8/10

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

14. Transport information

Additional information

NZ: None identified.Hazchem code: Not applicable.IMDG: None identified.IATA: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

•	-			
New Zealand Inventory of Chemicals (NZIoC)	: All components are listed or exempted.			
HSNO Approval Number	: HSR002670 Subsidiary Hazard			
Emergency Management Regulations	: Level 1: Not applicable.			
	Level 2: MSDS required when any amount is present in a workplace.			
	Level 3: Not applicable.			
Approved Handler	: Not applicable.			
International regulations				
Chemical Weapon Conver	ntion List Schedules I, II & III Chemicals			
Not listed.				
Montreal Protocol				
Not listed.				
Stockholm Convention on	Persistent Organic Pollutants			
Not listed.				
Rotterdam Convention on	Prior Informed Consent (PIC)			
Not listed.				
UNECE Aarhus Protocol o	n POPs and Heavy Metals			
Not listed.				

Section 16. Other information

Date of issue Date of previous issue : 19 August 2023

vious issue : 11/8/2021

Indicates information that has changed from previously issued version.

Product name PSX 700 COLORANT 66 YELLOW RED SHADE

Section 16. Other information

Key to abbreviations	1	STEL = Short Term Exposure Limit
-		TWA = Time-Weighted Average
		WES = Work Exposure Standard

References	: Not available.
Organisation that prepared	: EHS
the SDS	

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.