SAFETY DATA SHEET

Date of issue/Date of revision : 11 October 2023

Version

: 12.02



PPG

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier				
Product name	: NOVAGUARD 840 HARDENER CREAM			
Product code	: 00253796			
Other means of identifica	Other means of identification			
Not available.				
1.2 Relevant identified use Product use	 s of the substance or mixture and uses advised against Professional applications, Used by spraying. 			
Use of the substance/ mixture	: Coating.			
Uses advised against	: Product is not intended, labelled or packaged for consumer use.			
1.3 Details of the supplier	of the safety data sheet			

	-
Sigma Paints Egypt Villa#8, street 279 New Maadi, Cairo Egypt Tel: 00202 516 223 797 Fax: 00202 516 38 04	
e-mail address of person responsible for this SDS	: PS.ACEMEA@ppg.com

1.4 Emergency telephone : +20 2 6840902 number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H311 Acute Tox. 3, H311 Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Code : 00253796		Date of issue/Date of revision	: 11 October 2023
NOVAGUARD 840 HARDENE	R CREAM		
SECTION 2: Hazards	identificatior	n	
Hazard pictograms			
Signal word	: Danger		
Hazard statements	Causes severe May cause an a	owed. t with skin or if inhaled. skin burns and eye damage. allergic skin reaction. c life with long lasting effects.	
Precautionary statements			
Prevention	: Wear protective the environmen	e gloves, protective clothing and eye or face pr t.	otection. Avoid release to
Response		. IF INHALED: Immediately call a POISON CE Immediately call a POISON CENTER or doct	
Storage	: Not applicable.		
Disposal	international reg	tents and container in accordance with all local gulations. 391, P304 + P310, P301 + P310, P501	l, regional, national and
Hazardous ingredients		4'-methylenebis(cyclohexylamine) ysilyl)propyl)ethylenediamine	
Supplemental label elements	: Not applicable.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.		
Special packaging requirem	<u>nents</u>		
Containers to be fitted with child-resistant fastenings	: Not applicable.		
Tactile warning of danger	: Not applicable.		
2.3 Other hazards			
Product meets the criteria for PBT or vPvB	: This mixture do	es not contain any substances that are assess	sed to be a PBT or a vPvB
Other hazards which do not result in classification	: None known.		

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Code: 00253796Date of issue/Date of revision: 11 October 2023

NOVAGUARD 840 HARDENER CREAM

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
₽,2'-dimethyl-4,4'- methylenebis (cyclohexylamine)	EC: 229-962-1 CAS: 6864-37-5 Index: 612-110-00-1	≥75 - ≤90	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411	ATE [Oral] = 500 mg/ kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.5 mg/l	[1]
benzyl alcohol	REACH #: 01-2119492630-38 EC: 202-859-9 CAS: 100-51-6 Index: 603-057-00-5	≥10 - ≤15	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319	ATE [Oral] = 1230 mg/ kg ATE [Inhalation (dusts and mists)] = 1.5 mg/l	[1] [2]
N-(3-(trimethoxysilyl)propyl) ethylenediamine	EC: 217-164-6 CAS: 1760-24-3	≥1.0 - ≤5.0	Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335	-	[1]
2,4,6-tris (dimethylaminomethyl) phenol	REACH #: 01-2119560597-27 EC: 202-013-9 CAS: 90-72-2 Index: 603-069-00-0	≥1.0 - ≤3.7	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318	ATE [Oral] = 1200 mg/ kg ATE [Dermal] = 1280 mg/kg	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Code : 00253796	Date of issue/Date of revision : 11 October 2023
NOVAGUARD 840 HARDENE	R CREAM
SECTION 4: First aid	measures
4.2 Most important symptom	s and effects, both acute and delayed
Potential acute health effec	ts
Eye contact	: Causes serious eye damage.
Inhalation	: Toxic if inhaled.
Skin contact	: Causes severe burns. Toxic in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed.
Over-exposure signs/symptot	toms
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	 Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides Formaldehyde.
5.3 Advice for firefighters	
Special precautions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to Europear standard EN 469 will provide a basic level of protection for chemical incidents.

English (GB)	
--------------	--

Code : 00253796

- Date of issue/Date of revision :
- : 11 October 2023

NOVAGUARD 840 HARDENER CREAM

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	oteo	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Code : 00253796

NOVAGUARD 840 HARDENER CREAM

Date of issue/Date of revision

: 11 October 2023

SECTION 7: Handling and storage

storage, including any incompatibilitieswith local regulation cool and well-ventila food and drink. Stor for use. Containers to prevent leakage.	bollowing temperatures: 0 to 35°C (32 to 95°F). Store in accordance s. Store in original container protected from direct sunlight in a dry, ated area, away from incompatible materials (see Section 10) and re locked up. Keep container tightly closed and sealed until ready that have been opened must be carefully resealed and kept upright Do not store in unlabelled containers. Use appropriate containment atal contamination. See Section 10 for incompatible materials before
---	---

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures	:	Reference should be made to monitoring standard Standard EN 689 (Workplace atmospheres - Gu by inhalation to chemical agents for comparison strategy) European Standard EN 14042 (Workp application and use of procedures for the assess biological agents) European Standard EN 482 (V requirements for the performance of procedures agents) Reference to national guidance docume of hazardous substances will also be required.	idance for the assessment of e with limit values and measurer lace atmospheres - Guide for sment of exposure to chemical Workplace atmospheres - Ger for the measurement of chem	exposure ment the and neral iical
8.2 Exposure controls				
Appropriate engineering controls	:	Use only with adequate ventilation. Use process other engineering controls to keep worker expos recommended or statutory limits.		
Individual protection measure	ure	<u>5</u>		
Hygiene measures	:	Wash hands, forearms and face thoroughly after eating, smoking and using the lavatory and at the Appropriate techniques should be used to remove Contaminated work clothing should not be allowed contaminated clothing before reusing. Ensure the showers are close to the workstation location.	e end of the working period. /e potentially contaminated clo ed out of the workplace. Wash	thing. า
Eye/face protection <u>Skin protection</u>	:	Chemical splash goggles and face shield.		
Hand protection	:	Chemical-resistant, impervious gloves complying worn at all times when handling chemical product necessary. Considering the parameters specifie during use that the gloves are still retaining their noted that the time to breakthrough for any glove glove manufacturers. In the case of mixtures, co protection time of the gloves cannot be accurate frequently repeated contact may occur, a glove w (breakthrough time greater than 480 minutes acco When only brief contact is expected, a glove with (breakthrough time greater than 30 minutes acco	ts if a risk assessment indicate of by the glove manufacturer, of protective properties. It should be material may be different for consisting of several substances ly estimated. When prolonged with a protection class of 6 cording to EN 374) is recommend n a protection class of 2 or high	es this is check d be different s, the d or ended. ner
		English (GB)	Egypt	6/13

Code : 00253796	Date of issue/Date of revision : 11 October 2023
NOVAGUARD 840 HARDE	R CREAM
	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Gloves	: nitrile neoprene
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	
Environmental exposur controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>							
Physical state	: Liquid.						
Colour	: Various	Various					
Odour	: Amine-like.	mine-like.					
Odour threshold	: Not available.						
Melting point/freezing point	data for the follow	May start to solidify at the following temperature: -7.1°C (19.2°F) This is based on data for the following ingredient: 2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine). Weighted average: -8.53°C (16.6°F)					
Initial boiling point and boiling range	: >37.78°C						
Flammability	: Not available.						
Upper/lower flammability or explosive limits	: Greatest known ra	ange: Lower	: 1.3% L	Jpper: 13% (b	enzyl alc	ohol)	
Flash point	: 🕅 osed cup: Not a	pplicable.					
Auto-ignition temperature	: Ingredient name	•	°C	°F		Method	
	2,2'-dimethyl-4,4'-met (cyclohexylamine)	hylenebis	275	527			
Decomposition temperature	: Stable under reco	mmended s	torage a	nd handling co	onditions	(see Sec	tion 7).
рН	: Not applicable. ins	Not applicable. insoluble in water.					
Viscosity	: Kinematic (40°C):	Kinematic (40°C): >21 mm²/s					
Solubility(ies)	÷						
Media	Result	Result					
cold water	Not soluble	Not soluble					
Partition coefficient: n-octanol/ water	/ : Not applicable.						
Vapour pressure	:	Vapo	Vapour Pressure at 20°C		Vapour pressure at 50°C		
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	2,4,6-tris (dimethylaminomethy phenol	0.056	0.0075	EU A.4			

Code : 00253796	Date	of issue/Date of revision	: 11 October 2023
NOVAGUARD 840 HARDENE	CREAM		
SECTION 9: Physical	and chemical propertie	S	
Evaporation rate	: 0.007 (benzyl alcohol) comp	ared with butyl acetate	
Relative density	: 0.97		
Bulk density (g/cm³)	: 0.96		
Vapour density	: Highest known value: 3.7 (A	Air = 1) (benzyl alcohol).	
Explosive properties	: The product itself is not expl vapour or dust with air is pos	losive, but the formation of an e	explosible mixture of
Oxidising properties	: Product does not present ar	ı oxidizing hazard.	
Particle characteristics		-	
Median particle size	: Not applicable.		
9.2 Other information			
No additional information.			

SECTION 10: Stability and reactivity

	-	-
10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides Formaldehyde. metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2,2'-dimethyl-4,4'-methylenebis	LC50 Inhalation Dusts and	Rat	420 mg/m ³	4 hours
(cyclohexylamine)	mists			
	LD50 Dermal	Rabbit	>0.2 g/kg	-
	LD50 Oral	Rat	>0.32 g/kg	-
benzyl alcohol	LC50 Inhalation Dusts and	Rat	>4178 mg/m ³	4 hours
-	mists		Ū,	
	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1.23 g/kg	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	LD50 Dermal	Rabbit	>2000 mg/kg	-
•	LD50 Oral	Rat	2413 mg/kg	-
2,4,6-tris(dimethylaminomethyl)phenol	LD50 Dermal	Rabbit	1.28 g/kg	-
	LD50 Dermal	Rat	1280 mg/kg	-
	LD50 Oral	Rat	1200 mg/kg	-

Conclusion/Summary	: There are no data available

Irritation/Corrosion

 Code
 <th::00253796</th>
 Date of issue/Date of revision
 : 11 October 2023

 NOVAGUARD 840 HARDENER CREAM
 SECTION 11: Toxicological information
 Image: Comparison of the second second

2,4,6-tris(dimethylaminomet	thyl)phenol	Skin - Visible necrosis	Rabbit	-
Conclusion/Summary				
Skin	: There are	e no data available on the r	nixture itself.	
Eyes	: There are	e no data available on the r	nixture itself.	
Respiratory	: There are	e no data available on the r	nixture itself.	
Sensitisation				
Conclusion/Summary				
Skin	: There are	e no data available on the	mixture itself	f.
Respiratory	: There are	e no data available on the	mixture itself	f.
Mutagenicity				
Conclusion/Summary	: There are	e no data available on the	mixture itself	f.
Carcinogenicity				
Conclusion/Summary	: There are	e no data available on the	mixture itself	f.
Reproductive toxicity				
Conclusion/Summary	: There are	e no data available on the	mixture itself	f.
Teratogenicity				
Conclusion/Summary	: There are	e no data available on the	mixture itself	f.
Specific target organ toxicity (single exposure)				

Product/ingredient name Category **Route of Target organs** exposure N→-(3-(trimethoxysilyl)propyl)ethylenediamine Category 3 Respiratory tract irritation Specific target organ toxicity (repeated exposure) Not available. **Aspiration hazard** Not available. Information on likely : Not available. routes of exposure Potential acute health effects : Toxic if inhaled. Inhalation Ingestion : Harmful if swallowed. **Skin contact** : Causes severe burns. Toxic in contact with skin. May cause an allergic skin reaction. Eye contact : Causes serious eye damage. Symptoms related to the physical, chemical and toxicological characteristics Inhalation : No specific data. Ingestion : Adverse symptoms may include the following: stomach pains Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur **Eye contact** Adverse symptoms may include the following: ÷. pain watering redness

Delayed and immediate effects as well as chronic effects from short and long-term exposure

English (GB)

4 hours

7 days

Code : 00253796

NOVAGUARD 840 HARDENER CREAM

Date of issue/Date of revision

: 11 October 2023

SECTION 11: Toxicological information

<u>Short term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ct	<u>s</u>
Not available.		
Conclusion/Summary	:	Not available.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
Other information	1	Not available.

Sanding and grinding dusts may be harmful if inhaled. Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapour/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness. Contains a substance that may emit formaldehyde if stored beyond its shelf life and/or during cure at curing temperatures greater than 60C/140F. Exposure to amine vapor has been reported to cause transient corneal edema described as blue haze, halo effect, foggy or blurred vision for several hours. This condition is typically temporary and does not cause permanent visual effects. When the proper eye protection specified in Section 8 is worn, exposure is significantly reduced and the condition has not been observed.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
N-(3-(trimethoxysilyl)propyl)ethylenediamine	EC50 597 mg/l		96 hours
2,4,6-tris(dimethylaminomethyl)phenol	Acute LC50 175 mg/l		96 hours

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
▶ Penzyl alcohol	-	-	Readily

12.3 Bioaccumulative potential

English	(GB)
---------	------

Code<th: 00253796</th>Date of issue/Date of revision: 11 October 2023NOVAGUARD 840 HARDENER CREAM

SECTION 12: Ecological information

<u> </u>			
Product/ingredient name	LogPow	BCF	Potential
 2'-dimethyl-4,4'-methylenebis(cyclohexylamine) benzyl alcohol 2,4,6-tris(dimethylaminomethyl)phenol 	1.8 0.87 0.219	- - -	Low Low Low

12.4 Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

Hazardous waste : Yes European waste catalogue (EWC)

Waste code	Waste designation
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)		
Container	15 01 06 mixed packaging		
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.		

English	(GB)
---------	------

Code : 00253796

NOVAGUARD 840 HARDENER CREAM

Date of issue/Date of revision :

: 11 October 2023

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN2922	UN2922	UN2922
14.2 UN proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. (2,2'-dimethyl-4,4'- methylenebis (cyclohexylamine), 2,4,6-tris (dimethylaminomethyl)phenol)	CORROSIVE LIQUID, TOXIC, N.O.S.	CORROSIVE LIQUID, TOXIC, N.O.S.
14.3 Transport hazard class(es)	8 (6.1)	8 (6.1)	8 (6.1)
14.4 Packing group	11	11	II
14.5 Environmental hazards	Yes.	Yes.	Yes. The environmentally hazardous substance mark is not required.
Marine pollutant substances	Not applicable.	(2,2'-dimethyl-4,4'- methylenebis (cyclohexylamine))	Not applicable.

Additional information

ADR/RID	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.
IMDG	: The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.
ΙΑΤΑ	: The environmentally hazardous substance mark may appear if required by other transportation regulations.
14.6 Special n	procedutions for

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not applicable.according to IMOinstruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU Regulation (EC) No. 1907/2006 (REACH)

 Annex XIV - List of substances subject to authorisation

 Annex XIV

 None of the components are listed.

 Substances of very high concern

 None of the components are listed.

 Annex XVII - Restrictions : Not applicable.

 on the manufacture,

 placing on the market

 and use of certain

 dangerous substances,

 mixtures and articles

English (GB)

Code : 00253796		Date of issue/Date of revision	: 11 October 2023
NOVAGUARD 840 HARDEN	IER CREAM		
SECTION 15: Regu	latory information		
Ozone depleting substar Not listed.	<u>ices (1005/2009/EU)</u>		
15.2 Chemical safety assessment	: No Chemical Safety Ass	essment has been carried out.	
SECTION 16: Other	information		
Indicates information that	t has changed from previously	vissued version.	
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number		
Full text of abbreviated H statements	 H302 Harmful if swa H311 Toxic in conta H312 Harmful in con H314 Causes sever H317 May cause an H318 Causes serior H319 Causes serior H311 Toxic if inhale H332 Harmful if inhale H335 May cause re 	 H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. 	
Full text of classifications [CLP/GHS]	: Acute Tox. 3 Acute Tox. 4 Aquatic Chronic 2 Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1A Skin Corr. 1C Skin Sens. 1 Skin Sens. 1B STOT SE 3	ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 LONG-TERM (CHRONIC) AQUAT SERIOUS EYE DAMAGE/EYE IRF SERIOUS EYE DAMAGE/EYE IRF SKIN CORROSION/IRRITATION SKIN CORROSION/IRRITATION SKIN SENSITISATION - Category SKIN SENSITISATION - Category SPECIFIC TARGET ORGAN TOX EXPOSURE - Category 3	RITATION - Category 1 RITATION - Category 2 - Category 1A - Category 1C 1 1B
<u>History</u>		<u> </u>	
Date of issue/ Date of revision	: 11 October 2023		
Date of previous issue	: 28 November 2022		
Prepared by	: EHS		
Version	: 12.02		
<u>Disclaimer</u>			

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.