# **SAFETY DATA SHEET**

PPG

Version4.01

Date of issue/Date of revision 16 December 2023

# Section 1. Identification

Product code	: 00141111
Product name	: SIGMAGUARD CSF 575 BASE WHITE
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified use	s of the substance or mixture and uses advised against
Product use	: Coating. Professional applications, Used by spraying.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
Supplier's details	: PT PPG Coatings Indonesia JI. Rawagelam III No.1 13930 Jakarta Indonesia Tel +62 21 4605710 PMC.Safety@PPG.com
Emergency telephone number	: CHEMTREC 001-803-017-9114 (CCN 17704)

# Section 2. Hazards identification

Classification of the substance or mixture	: SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2 AQUATIC HAZARD (LONG-TERM) - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 27.1%

### **GHS label elements, including precautionary statements**

Hazard pictograms



Signal word: WarningHazard statements: Causes skin irritation.<br/>May cause an allergic skin reaction.<br/>Causes serious eve irritation.

Causes serious eye irritation. Suspected of causing genetic defects. Toxic to aquatic life with long lasting effects.

### **Precautionary statements**

# Section 2. Hazards identification

Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
Response	:	Collect spillage. IF exposed or concerned: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	1	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not		None known

Other hazards which do not : None known. result in classification

# Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
-------------------	-----------

CAS	number/other identifiers	
	<u>Humber/other lucitumers</u>	2

CAS number	1	Not applicable.
EC number	1	Mixture.
Ingredient name		
s-[4-(2,3-epoxipropoxi)pher		ropane
2,3-epoxypropyl neodecanoa	te	
Talc , not containing asbestiform fibres		

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

%

25- <50

10- <20

3- <5

SUB codes represent substances without registered CAS Numbers.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

# Description of necessary first aid measuresEye contact: Remove contact lenses, irrigate copiously with clean, fresh water, holding the<br/>eyelids apart for at least 10 minutes and seek immediate medical advice.Inhalation: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is<br/>irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by<br/>trained personnel.Skin contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and<br/>water or use recognized skin cleanser. Do NOT use solvents or thinners.Ingestion: If swallowed, seek medical advice immediately and show this container or label.<br/>Keep person warm and at rest. Do NOT induce vomiting.

# Most important symptoms/effects, acute and delayed Potential acute health effects

**CAS** number

1675-54-3

26761-45-5

14807-96-6

# Section 4. First aid measures

Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards. S Adverse symptoms may include the following: pain or irritation watering
Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards. S Adverse symptoms may include the following: pain or irritation watering
No known significant effects or critical hazards. S Adverse symptoms may include the following: pain or irritation watering
Adverse symptoms may include the following: pain or irritation watering
Adverse symptoms may include the following: pain or irritation watering
pain or irritation watering
redness
No specific data.
Adverse symptoms may include the following: irritation redness
No specific data.
l attention and special treatment needed, if necessary
Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
No specific treatment.
No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear

# See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section

# Section 7. Handling and storage

13 for waste disposal.

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Section 7. Handling and storage

# Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name			Exposure limits           Minister of Labor of the Republic of Indonesia (Indonesia, 4/2018).           TWA: 2 mg/m³ 8 hours. Form: respirable particles	
		n fibres		
Recommended monitoring procedures	:		briate monitoring standards. Reference to the the termination of hazardous	
Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.		
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
ndividual protection measu	<u>res</u>			
Hygiene measures	:	eating, smoking and using the lavator Appropriate techniques should be use Contaminated work clothing should n	oughly after handling chemical products, before ry and at the end of the working period. ed to remove potentially contaminated clothing. ot be allowed out of the workplace. Wash be consure that eyewash stations and safety location.	
Eye/face protection	:	Chemical splash goggles.		
Skin protection				
Hand protection	:	be worn at all times when handling ch this is necessary. Considering the pa check during use that the gloves are should be noted that the time to break different for different glove manufactu	s complying with an approved standard should nemical products if a risk assessment indicates arameters specified by the glove manufacturer, still retaining their protective properties. It kthrough for any glove material may be urers. In the case of mixtures, consisting of ne of the gloves cannot be accurately	
Gloves	1	butyl rubber		
Body protection	:	Personal protective equipment for the being performed and the risks involve	e body should be selected based on the task	

<sup>:</sup> Page: 6/11

Indonesia

### Product name SIGMAGUARD CSF 575 BASE WHITE

# Section 8. Exposure controls/personal protection

-	
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# Section 9. Physical and chemical properties

Appearance       Physical state       :       Liquid.         Color       :       Various         Odor       :       Characteristic.         Odor threshold       :       Not available.         PH       :       Not available.         Melting point       :       Not available.         Boiling point       :       >37.78°C (>100°F)         Flash point       :       Closed cup: Not applicable.         Evaporation rate       :       Not available.         Flash point       :       Closed cup: Not applicable.         Evaporation rate       :       Not available.         Flash point       :       Closed cup: Not applicable.         Evaporation rate       :       Not available.         Flash point       :       Not available.         Flash point       :       Not available.         Lower and upper explosive (flasmable) limits       :       Not available.         Vapor pressure       :       Not available.         Relative density       :       1.39         Solubility(ies)       :       Media       Result         ectanol/water       :       Not available.         Out available.       :	-					
Color: VariousOdor: Characteristic.Odor threshold: Not available.pH: Not applicable.Melting point: Not available.Boiling point: >37.78°C (>100°F)Flash point: Closed cup: Not applicable.Evaporation rate: Not available.Flammability/Combustible: Not available.properties (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: 1.39Solubility(ies): Not applicable.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Partition temperature Viscosity: Not available.Viscosity: Kinematic (40°C): >21 mm²/sViscosity: 60 - 100 s (ISO 6mm)	Appearance					
Odor:Characteristic.Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:>37.78°C (>100°F)Flash point:Closed cup: Not applicable.Evaporation rate:Not available.Flammability/Combustible:Not available.Flammability/Combustible:Not available.Flammability/Combustible:Not available.Cower and upper explosive:Not available.(flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility(ies):MediaResultØid waterNot solublePartition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.Viscosity::MediaViscosity::Mot available.Viscosity:::Viscosity:::Viscosity:::Viscosity:::Viscosity:::Viscosity:::Viscosity:::Out available.:::::::::::::	Physical state	:	Liquid.			
Odor threshold:Not available.pH:Not applicable.Melting point:Not available.Boiling point:>37.78°C (>100°F)Flash point:Closed cup: Not applicable.Evaporation rate:Not available.Flammability/Combustible properties (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility(ies):MediaPartition coefficient: n- octanol/water:Not available.Partition temperature Decomposition temperature:Not available.Viscosity:Not available.Viscosity:Not available.Viscosity:Not available.Viscosity:Not available.Viscosity:Not available.Viscosity:Not available.Viscosity:Not available.Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity::Viscosity: <th>Color</th> <th>:</th> <th>Various</th> <th></th> <th></th> <th></th>	Color	:	Various			
pH       :       Not applicable.         Melting point       :       Not available.         Boiling point       :       >37.78°C (>100°F)         Flash point       :       Closed cup: Not applicable.         Evaporation rate       :       Not available.         Flammability/Combustible       :       Not available.         properties (solid, gas)       :       Not available.         Lower and upper explosive (flammable) limits       :       Not available.         Vapor pressure       :       Not available.         Vapor density       :       Not available.         Relative density       :       1.39         Solubility(ies)       :       Media         Partition coefficient: n- octanol/water       :       Not available.         Auto-ignition temperature       :       Not available.         Decomposition temperature       :       Not available.         Viscosity       :       Kinematic (40°C): >21 mm²/s         Viscosity       :       60 - 100 s (ISO 6mm)	Odor	:	Characteristic.			
Melting point       : Not available.         Boiling point       : >37.78°C (>100°F)         Flash point       : Closed cup: Not applicable.         Evaporation rate       : Not available.         Flammability/Combustible properties (solid, gas)       : Not available.         Lower and upper explosive (flammable) limits       : Not available.         Vapor pressure (flammable) limits       : Not available.         Vapor density       : Not available.         Relative density       : 1.39         Solubility(ies)       : Media         Refine water       Not soluble         Partition coefficient: n- octanol/water       : Not available.         Auto-ignition temperature       : Not available.         Viscosity       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	Odor threshold	:	Not available.			
Boiling point       : >37.78°C (>100°F)         Flash point       : Closed cup: Not applicable.         Evaporation rate       : Not available.         Flammability/Combustible       : Not available.         properties (solid, gas)       : Not available.         Lower and upper explosive       : Not available.         (flammable) limits       : Not available.         Vapor pressure       : Not available.         Relative density       : 1.39         Solubility(ies)       :         Partition coefficient: n- octanol/water       : Not available.         Auto-ignition temperature       : Not available.         Viscosity       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	рН	:	Not applicable.			
Flash point       :       Closed cup: Not applicable.         Evaporation rate       :       Not available.         Flammability/Combustible       :       Not available.         properties (solid, gas)       :       Not available.         Lower and upper explosive (flammable) limits       :       Not available.         Vapor pressure       :       Not available.         Vapor density       :       Not available.         Relative density       :       1.39         Solubility(ies)       :       Media         Partition coefficient: n- octanol/water       :       Not available.         Auto-ignition temperature       :       Not available.         Viscosity       :       Kinematic (40°C): >21 mm²/s         Viscosity       :       60 - 100 s (ISO 6mm)	Melting point	:	Not available.			
Evaporation rate       : Not available.         Flammability/Combustible       : Not available.         properties (solid, gas)       : Not available.         Lower and upper explosive       : Not available.         (flammable) limits       : Not available.         Vapor pressure       : Not available.         Vapor density       : Not available.         Relative density       : 1.39         Solubility(ies)       : Media         Result       fold water         Vot soluble         Partition coefficient: n-octanol/water       : Not available.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	Boiling point	:	>37.78°C (>100°F)			
Flammability/Combustible properties (solid, gas)       : Not available.         Lower and upper explosive (flammable) limits       : Not available.         Vapor pressure (flammable) limits       : Not available.         Vapor density Relative density       : Not available.         Solubility(ies)       : Media         Result       : Mot available.         Partition coefficient: n- octanol/water       : Not applicable.         Auto-ignition temperature Viscosity       : Not available.         Viscosity       : Not available.         Viscosity       : Not available.	Flash point	:	Closed cup: Not applic	able.		
properties (solid, gas)       Image: Solid gas)         Lower and upper explosive (flammable) limits       : Not available.         Vapor pressure       : Not available.         Vapor density       : Not available.         Relative density       : 1.39         Solubility(ies)       : Media         Result       : Mot available.         Partition coefficient: n- octanol/water       : Not available.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	Evaporation rate	:	Not available.			
(flammable) limits         Vapor pressure       : Not available.         Vapor density       : Not available.         Relative density       : 1.39         Solubility(ies)       : Media       Result         Fold water       Not soluble         Partition coefficient: n-octanol/water       : Not available.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	-	;	Not available.			
Vapor density       : Not available.         Relative density       : 1.39         Solubility(ies)       Media       Result         Media       Result         Fold water       Not soluble         Partition coefficient: n- octanol/water       : Not applicable.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)		:	Not available.			
Relative density       : 1.39         Solubility(ies)       : Media       Result         Partition coefficient: n-octanol/water       : Not applicable.         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	Vapor pressure	:	Not available.			
Solubility(ies)MediaResultPartition coefficient: n- octanol/water:Not solubleAuto-ignition temperature Decomposition temperature ::Not available.Viscosity Viscosity:Kinematic (40°C): >21 mm²/sViscosity ::::	Vapor density	:	Not available.			
Solubility(ies)       :       Fold water       Not soluble         Partition coefficient: n- octanol/water       :       Not applicable.         Auto-ignition temperature       :       Not available.         Decomposition temperature       :       Not available.         Viscosity       :       Kinematic (40°C): >21 mm²/s         Viscosity       :       60 - 100 s (ISO 6mm)	Relative density	:	1.39			
Partition coefficient: n- octanol/water     : Not applicable.       Auto-ignition temperature     : Not available.       Decomposition temperature     : Not available.       Viscosity     : Kinematic (40°C): >21 mm²/s       Viscosity     : 60 - 100 s (ISO 6mm)	Solubility/ips)		Media	Result		
octanol/water         Auto-ignition temperature       : Not available.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C): >21 mm²/s         Viscosity       : 60 - 100 s (ISO 6mm)	Solubility(ies)	Ċ	old water	Not soluble		
Decomposition temperature: Not available.Viscosity: Kinematic (40°C): >21 mm²/sViscosity: 60 - 100 s (ISO 6mm)		:	Not applicable.			
Viscosity         : Kinematic (40°C): >21 mm²/s           Viscosity         : 60 - 100 s (ISO 6mm)	Auto-ignition temperature	:	Not available.			
Viscosity         : 60 - 100 s (ISO 6mm)	Decomposition temperature	:	Not available.			
	Viscosity	:	Kinematic (40°C): >21	mm²/s		
Section 10. Stability and reactivity	Viscosity	:	60 - 100 s (ISO 6mm)			
	Section 10. Stabili	ty	and reactivity	1		

### allu itatiivity labiiily

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

Product code 00141111 Product name SIGMAGUARD CSF 575 BASE WHITE Date of issue 16 December 2023 Version 4.01

# Section 10. Stability and reactivity

Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.
Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides halogenated compounds metal oxide/oxides

# Section 11. Toxicological information

# Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
s-[4-(2,3-epoxipropoxi)	LD50 Dermal	Rabbit	23000 mg/kg	-
	LD50 Oral	Rat	15000 mg/kg	-
2,3-epoxypropyl neodecanoate	LD50 Dermal	Rat	3800 mg/kg	-
	LD50 Oral	Rat	9.6 g/kg	-

# Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
bis-[4-(2,3-epoxipropoxi) phenyl]propane	Eyes - Mild irritant	Rabbit	-	24 hours	-
	Eyes - Redness of the conjunctivae	Rabbit	0.4	24 hours	-
	Skin - Edema	Rabbit	0.5	4 hours	-
	Skin - Erythema/Eschar	Rabbit	0.8	4 hours	-
	Skin - Mild irritant	Rabbit	-	4 hours	-

### **Conclusion/Summary**

Skin	: There are no data available on the mixture itself.
Eyes	: There are no data available on the mixture itself.

: There are no data available on the mixture itself.

Respiratory	: There are no data available on the mixture itself.

### **Sensitization**

Product/ingredient name	Route of exposure	Species	Result
ቓís-[4-(2,3-epoxipropoxi) phenyl]propane	skin	Mouse	Sensitizing

Conclusion/Summary	
Skin	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
<u>Mutagenicity</u>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.
Reproductive toxicity	
Conclusion/Summary	: There are no data available on the mixture itself.
· · · · · · · · · · · · · · · · · · ·	

# Section 11. Toxicological information

### **Teratogenicity**

**Conclusion/Summary** : There are no data available on the mixture itself.

### Specific target organ toxicity (single exposure)

Name	•••	Route of exposure	Target organs
Talc , not containing asbestiform fibres	Category 3	-	Respiratory tract irritation

### <u>Specific target organ toxicity (repeated exposure)</u> Not available.

Not available.

# Aspiration hazard

Not available.

Information on the likely	: Not available.
routes of exposure	

Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Mutagenicity	÷	Suspected of causing genetic defects.
Carcinogenicity		No known significant effects or critical hazards.
General		Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Potential chronic health effe	ect	<u>s</u>
· · · · · · · · · · · · · · · · · · ·		There are no data available on the mixture itself.
Potential immediate effects	:	There are no data available on the mixture itself.
<u>Long term exposure</u>		
Potential delayed effects	:	There are no data available on the mixture itself.
Potential immediate	:	There are no data available on the mixture itself.
<u>Short term exposure</u>		
Delayed and immediate effec	ts	and also chronic effects from short and long term exposure

# Section 11. Toxicological information

**Reproductive toxicity** : No known significant effects or critical hazards.

# Numerical measures of toxicity

Acute toxicity estimates

Not available.

### **Other information**

Sanding and grinding dusts may be harmful if inhaled.

# Section 12. Ecological information

т	oxi	c	itv

Product/ingredient name	Result	Species	Exposure
s-[4-(2,3-epoxipropoxi)	Acute LC50 1.8 mg/l Fresh water	Daphnia - <i>daphnia magna</i>	48 hours
	Chronic NOEC 0.3 mg/l	Daphnia	21 days
2,3-epoxypropyl neodecanoate	Acute EC50 3.5 mg/l	Algae	96 hours
	Acute EC50 4.8 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 9.6 mg/l	Fish - Oncorhynchus mykiss	96 hours

### Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
bis-[4-(2,3-epoxipropoxi) phenyl]propane	-	-	Not readily
2,3-epoxypropyl neodecanoate	-	-	Not readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
₽,3-epoxypropyl neodecanoate	4.4	-	High

Mobility in soil

: Not available.

Other adverse effects

Soil/water partition

coefficient (Koc)

: No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill

Indonesia <sup>:</sup> Page: 9/11

# Section 13. Disposal considerations

should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	UN	IMDG	ATA
UN number	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(bis-[4-(2,3-epoxipropoxi) phenyl]propane, 2,3-epoxypropyl neodecanoate)	(bis-[4-(2,3-epoxipropoxi) phenyl]propane, 2,3-epoxypropyl neodecanoate)	(bis-[4-(2,3-epoxipropoxi) phenyl]propane, 2,3-epoxypropyl neodecanoate)
Transport hazard class(es)	9	9	9
Packing group	III		III
Environmental hazards	Yes.	Yes.	Yes.
Marine pollutant substances	Not applicable.	(bis-[4-(2,3-epoxipropoxi) phenyl]propane)	Not applicable.

### Additional information

Section 15.	Regulatory information
Transport in bulk to IMO instrument	according : Not applicable. s
Special precaution	<b>s for user : Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
ΙΑΤΑ	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
IMDG	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
UN	This product is not regulated as a dangerous good when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
Auditional informa	

# Safety, health and environmental regulations

: No known specific national and/or regional regulations applicable to this product (including its ingredients).

specific for the product

# Section 15. Regulatory information

t





### Law No. 74/2001 - Banned

None of the components are listed.

### Law No. 74/2001 - Restricted

None of the components are listed.

### Law No. 74/2001 - : Not determined Chemicals that may be used

### International regulations

### Montreal Protocol

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

# Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 16 December 2023
Date of previous issue	: 5/21/2021
Version	: 4.01
Prepared by	: EHS
Key to abbreviations	<ul> <li>ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail UN = United Nations</li> </ul>

**V** Indicates information that has changed from previously issued version.

### Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.