# **SAFETY DATA SHEET**



Date of issue/Date of revision 11 January 2024 Version 1.04

Section 1. Identification		
Product code	: 000001191195	
Product name	: PPG AQUACOVER ONE 645 REDBROWN	
Other means of identification 00454100	on	
Product type	: Liquid.	
<u>Relevant identified uses of</u> Product use	<ul> <li>the substance or mixture and uses advised against</li> <li>Coating. Professional applications, Used by spraying, Application by non spray methods</li> </ul>	
Supplier's details	: PPG Industries (Singapore) Pte. Ltd., No. 1 Tuas Basin Close, Singapore 638803. Tel +65 68653737	
Emergency telephone number (with hours of operation)	: CHEMTREC +(65)-31581349 (CCN 17704)	

# Section 2. Hazards identification

Classification of the : Not classified. substance or mixture

# GHS label elements, including precautionary statementsSignal word: No signal word.Hazard statements: No known significant effects or critical hazards.Precautionary statements: Not applicable.Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

**Other hazards which do not** : Contains isothiazolinones. May cause allergic reaction. **result in classification** 

Singapore	English (G	B)
-----------	------------	----

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

### **CAS number/other identifiers**

CAS number	: Not applicable.
EC number	: Mixture.

Ingredient name	%	CAS number
2-(2-butoxyethoxy)ethanol	1 - <3	112-34-5
Alcohols, C16-18 and C18-unsatd., ethoxylated	1 - <3	68920-66-1
pyrithione zinc	<0.1	13463-41-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

# Section 4. First aid measures

### **Description of necessary first aid measures**

Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show the container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>

### Most important symptoms/effects, acute and delayed

Singapore English	
Specific treatments	No specific treatment.
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Indication of immedia	te medical attention and special treatment needed, if necessary
ingestion	. No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Inhalation	: No specific data.
Eye contact	: No specific data.
Over-exposure signs	s/symptoms
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Potential acute healt	th effects

### 10

# Section 4. First aid measures

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for con	tainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Product name PPG AQUACOVER ONE 645 REDBROWN

# Section 6. Accidental release measures

Large spill
 Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling		
Protective measures	on appropriate personal	protective equipment (see Section 8).
Advice on general occupational hygiene	lled, stored and proces ig, drinking and smokin	g should be prohibited in areas where this material is sed. Workers should wash hands and face before g. Remove contaminated clothing and protective eating areas. See also Section 8 for additional sures.
Conditions for safe storage, including any incompatibilities	rdance with local regula ght in a dry, cool and w Section 10) and food a y for use. Containers th upright to prevent leaka	temperatures: 5 to 35°C (41 to 95°F). Store in ations. Store in original container protected from direct ell-ventilated area, away from incompatible materials nd drink. Keep container tightly closed and sealed until nat have been opened must be carefully resealed and age. Do not store in unlabelled containers. Use avoid environmental contamination. See Section 10 for re handling or use.

# Section 8. Exposure controls/personal protection

### Control parameters

### **Occupational exposure limits**

Ingredient name			Exposure limits
(2-butoxyethoxy)ethanol			ACGIH TLV (United States, 1/2023). TWA: 10 ppm 8 hours. Form: Inhalable fraction and vapor
Recommended monitoring procedures	:	: Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.	
Appropriate engineering controls	:	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Environmental exposure controls	:		

Singapore	English (GB)	Page: 4/10
-----------	--------------	------------

Product name PPG AQUACOVER ONE 645 REDBROWN

# Section 8. Exposure controls/personal protection

## Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety glasses with side shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: For prolonged or repeated handling, use the following type of gloves:
	Recommended: butyl rubber
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

# Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	Liquid.	
Colour	Brownish-red.	
Odour	Characteristic.	
рН	8.5	
Boiling point	>37.78°C (>100°F)	
Flash point	🖉losed cup: Not applicable.	
Evaporation rate	0.003 (2-(2-butoxyethoxy)ethanol) compared with butyl acetate	
Flammability (solid, gas)	liquid	
Vapour pressure	Ħghest known value: 2.3 kPa (17.5 mm Hg) (at 20°C) (water). Weighted average 2.23 kPa (16.73 mm Hg) (at 20°C)	э:
Vapour density	Highest known value: 5.6 (Air = 1) (2-(2-butoxyethoxy)ethanol).	
Relative density	1.07	
	Media Result	
Solubility(ies)	cold water Partially soluble	
	<u> </u>	

SingaporeEnglish (GB)Pa	age: 5/10
-------------------------	-----------

Date of issue 11 January 2024 Version 1.04

Product name PPG AQUACOVER ONE 645 REDBROWN

# Section 9. Physical and chemical properties

Auto-ignition temperature	: Lowest known value: 210°C (410°F) (2-(2-butoxyethoxy)ethanol).
Viscosity	: Kinematic (40°C (104°F)): >21 mm²/s (>21 cSt)
Viscosity	: > 100 s (ISO 6mm)

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides

# Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Oral	Rat	4500 mg/kg	-
pyrithione zinc	LC50 Inhalation Dusts and mists	Rat	0.14 mg/l	4 hours
	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Oral	Rat	177 mg/kg	-

**Conclusion/Summary** : There are no data available on the mixture itself.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
pyrithione zinc	Eyes - Cornea opacity	Rabbit	4	24 hours	24 hours
Conclusion/Summary	ł	Į	Į	- I	ł
Skin	: There are no data availab	e on the mixtur	e itself.		
Eyes	: There are no data availab	e on the mixtur	e itself.		
Respiratory	: There are no data availab	e on the mixtur	e itself.		
<u>Sensitisation</u>					
Conclusion/Summary					
Skin	: There are no data availab	e on the mixtur	e itself.		
Respiratory	: There are no data availabl	e on the mixtur	e itself.		
Mutagenicity					
Singapore English (GE	3)				Page: 6/

# Section 11. Toxicological information

<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.	
<b>Carcinogenicity</b>		
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.	
Reproductive toxicity		
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.	
Teratogenicity		
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.	
Specific target organ toxicity (single exposure)		
Not available		

Not available.

### Specific target organ toxicity (repeated exposure)

Name	•••	Route of exposure	Target organs
pyrithione zinc	Category 1	-	-

### **Aspiration hazard**

Not available.

Information on likely routes	1	Not available.
of exposure		

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Singapore	e English (GB)	Page: 7/10
-----------	----------------	------------

# Section 11. Toxicological information

### Potential chronic health effects

- : No known significant effects or critical hazards.
- : No known significant effects or critical hazards.
- **Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity

Carcinogenicity

: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates

Not available.

General

### Other information

Sanding and grinding dusts may be harmful if inhaled. Contains isothiazolinones. May cause allergic reaction.

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
pyrithione zinc	Acute EC50 5.513 μg/l Marine water Acute LC50 0.0082 mg/l Chronic NOEC 1.889 μg/l Marine water Chronic NOEC 0.0027 mg/l	Algae - <i>Nitzschia pungens</i> Daphnia Algae - <i>Nitzschia pungens</i> Daphnia	96 hours 48 hours 96 hours 21 days
Conclusion/Summary	: There are no data available on the m	ixture itself.	·

### Persistence/degradability

Product/ingredient name	Test	Result		Dose	Inoculum
pyrithione zinc	-	39 % - 28 days		-	-
Conclusion/Summary       : There are no data available on the mixture itself.					
Product/ingredient name	Aquatic half-life		Photolysis	S	Biodegradability
pyrithione zinc	-		50%; < 28	day(s)	Not readily

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
(2-butoxyethoxy)ethanol Alcohols, C16-18 and C18-unsatd., ethoxylated	1 4.2	-	Low High
pyrithione zinc	0.9	0.9	Low

### Mobility in soil

Singapore	English (GB)	Page: 8/10
-----------	--------------	------------

# Section 12. Ecological information

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

### **Other adverse effects** : No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the permiserence of environmental protoction and waste disposal legislation and
	with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable
	products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain
	some product residues. Avoid dispersal of spilt material and runoff and contact with
	soil, waterways, drains and sewers.

# Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

### **Additional information**

UN	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Singapore	English (GB)	Page: 9/10
-----------	--------------	------------

# Section 15. Regulatory information

Singapore - hazardous chemicals under government control

None.

International regulations Montreal Protocol Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

History

# Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 11 January 2024
Date of previous issue	: 3/21/2023
Version	: 1.04
Prepared by	: EHS
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>

Indicates information that has changed from previously issued version.

### Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.