SAFETY DATA SHEET

Date of issue/Date of revision

: 20 February 2024 Version





: 1.01

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: NOVAGUARD 840/890 HARDENER GREEN
Product code	: 000001190923
Other means of identificati 00453596	on
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Product use	: Professional applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier of	the safety data sheet
Sigma Coatings PTY 9 Arnold Street, Alrode, Alberton, Gauteng South Africa Tel: 0027 11 389 4800	
e-mail address of person responsible for this SDS	: PS.ACEMEA@ppg.com
1.4 Emergency telephone number	: +27 51 444 2134

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u>

Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Code : 000001190923	}	Date of issue/Date of revision	: 20 February 2024				
NOVAGUARD 840/890 HARDENER GREEN							
SECTION 2: Hazards identification							
Hazard pictograms							
Signal word	: Danger						
Hazard statements	Causes severe skir May cause an aller	th skin or if inhaled. n burns and eye damage.					
Precautionary statements							
Prevention	: Wear protective glo the environment.	oves, protective clothing and eye or face pro	otection. Avoid release to				
Response		INHALED: Immediately call a POISON CE mediately call a POISON CENTER or doctor					
Storage	: Not applicable.						
Disposal	international regula	s and container in accordance with all local itions. P304 + P310, P301 + P310, P501	l, regional, national and				
Hazardous ingredients		nethylenebis(cyclohexylamine) yl)propyl)ethylenediamine					
Supplemental label elements	: Not applicable.						
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.						
Special packaging requiren	<u>ients</u>						
Containers to be fitted with child-resistant fastenings	: Not applicable.						
Tactile warning of danger	: Not applicable.						
2.3 Other hazards							
Product meets the criteria for PBT or vPvB	: This mixture does r	not contain any substances that are assess	sed to be a PBT or a vPvB.				
Other hazards which do not result in classification	: None known.						

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

Code: 000001190923Date of issue/Date of revision: 20 February 2024

NOVAGUARD 840/890 HARDENER GREEN

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
₽,2'-dimethyl-4,4'- methylenebis (cyclohexylamine)	EC: 229-962-1 CAS: 6864-37-5 Index: 612-110-00-1	≥75 - ≤90	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411	ATE [Oral] = 500 mg/ kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.5 mg/l	[1]
benzyl alcohol	REACH #: 01-2119492630-38 EC: 202-859-9 CAS: 100-51-6 Index: 603-057-00-5	≥10 - ≤15	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319	ATE [Oral] = 1230 mg/ kg ATE [Inhalation (dusts and mists)] = 1.5 mg/l	[1] [2]
N-(3-(trimethoxysilyl)propyl) ethylenediamine	EC: 217-164-6 CAS: 1760-24-3	≥1.0 - ≤5.0	Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335	-	[1]
2,4,6-tris (dimethylaminomethyl) phenol	REACH #: 01-2119560597-27 EC: 202-013-9 CAS: 90-72-2 Index: 603-069-00-0	≥1.0 - ≤3.7	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318	ATE [Oral] = 1200 mg/ kg ATE [Dermal] = 1280 mg/kg	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Code : 000001190923	,
NOVAGUARD 840/890 HARDI	
SECTION 4: First aid	measures
4.2 Most important symptom	s and effects, both acute and delayed
Potential acute health effect	<u>is</u>
Eye contact	: Causes serious eye damage.
Inhalation	: Toxic if inhaled.
Skin contact	: Causes severe burns. Toxic in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed.
Over-exposure signs/sympt	<u>oms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5 2 Special hazards arising fr	rom the substance or mixture
Hazards from the	: In a fire or if heated, a pressure increase will occur and the container may burst. This
substance or mixture	material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides Formaldehyde.
5.3 Advice for firefighters	
Special precautions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to Europear standard EN 469 will provide a basic level of protection for chemical incidents.

English	(GB)
---------	------

Code : 000001190923

Date of issue/Date of revision : 20 February 2024

NOVAGUARD 840/890 HARDENER GREEN

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 Code : 20 February 2024 : 000001190923 Date of issue/Date of revision

NOVAGUARD 840/890 HARDENER GREEN

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before
	to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures	:	Reference should be made to monitoring Standard EN 689 (Workplace atmosphe by inhalation to chemical agents for com strategy) European Standard EN 14042 application and use of procedures for the biological agents) European Standard E requirements for the performance of pro agents) Reference to national guidance of hazardous substances will also be rec	res - Guidance for the assessment of parison with limit values and measu (Workplace atmospheres - Guide for assessment of exposure to chemic N 482 (Workplace atmospheres - G cedures for the measurement of che documents for methods for the dete	of exposure rement or the cal and ieneral emical
8.2 Exposure controls				
Appropriate engineering controls	:	Use only with adequate ventilation. Use other engineering controls to keep worker recommended or statutory limits.		
Individual protection measu	res			
Hygiene measures	:	Wash hands, forearms and face thoroug eating, smoking and using the lavatory a Appropriate techniques should be used to Contaminated work clothing should not to contaminated clothing before reusing. E showers are close to the workstation loc	nd at the end of the working period. to remove potentially contaminated on be allowed out of the workplace. Wa Ensure that eyewash stations and sa	clothing. ash
Eye/face protection Skin protection	:	Chemical splash goggles and face shield	d.	
Hand protection	:	Chemical-resistant, impervious gloves co worn at all times when handling chemical necessary. Considering the parameters during use that the gloves are still retain noted that the time to breakthrough for a glove manufacturers. In the case of mix protection time of the gloves cannot be a frequently repeated contact may occur, a (breakthrough time greater than 480 min When only brief contact is expected, a g (breakthrough time greater than 30 minut	al products if a risk assessment indic specified by the glove manufacturer ing their protective properties. It sho iny glove material may be different for tures, consisting of several substance accurately estimated. When prolong a glove with a protection class of 6 nutes according to EN 374) is recom love with a protection class of 2 or h	eates this is r, check ould be or different ces, the led or mended. igher
		English (GB)	South Africa	6/14

Code : 000001190923	3	Date of issue/Date of revision : 20 February 2024
NOVAGUARD 840/890 HARD	EN	ER GREEN
		The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Gloves	1	nitrile neoprene
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>					
Physical state	1	Liquid.			
Colour	1	Green.			
Odour	:	Amine-like. [Slight]			
Odour threshold	:	Not available.			
Melting point/freezing point	:	May start to solidify at the following temperature: -7.1°C (19.2°F) This is based on data for the following ingredient: 2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine). Neighted average: -8.54°C (16.6°F)			
Initial boiling point and boiling range	:	>37.78°C			
Flammability	:	Not available.			
Upper/lower flammability or explosive limits	:	Greatest known range: Lower: 1.3% Upper: 13% (benzyl alcohol)			
Flash point	:	Closed cup: 64°C			
Auto-ignition temperature	:	Ingredient name	°C	°F	Method
		2.2'-dimethyl-4,4'-methylenebis (cyclohexylamine)	275	527	
Decomposition temperature	:	Stable under recommended s	storage and	handling cond	litions (see Section 7).
pH	:	Not applicable. insoluble in wa	ater.	-	· · ·
/iscosity	:	Kinematic (40°C): >21 mm ² /s			
/iscosity	:	30 - <40 s (ISO 6mm)			
Solubility(ies)	:				
Solubility(les)		Result			
Media		Rooun			

9.1 Information on basic physical and chemical properties

Conforms 2020/878	• • • •	006 (REACH), Annex II, as amended by Commission	n Regulation (EU)
Code	: 000001190923	Date of issue/Date of revision	: 20 February 2024

NOVAGUARD 840/890 HARDENER GREEN

Date of issue/Date of revision

20 February 2024

SECTION 9: Physical and chemical properties

Vapour pressure	:		Vapour Pressure at 20°C		Vapour pressure at 50°C			
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		4,6-tris (dimethylaminomethyl) phenol	0.056	0.0075	EU A.4			
Evaporation rate	:	0.007 (benzyl alcoho) compar	ed with b	outyl acetate	•	-	•
Relative density	:	0.97						
Vapour density	:	: Highest known value: 3.7 (Air = 1) (benzyl alcohol).						
Explosive properties	: The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible.							
Oxidising properties	:	Product does not pre	sent an o	xidizing	hazard.			
Particle characteristics								
Median particle size	: Not applicable.							

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.			
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.			
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides Formaldehyde. metal oxide/oxides			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2,2'-dimethyl-4,4'-methylenebis	LC50 Inhalation Dusts and	Rat	420 mg/m ³	4 hours
(cyclohexylamine)	mists		-	
	LD50 Dermal	Rabbit	>0.2 g/kg	-
	LD50 Oral	Rat	>0.32 g/kg	-
benzyl alcohol	LC50 Inhalation Dusts and	Rat	>4178 mg/m ³	4 hours
-	mists			
	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1.23 g/kg	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	2413 mg/kg	-
	English (GB)	South	n Africa	8/14

code : 0000011909	23	D	ate of issue/[Date of revisi	on : 20 F	ebruary 2024
IOVAGUARD 840/890 HAR		N				-
SECTION 11: Toxic	ological in	formation				
2,4,6-tris(dimethylaminome	ethyl)phenol	LD50 Dermal		Rabbit	1.28 g/kg	-
		LD50 Dermal LD50 Oral		Rat Rat	1280 mg/kg 1200 mg/kg	-
Conclusion/Summary	: There are	no data available	on the mixture	e itself.	1	
Irritation/Corrosion						
Product/ingredient	t name	Result	Spe	cies Score	Exposure	Observation
2,4,6-tris(dimethylaminome	ethyl)phenol	Skin - Visible nec	rosis Rabbi	it –	4 hours	7 days
Conclusion/Summary		·			·	
Skin	: There are	no data available o	on the mixture	itself.		
Eyes	: There are	no data available o	on the mixture	itself.		
Respiratory	: There are	no data available o	on the mixture	itself.		
<u>Sensitisation</u>						
Conclusion/Summary						
Skin	: There are	no data available	on the mixture	e itself.		
Respiratory	: There are	no data available	on the mixture	e itself.		
<u>Mutagenicity</u>						
Conclusion/Summary	: There are	no data available	on the mixture	e itself.		
<u>Carcinogenicity</u>						
Conclusion/Summary	: There are	no data available	on the mixture	e itself.		
Reproductive toxicity						
Conclusion/Summary	: There are	no data available	on the mixture	e itself.		
<u>Teratogenicity</u>						
Conclusion/Summary		no data available	on the mixture	e itself.		
Specific target organ toxic	<u>city (single exp</u>	<u>osure)</u>				
Product/in	igredient name		Category	Route of exposure	-	et organs
K-(3-(trimethoxysilyl)propyl)ethylenediamin	e	Category 3	-	Respiratory	tract irritation
Specific target organ toxic	city (repeated e	exposure)				
Not available.						
Aspiration hazard						
Not available.						
Information on likely routes of exposure	: Not availa	ıble.				
Potential acute health effe	a ta					
Inhalation	: Toxic if in	haled				
Ingestion		swallowed.				
Skin contact		evere burns. Toxi	c in contact wi	thiskin Mav	cause an allergic s	skin reaction
Eye contact		erious eye damage		an orani. Intay (
-,				eristics		
Symptoms related to the r		LOW WITH LOAIUUIU	green endruott			
			_			
Symptoms related to the p Inhalation Ingestion	: No specif		lude the follow	vina:		

Code : 000001190923 NOVAGUARD 840/890 HARDENER GREEN		Date of issue/Date of revision	: 20 February 2024
SECTION 11: Toxico	ological informa	tion	
Skin contact	: Adverse symptom pain or irritation redness blistering may occ	s may include the following: ur	
Eye contact	: Adverse symptom pain watering redness	s may include the following:	
Delayed and immediate eff	<u>fects as well as chroni</u>	c effects from short and long-term expos	<u>ure</u>
Short term exposure			
Potential immediate effects	: Not available.		
Potential delayed effects	s : Not available.		
Long term exposure			
Potential immediate effects	: Not available.		
Potential delayed effects	s : Not available.		
Potential chronic health ef	fects		
Not available.			
Conclusion/Summary	: Not available.		
General	: Once sensitized, a very low levels.	a severe allergic reaction may occur when su	ibsequently exposed to
Carcinogenicity	: No known significa	ant effects or critical hazards.	
Mutagenicity	: No known significa	ant effects or critical hazards.	
Reproductive toxicity	: No known significa	ant effects or critical hazards.	
Other information	: Not available.		

Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapour/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death. Trimethoxysilanes are capable of forming methanol if hydrolyzed or ingested. If swallowed, methanol may be harmful or fatal or cause blindness. Contains a substance that may emit formaldehyde if stored beyond its shelf life and/or during cure at curing temperatures greater than 60C/140F. Exposure to amine vapor has been reported to cause transient corneal edema described as blue haze, halo effect, foggy or blurred vision for several hours. This condition is typically temporary and does not cause permanent visual effects. When the proper eye protection specified in Section 8 is worn, exposure is significantly reduced and the condition has not been observed.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
N→-(3-(trimethoxysilyl)propyl)ethylenediamine	EC50 597 mg/l	Fish	96 hours
2,4,6-tris(dimethylaminomethyl)phenol	Acute LC50 175 mg/l	Fish	96 hours

Conclusion/Summary

y : There are no data available on the mixture itself.

12.2 Persistence and degradability

English (GB)

SECTION 12: Ecological information

Conclusion/Summary : There are no data available on the mixture itself.					
	Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
	benzyl alcohol	-	-	Readily	

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)	1.8	-	Low
benzyl alcohol	0.87	-	Low
2,4,6-tris(dimethylaminomethyl)phenol	0.219	-	Low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.

European waste catalogue (EWC)

Waste code	Waste designation			
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances			

Packaging

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)	
Container	15 01 06	mixed packaging

English	(GB)
---------	------

Code

: 000001190923

Date of issue/Date of revision

: 20 February 2024

NOVAGUARD 840/890 HARDENER GREEN

SECTION 13: Disposal considerations

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN2922	UN2922	UN2922
14.2 UN proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. (2,2'-dimethyl-4,4'- methylenebis (cyclohexylamine), 2,4,6-tris (dimethylaminomethyl)phenol)	CORROSIVE LIQUID, TOXIC, N.O.S.	CORROSIVE LIQUID, TOXIC, N.O.S.
14.3 Transport hazard class(es)	8 (6.1)	8 (6.1)	8 (6.1)
14.4 Packing group	11	II	II
14.5 Environmental hazards	Yes.	Yes.	Yes. The environmentally hazardous substance mark is not required.
Marine pollutant substances	Not applicable.	(2,2'-dimethyl-4,4'- methylenebis (cyclohexylamine))	Not applicable.

Additional information

ADR/RID	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.		
IMDG	: The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.		
IATA : The environmentally hazardous substance mark may appear if required by other transportation regulations.			
14.6 Special p user	precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		
14.7 Transpor according to			

instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

2020/878 Code : 000001190923		Date of issue/Date of revision : 20 Februar	
NOVAGUARD 840/890 HARDENER GREEN			· _ · · · · · · · · · · · · · · · · · ·
SECTION 15: Regula	atory information		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	•		
Other national and interna Explosive precursors Ozone depleting substant Not listed.	: Not applicable.		
15.2 Chemical safety assessment	: No Chemical Safety Ass	sessment has been carried out.	
SECTION 16: Other	information		
Indicates information that	• • •		
Abbreviations and acronyms	1272/2008] DNEL = Derived No Eff	abelling and Packaging Regulation [Reg ect Level specific Hazard statement Effect Concentration	gulation (EC) No.
Full text of abbreviated H statements	 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. 		
Full text of classifications [CLP/GHS]	 Acute Tox. 3 Acute Tox. 4 Aquatic Chronic 2 Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1A Skin Corr. 1C Skin Sens. 1 Skin Sens. 1B STOT SE 3 	ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 LONG-TERM (CHRONIC) AQUAT SERIOUS EYE DAMAGE/EYE IRF SERIOUS EYE DAMAGE/EYE IRF SKIN CORROSION/IRRITATION - SKIN CORROSION/IRRITATION - SKIN SENSITISATION - Category SKIN SENSITISATION - Category SPECIFIC TARGET ORGAN TOX EXPOSURE - Category 3	RITATION - Category 1 RITATION - Category 2 • Category 1A • Category 1C 1 1B
History Date of issue/ Date of revision	: 20 February 2024		
Date of previous issue	: 14 January 2022		
Prepared by	: EHS		
Version	: 1.01		

Code : 000001190923

Date of issue/Date of revision : :

: 20 February 2024

NOVAGUARD 840/890 HARDENER GREEN

SECTION 16: Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.