SAFETY DATA SHEET

United Arab Emirates

: 1.02

Date of issue/Date of revision

: 23 February 2024 Version

SECTION 1: Identific undertaking	cation of the substance/mixture and of the company/
1.1 Product identifier	
Product name	: PSX 700 COLORANT 50 ORANGE
Product code	: 000001103819
Other means of identificat	ion
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Product use	: Professional applications, Used by spraying.
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.
1.3 Details of the supplier o	f the safety data sheet
Sigma Paint Saudi Arabia Lte PO Box 7509 Dammam 31472 Saudi Arabia Tel: 00966 138 47 31 00 Fax: 00966 138 47 17 34	d.
e-mail address of person responsible for this SDS	: ndpic@sfda.gov.sa
1.4 Emergency telephone number	: 00966 138473100 extn 1001

SECTION 2: Hazards identification

2.1 Classification of the s	ubstance or mixture
Product definition Classification according	: Mixture to Regulation (EC) No. 1272/2008 [CLP/GHS]
Not classified.	
The product is not classifie	ed as hazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full	text of the H statements declared above.
See Section 11 for more c	letailed information on health effects and symptoms.
2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statement	<u>'S</u>
Prevention	: Not applicable.
Response	: Not applicable.

: Not applicable.

Storage

Code	: 000001103819	Date of issue/Date of revision	: 23 February 2024
PSX 700 CO	LORANT 50 ORANGE		

SECTION 2: Hazards identification

Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations. P501
Hazardous ingredients	Not applicable.
Supplemental label elements	Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Special packaging requirem	<u>nts</u>
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
toluene	REACH #: 01-2119471310-51 EC: 203-625-9 CAS: 108-88-3 Index: 601-021-00-3	<1.0	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 See Section 16 for the full text of the H statements declared above.	-	[1] [2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

Code: 000001103819Date of issue/Date of revision: 23 February 2024PSX 700 COLORANT 50 ORANGE

SECTION 4: First aid measures

4.1 Description of first aid measures				
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.			
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.			
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.			
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.			

4.2 Most important symptoms and effects, both acute and delayed <u>Potential acute health effects</u>

Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/symptoms		

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	English (GB) United Arab Emirates 3/11

Conforms to Regulation (EC) 2020/878	No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU)
Code : 000001103819	Date of issue/Date of revision : 23 February 2024
PSX 700 COLORANT 50 ORAI	NGE
SECTION 5: Firefight	ing measures
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SECTION 6: Accident	tal release measures
6.1 Personal precautions, pro	otective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
SECTION 7: Handling	and storage
	contains generic advice and guidance. The list of Identified Uses in Section 1 should be -specific information provided in the Exposure Scenario(s).
7.1 Precautions for safe hand	lling
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities
 Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Code : 000001103819 PSX 700 COLORANT 50 ORANGE Date of issue/Date of revision

: 23 February 2024

SECTION 7: Handling and storage

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures	: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
-----------------------------------	---

8.2 Exposure controls	
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection Skin protection	Safety glasses with side shields.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	nitrile rubber, butyl rubber, PVC, Viton®
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Code: 000001103819Date of issue/Date of revision: 23 February 2024PSX 700 COLORANT 50 ORANGE

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance		nd chemical properties				
		Liquid				
Physical state		Liquid.				
Colour		Orange.				
Odour		Aromatic.				
Odour threshold	- 1	Not available.				
Melting point/freezing point		Not available.				
Initial boiling point and boiling range	1	>37.78°C				
Flammability	1	Not available.				
Upper/lower flammability or explosive limits	:	Not available.				
Flash point	:	Closed cup: Not applicable.				
Auto-ignition temperature	:	Ingredient name	°C	°F	Method	
		2-[(4-chloro-2-nitrophenyl)azo]-N- (2,3-dihydro-2-oxo-1H-benzimidazol- 5-yl)-3-oxobutyramide	310	590		
Decomposition temperature	:	Stable under recommended sto	rage and	handling cond	litions (see Section 7).	
pH	1	Not applicable. insoluble in wate	er.			
Viscosity	1	Kinematic (40°C): >21 mm ² /s				
Viscosity	:	60 - 100 s (ISO 6mm)				
Solubility(ies)	1					
Media		Result				
		Not soluble				
ø old water						
Partition coefficient: n-octanol/ water	:	Not applicable.				
Partition coefficient: n-octanol/ water		Not applicable. Not available.				
Partition coefficient: n-octanol/ water Vapour pressure	:					
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate	:	Not available.				
Partition coefficient: n-octanol/ water	: : :	Not available. Not available.		formation of	an explosible mixture of	
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density		Not available. Not available. 1.22 The product itself is not explosiv	le.		an explosible mixture of	
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density Explosive properties		Not available. Not available. 1.22 The product itself is not explosivy vapour or dust with air is possib	le.		an explosible mixture of	

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		

Conforms 1 2020/878	to Regulation (EC) No.	1907/2006 (REACH), Annex II, as amended by Commission	n Regulation (EU)
Code	: 000001103819	Date of issue/Date of revision	: 23 February 2024

PSX 700 COLORANT 50 ORANGE

SECTION 10: Stability and reactivity

10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides halogenated compounds metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient	: name	Result	Species	Dose	Exposure
toluene		LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rabbit Rat	49 g/m³ 8.39 g/kg 5580 mg/kg	4 hours - -
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are r	no data available on the mixtu	ire itself.		
Eyes	: There are r	no data available on the mixtu	ire itself.		
Respiratory	: There are r	no data available on the mixtu	ire itself.		
Sensitisation					
Conclusion/Summary					
Skin	: There are	no data available on the mixt	ure itself.		
Respiratory	: There are no data available on the mixture itself.				
Mutagenicity					
Conclusion/Summary	: There are no data available on the mixture itself.				
Carcinogenicity					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Reproductive toxicity					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Teratogenicity					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Specific target organ toxic	ity (single exp	<u>osure)</u>			

Product/ingredient name	Category	Route of exposure	Target organs
toluene	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
toluene	Category 2	-	-

Aspiration hazard

Code: 000001103819Date of issue/Date of revision: 23 February 2024PSX 700 COLORANT 50 ORANGE

SECTION 11: Toxicological information

Product	/ingredient name	Result
toluene		ASPIRATION HAZARD - Category 1
Information on likely routes of exposure	: Not available.	
Potential acute health effe	<u>cts</u>	
Inhalation	: No known significant effects or c	ritical hazards.
Ingestion	: No known significant effects or c	ritical hazards.
Skin contact	: No known significant effects or c	ritical hazards.
Eye contact	: No known significant effects or c	ritical hazards.
Symptoms related to the p	hysical, chemical and toxicological	characteristics
Inhalation	: No specific data.	
Ingestion	: No specific data.	
Skin contact	: No specific data.	
Eye contact	: No specific data.	
Delayed and immediate ef	fects as well as chronic effects from	<u>short and long-term exposure</u>
<u>Short term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effect	s : Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effect	s : Not available.	
Potential chronic health ef	fects	
Not available.		
Conclusion/Summary	: Not available.	
General	: No known significant effects or c	ritical hazards.
Carcinogenicity	: No known significant effects or c	ritical hazards.
Mutagenicity	: No known significant effects or c	ritical hazards.
Reproductive toxicity	: No known significant effects or c	ritical hazards.
Other information	: Not available.	
Trimethoxysilanes are capal fatal or cause blindness.	ble of forming methanol if hydrolyzed o	r ingested. If swallowed, methanol may be harmful o
11.2 Information on other	hazards	
11.2.1 Endocrine disrupti	ng properties	
Not available.		

11.2.2 Other information

Not available.

Code	: 000001103819	Date of issue/Date of revision	: 23 February 2024
PSX 700 C	OLORANT 50 ORANGE		

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low

12.4 Mobility in soil

Soil/water partition	: Not available.		
coefficient (Koc)			
Mobility	: Not available.		

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

Waste code	Wast	e designation	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances		
Packaging			
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Wast packaging should be recycled. Incineration or landfill should only be considered wh recycling is not feasible. 		
	English (GB)	United Arab Emirates	9/11

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878			
Code	: 000001103819	Date of issue/Date of revision	: 23 February 2024
PSX 700	COLORANT 50 ORANGE		

SECTION 13: Disposal considerations

Type of packaging	European waste catalogue (EWC)	
Container	15 01 06 mixed packaging	
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not applicable.according to IMOinstruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU)

 2020/878

 Code
 : 000001103819

 Date of issue/Date of revision
 : 23 February 2024

PSX 700 COLORANT 50 ORANGE

SECTION 15: Regulatory information

Other national and international regulations.Explosive precursors: Not applicable.Ozone depleting substances (1005/2009/EU)Not listed.

15.2 Chemical safety

: No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Indicates information that h	as changed from previously is	ssued version.
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number	
Full text of abbreviated H statements	 H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. 	
Full text of classifications [CLP/GHS]	: Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 STOT RE 2 STOT SE 3	ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
<u>History</u>		
Date of issue/ Date of revision	: 23 February 2024	
Date of previous issue	: 1 December 2022	
Prepared by	: EHS	
Version	: 1.02	
<u>Disclaimer</u>		

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.