SAFETY DATA SHEET

Date of issue/Date of revision

: 23 February 2024 Version



pDG

: 1.02

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Product name : PSX 700 COLORANT 01 WHITE Product code : 000001103824 Other means of identification #0291649 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Professional applications, Used by spraying, Application by non spray methods
Use of the substance/ mixture	: Coating.
Uses advised against	: Product is not intended, labelled or packaged for consumer use.

1.3 Details of the supplier of the safety data sheet

Sigma Coatings PTY 9 Arnold Street, Alrode, Alberton, Gauteng South Africa Tel: 0027 11 389 4800 e-mail address of person responsible for this SDS 1.4 Emergency telephone number : +27 51 444 2134

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

		o
: Not applicable.		
: Not applicable.		
: Not applicable.		
: No known significa	ant effects or critical hazard	S.
: No signal word.		
	 No known significa Not applicable. Not applicable. 	 No known significant effects or critical hazard Not applicable. Not applicable. Not applicable.

English (GB)

Code	: 000001103824	Date of issue/Date of revision	: 23 February 2024
PSX 700 C	OLORANT 01 WHITE		

SECTION 2: Hazards identification

Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations. P501
Hazardous ingredients	Not applicable.
Supplemental label elements	: Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>nts</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
toluene	REACH #: 01-2119471310-51 EC: 203-625-9 CAS: 108-88-3 Index: 601-021-00-3	<1.0	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 See Section 16 for the full text of the H statements declared above.	-	[1] [2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

This mixture contains \geq 1% of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Note 10.

Occupational exposure limits, if available, are listed in Section 8.

Code	: 000001103824	Date of issue/Date of revision	: 23 February 2024
PSX 700 C0	OLORANT 01 WHITE		

SECTION 4: First aid measures

4.1 Description of first aid m	neasures
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed <u>Potential acute health effects</u>

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	ymptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Code : 000001103824	Date of issue/Date of revision : 23 February 2024
PSX 700 COLORANT 01 WHIT	Έ
SECTION 5: Firefight	ing measures
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SECTION 6: Accident	al release measures
6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene	 Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 0 to 35°C (32 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Code : 000001103824 PSX 700 COLORANT 01 WHITE Date of issue/Date of revision

: 23 February 2024

SECTION 7: Handling and storage

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredie	nt name	Exposure limit values
Manium dioxide aluminium hydroxide		DOL OEL (South Africa, 3/2021). TWA: 10 mg/m ³ 8 hours. DOL OEL (South Africa, 3/2021). [aluminium metal and insoluble compounds as Al] TWA: 2 mg/m ³ , (as Al) 8 hours. Form: Respirable fraction
Recommended monitoring procedures	Standard EN 689 by inhalation to c strategy) Europe application and u biological agents requirements for agents) Referen	d be made to monitoring standards, such as the following: European 9 (Workplace atmospheres - Guidance for the assessment of exposure chemical agents for comparison with limit values and measurement ean Standard EN 14042 (Workplace atmospheres - Guide for the use of procedures for the assessment of exposure to chemical and b) European Standard EN 482 (Workplace atmospheres - General the performance of procedures for the measurement of chemical action to national guidance documents for methods for the determination postances will also be required.
8.2 Exposure controls		
Appropriate engineering controls	: Good general ve contaminants.	ntilation should be sufficient to control worker exposure to airborne
Individual protection measu	res	
Hygiene measures	eating, smoking Appropriate tech Wash contamina	earms and face thoroughly after handling chemical products, before and using the lavatory and at the end of the working period. niques should be used to remove potentially contaminated clothing. ated clothing before reusing. Ensure that eyewash stations and safety se to the workstation location.
Eye/face protection Skin protection	: Safety glasses w	vith side shields.
Hand protection		nt, impervious gloves complying with an approved standard should be when handling chemical products if a risk assessment indicates this is
Gloves	: For prolonged or	repeated handling, use the following type of gloves:
	Recommended:	butyl rubber, nitrile rubber
Body protection		ive equipment for the body should be selected based on the task being ne risks involved and should be approved by a specialist before duct.
Other skin protection	based on the tas	wear and any additional skin protection measures should be selected k being performed and the risks involved and should be approved by a handling this product.
Respiratory protection	:	

Code	: 000001103824	Date of issue/Date of revision : 23 February 2024
PSX 700	COLORANT 01 WHITE	
		Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3
Enviror control		Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance		
Physical state	: Liquid.	
Colour	: White.	
Odour	Characteristic.	
Odour threshold	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	>37.78°C	
Flammability	Not available.	
Upper/lower flammability or explosive limits	Not available.	
Flash point	Closed cup: Not applicable.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Stable under recommended storage and handling conditions (see Section 7).	
рН	Not applicable. insoluble in water.	
Viscosity	: Kinematic (40°C): >21 mm²/s	
Viscosity	: 60 - 100 s (ISO 6mm)	
Solubility(ies)	:	
Media	Result	

Partition coefficient: n-octanol/ : Not applicable.

Not soluble

water

cold water

Vapour pressure

:	Ingredient name	Vapoι	Vapour Pressure at 20°C		Vapour pressure at 50°C		
		mm Hg	kPa	Method	mm Hg	kPa	Method
	aluminium hydroxide	<0.075	<0.01				

Evaporation rate :	Not available.						
Relative density :	1.87						
Explosive properties :	The product itself is n vapour or dust with a			ne formation o	of an explo	osible mi	xture of
Oxidising properties :	Product does not pres	sent an o	xidizing h	azard.			
Particle characteristics							
Median particle size :	Not applicable.						

Code	: 000001103824	Date of issue/Date of revision	: 23 February 2024
PSX 700 C	OLORANT 01 WHITE		

SECTION 9: Physical and chemical properties

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient	t name	Result	Species	Dose	Exposure
toluene		LC50 Inhalation Vapour LD50 Dermal LD50 Oral	Rat Rabbit Rat	49 g/m³ 8.39 g/kg 5580 mg/kg	4 hours - -
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are r	o data available on the mixtu	ire itself.		
Eyes	: There are r	o data available on the mixtu	ıre itself.		
Respiratory	: There are no data available on the mixture itself.				
<u>Sensitisation</u>					
Conclusion/Summary					
Skin	: There are	no data available on the mixt	ure itself.		
Respiratory	: There are	no data available on the mixt	ure itself.		
<u>Mutagenicity</u>					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
<u>Carcinogenicity</u>					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Reproductive toxicity					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
<u>Teratogenicity</u>					
Conclusion/Summary	: There are	no data available on the mixt	ure itself.		
Specific target organ toxic	<mark>city (single exp</mark> o	osure)			

Code	: 000001103824	Date of issue/Date of revision	: 23 February 2024
PSX 700 CO	LORANT 01 WHITE		

SECTION 11: Toxicological information

Product/ingredient name	Category	Route of exposure	Target organs
toluene	Category 3	-	Narcotic effects
Specific target organ toxicity (repeated exposure)	• • • • • • • • • • • • • • • • • • •		
Product/ingredient name	Category	Route of	Target organs

Category 2

_

exposure

_

toluene

Aspiration hazard

Product/i	ingredient name	Result
toluene		ASPIRATION HAZARD - Category 1
Information on likely routes of exposure	: Not available.	·
Potential acute health effect	<u>ts</u>	
Inhalation	: No known significant effects or crit	ical hazards.
Ingestion	: No known significant effects or crit	ical hazards.
Skin contact	: No known significant effects or crit	ical hazards.
Eye contact	: No known significant effects or crit	ical hazards.
Symptoms related to the ph	ysical, chemical and toxicological c	haracteristics
Inhalation	: No specific data.	
Ingestion	: No specific data.	
Skin contact	: No specific data.	
Eye contact	: No specific data.	
Delayed and immediate effe	ects as well as chronic effects from s	short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
<u>Long term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health effe	<u>ects</u>	
Not available.		
Conclusion/Summary	: Not available.	
General	: No known significant effects or crit	ical hazards.
Carcinogenicity	: No known significant effects or crit	ical hazards.
Mutagenicity	: No known significant effects or crit	ical hazards.
Reproductive toxicity	: No known significant effects or crit	ical hazards.
Other information	: Not available.	
Trimethoxysilanes are capabl fatal or cause blindness.	e of forming methanol if hydrolyzed or	ingested. If swallowed, methanol may be harmful or

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

Code<th::000001103824</th>Date of issue/Date of revision: 23 February 2024PSX 700 COLORANT 01 WHITE

SECTION 11: Toxicological information

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary

There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary : There are no data available on the mixture itself.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
toluene	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
toluene	2.73	8.32	Low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Element of the second state of the large	

European waste catalogue (EWC)

Waste code	Waste des	ignation	
08 01 11*	waste paint and varnish containing organic solve	ents or other hazardous subs	stances
	English (GB)	South Africa	9/11

 Code
 <th::000001103824</th>
 Date of issue/Date of revision
 : 23 February 2024

 PSX 700 COLORANT 01 WHITE
 Image: Color of the second second

SECTION 13: Disposal considerations

Packaging

 Methods of disposal
 : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

 Type of packaging
 European waste catalogue (EWC)

Container	15 01 06 mixed packaging	
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID: None identified.IMDG: None identified.IATA: None identified.

14.6 Special precautions for: Transport within user's premises: always transport in closed containers that are
upright and secure. Ensure that persons transporting the product know what to do in the
event of an accident or spillage.

14.7 Transport in bulk	: Not applicable.
according to IMO	
instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Code : 00000110382	4	Date of issue/Date of revision : 23 February 20.
PSX 700 COLORANT 01 WH	ITE	
SECTION 15: Regula	atory information	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Other national and internat	ional regulations.	
Explosive precursors	: Not applicable.	
Ozone depleting substanc Not listed.	<u>es (1005/2009/EU)</u>	
15.2 Chemical safety assessment	: No Chemical Safety	Assessment has been carried out.
SECTION 16: Other i	information	
Indicates information that I	has changed from previo	usly issued version.
Abbreviations and acronyms	1272/2008] DNEL = Derived No EUH statement = Cl	n, Labelling and Packaging Regulation [Regulation (EC) No. Effect Level LP-specific Hazard statement No Effect Concentration
Full text of abbreviated H statements	H304 May be fat H315 Causes sk H336 May cause H361d Suspected	nmable liquid and vapour. tal if swallowed and enters airways. kin irritation. e drowsiness or dizziness. d of damaging the unborn child. e damage to organs through prolonged or repeated exposure.
	H304 May be fat H315 Causes sk H336 May cause H361d Suspected	tal if swallowed and enters airways. kin irritation. e drowsiness or dizziness. d of damaging the unborn child.
statements Full text of classifications	 H304 May be fat H315 Causes sk H336 May cause H361d Suspected H373 May cause Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 STOT RE 2 	tal if swallowed and enters airways. kin irritation. e drowsiness or dizziness. d of damaging the unborn child. e damage to organs through prolonged or repeated exposure. ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE
statements Full text of classifications [CLP/GHS] <u>History</u> Date of issue/ Date of	 H304 May be fat H315 Causes sk H336 May cause H361d Suspected H373 May cause Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 STOT RE 2 	tal if swallowed and enters airways. kin irritation. e drowsiness or dizziness. d of damaging the unborn child. e damage to organs through prolonged or repeated exposure. ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE
statements Full text of classifications [CLP/GHS] <u>History</u> Date of issue/ Date of revision	 H304 May be fat H315 Causes sk H336 May cause H361d Suspected H373 May cause Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 STOT RE 2 STOT SE 3 23 February 2024 	tal if swallowed and enters airways. kin irritation. e drowsiness or dizziness. d of damaging the unborn child. e damage to organs through prolonged or repeated exposure. ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE
statements Full text of classifications [CLP/GHS] <u>History</u> Date of issue/ Date of	H304 May be fat H315 Causes sk H336 May cause H361d Suspected H373 May cause : Asp. Tox. 1 Flam. Liq. 2 Repr. 2 Skin Irrit. 2 STOT RE 2 STOT SE 3	tal if swallowed and enters airways. kin irritation. e drowsiness or dizziness. d of damaging the unborn child. e damage to organs through prolonged or repeated exposure. ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 REPRODUCTIVE TOXICITY - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.