# **SAFETY DATA SHEET**



Date of issue/Date of revision6 February 2024Version 15

Section 1. Identification		
: RAL 1014 Ivory UD Polyester		
: PCTA29103		
: Not available.		
: Powder.		
the substance or mixture and uses advised against		
: Industrial applications.		
: Coating. Paints. Painting-related materials.		
: Not applicable.		
<ul> <li>PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272</li> <li>(412) 434-4515 (U.S.) (514) 645-1320 (Canada) SETIQ Interior de la República: 800-00-214-00 (México)</li> </ul>		
SETIQ Ciudad de México: (55) 5559-1588 (México) : 1-888-774-2001 (US and Canada)		

# Section 2. Hazards identification

OSHA/HCS status	<ul> <li>This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).</li> </ul>
Classification of the substance or mixture	<ul> <li>COMBUSTIBLE DUSTS</li> <li>SKIN SENSITIZATION - Category 1</li> <li>GERM CELL MUTAGENICITY - Category 1</li> <li>CARCINOGENICITY - Category 2</li> <li>TOXIC TO REPRODUCTION - Category 2</li> <li>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2</li> </ul>
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 63.8% (dermal), 65.8% (inhalation)
GHS label elements	
Hazard pictograms	

Product name RAL 1014 Ivory UD Polyester

# Section 2. Hazards identification

Signal word	:	Danger
Hazard statements	:	May cause an allergic skin reaction. May cause genetic defects. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May form combustible dust concentrations in air.
Precautionary statements		
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Do not breathe dust or mist. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF exposed or concerned: Get medical advice or attention. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Keep container tightly closed. Keep away from heat, sparks, open flames and hot surfaces No smoking. Sanding and grinding dusts may be harmful if inhaled. Prevent dust accumulation. Emits toxic fumes when heated.
Hazards not otherwise classified	1	Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

# Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Product name	: RAL 1014 Ivory UD Polyester

Ingredient name	%	CAS number
,3-Benzenedicarboxylic acid, polymer with 2,2-dimethyl-1,3-propanediol	≥50 - ≤75	26811-89-2
titanium dioxide	≥20 - ≤50	13463-67-7
barium sulfate	≥5.0 - ≤10	7727-43-7
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	≥1.0 - <5.0	2451-62-9
titanium dioxide (<10 microns)	≤1.0	13463-67-7
propylidynetrimethanol	≤1.0	77-99-6

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person. Description of necessary first aid measures

# Eye contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention. Inhalation Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Skin contact Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. Ingestion If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. **Skin contact** : May cause an allergic skin reaction. Ingestion : No known significant effects or critical hazards. Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: irritation redness : Adverse symptoms may include the following: Inhalation respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations Skin contact Adverse symptoms may include the following: • irritation redness reduced fetal weight increase in fetal deaths skeletal malformations : Adverse symptoms may include the following: Ingestion reduced fetal weight increase in fetal deaths skeletal malformations Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. : No specific treatment. Specific treatments

Product name RAL 1014 Ivory UD Polyester

## Section 4. First aid measures

Protection of first-aiders
 No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

-	-
Extinguishing media	
Suitable extinguishing media	: Use dry chemical powder.
Unsuitable extinguishing media	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	: Fine dust clouds may form explosive mixtures with air.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	-	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Product name RAL 1014 Ivory UD Polyester

# Section 6. Accidental release measures

Small spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling	1
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Special precautions	: If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### Control parameters

#### Occupational exposure limits

ngredient name	Exposure limits
,3-Benzenedicarboxylic acid, polymer with 2,2-dimethyl-1,3-propanedio	ACGIH TLV (United States).
	TWA: 10 mg/m <sup>3</sup> , (Inhalable fraction)
	OSHA PEL (United States).
	TWA: 15 mg/m³, (Total dust)
itanium dioxide	OSHA PEL (United States, 5/2018).
	TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
	ACGIH TLV (United States, 1/2023).
	TWA: 2.5 mg/m <sup>3</sup> 8 hours. Form: respirable
	fraction, finescale particles
parium sulfate	ACGIH TLV (United States, 1/2023).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable
	fraction
	OSHA PEL (United States, 5/2018).
	TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable
	fraction
	TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	ACGIH TLV (United States, 1/2023).
	[1,3,5-Triglycidyl-s-triazinetrione]
	TWA: 0.05 mg/m <sup>3</sup> 8 hours.
itanium dioxide (<10 microns)	OSHA PEL (United States, 5/2018).
	TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
	ACGIH TLV (United States, 1/2023).
	TWA: 2.5 mg/m <sup>3</sup> 8 hours. Form: respirable
	fraction, finescale particles
	None.

A	<ul> <li>Acceptable Maximum Peak</li> </ul>	S	<ul> <li>Potential skin absorption</li> </ul>
ACGIH	<ul> <li>American Conference of Governmental Industrial Hygienists.</li> </ul>	SR	<ul> <li>Respiratory sensitization</li> </ul>
С	= Ceiling Limit	SS	<ul> <li>Skin sensitization</li> </ul>
F	= Fume	STEL	<ul> <li>Short term Exposure limit values</li> </ul>
IPEL	<ul> <li>Internal Permissible Exposure Limit</li> </ul>	TD	= Total dust
OSHA	<ul> <li>Occupational Safety and Health Administration.</li> </ul>	TLV	= Threshold Limit Value
R	= Respirable	TWA	= Time Weighted Average
Z	= OSHA 29 CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances		

#### Consult local authorities for acceptable exposure limits.

**Recommended monitoring procedures** : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Product name RAL 1014 Ivory UD Polyester

# Section 8. Exposure controls/personal protection

-	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures       : Wash hands, forearms and face thoroughly after handling chemical produce ating, smoking and using the lavatory and at the end of the working perior. Appropriate techniques should be used to remove potentially contaminated Contaminated work clothing should not be allowed out of the workplace. V contaminated clothing before reusing. Ensure that eyewash stations and s showers are close to the workstation location.	
Eye/face protection	: Safety glasses with side shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Gloves	: butyl rubber
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. The respiratory protection shall be in accordance to 29 CFR 1910.134.

<u>Appearance</u>	
Physical state	: Solid.
	Powder.
Color	: Beige.
Odor	: Not available.
Odor threshold	: Not available.
рН	: Not applicable.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: Not applicable.
Auto-ignition temperature	: Not applicable.

Product name RAL 1014 Ivory UD Polyester

# Section 9. Physical and chemical properties

: Not available.			
: Not available.			
: Not applicable.			
: Not available.			
: Not available.			
: Not applicable.			
: 1.57	1.57		
: 13.1			
Media	Result		
cold water	Not soluble		
: Not applicable.	Not applicable.		
: Kinematic (40°C (104°	Kinematic (40°C (104°F)): Not applicable.		
: 0% (v/v), 0% (w/w)	0% (v/v), 0% (w/w)		
: 100			
	<ul> <li>Not available.</li> <li>Not applicable.</li> <li>Not available.</li> <li>Not available.</li> <li>Not applicable.</li> <li>1.57</li> <li>13.1</li> <li>Media cold water</li> <li>Not applicable.</li> <li>Kinematic (40°C (104°)</li> <li>0% (v/v), 0% (w/w)</li> </ul>		

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides sulfur oxides metal oxide/oxides

# Section 11. Toxicological information

Information on toxicological effects Acute toxicity

Product name RAL 1014 Ivory UD Polyester

# Section 11. Toxicological information

	- J					
Product/ingredient name	Result			Species	Dose	Exposure
√,3-Benzenedicarboxylic acid, polymer with 2,2-dimethyl- 1,3-propanediol	LD50 Oral			Rat	>5000 mg/kg	-
titanium dioxide	LC50 Inhal	ation Dusts	s and mists	Rat	>6.82 mg/l	4 hours
	LD50 Dern			Rabbit	>5000 mg/kg	-
	LD50 Oral			Rat	>5000 mg/kg	-
barium sulfate	LD50 Derm	nal		Rat	>2000 mg/kg	-
	LD50 Oral			Rat	>5000 mg/kg	-
1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1H,3H, 5H)-trione	LD50 Oral			Rat	138 mg/kg	-
titanium dioxide (<10 microns)	LC50 Inhal	ation Dusts	s and mists	Rat	>6.82 mg/l	4 hours
	LD50 Derm	nal		Rabbit	>5000 mg/kg	-
	LD50 Oral			Rat	>5000 mg/kg	-
propylidynetrimethanol	LD50 Dern	nal		Rabbit	10 g/kg	-
	LD50 Oral			Rat	14000 mg/kg	-
<b>Conclusion/Summary</b>	: There are	e no data av	vailable on th	ne mixture itsel	lf.	
Irritation/Corrosion						
Conclusion/Summary						
Skin	: There are	e no data av	vailable on th	ne mixture itsel	lf.	
Eyes	: There are	There are no data available on the mixture itself.				
Respiratory	: There are	There are no data available on the mixture itself.				
<u>Sensitization</u>						
Conclusion/Summary						
Skin	: There are	: There are no data available on the mixture itself.				
Respiratory	: There are no data available on the mixture itself.					
Mutagenicity						
<b>Conclusion/Summary</b>	: There are no data available on the mixture itself.					
Carcinogenicity						
<b>Conclusion/Summary</b> : There are no data available on the mixture itself.						
<b>Classification</b>						
Product/ingredient name	OSHA	IARC	NTP			
itanium dioxide titanium dioxide (<10 microns)	-	2B 2B	-			
	1		l			

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

#### **Reproductive toxicity**

Conclusion/Summary

: There are no data available on the mixture itself.

#### **Teratogenicity**

United	States	Page:	9/14
Onicou	Olulos	i ugo.	V/ 1 T

# Section 11. Toxicological information

**Conclusion/Summary** : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure) Not available.

#### Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)- trione	Category 2	-	-

Target organs

: Contains material which causes damage to the following organs: skin, eyes. Contains material which may cause damage to the following organs: kidneys, lungs, the reproductive system, upper respiratory tract, , bone marrow, testes.

#### Aspiration hazard

Not available.

#### Information on the likely routes of exposure

#### Potential acute health effects

Inhalation: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.Skin contact: May cause an allergic skin reaction.Ingestion: No known significant effects or critical hazards.Over-exposure signs/symptomsEye contact: Adverse symptoms may include the following: irritation rednessInhalation: Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations	Eye contact	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Skin contact       : May cause an allergic skin reaction.         Ingestion       : No known significant effects or critical hazards.         Over-exposure signs/symptoms         Eye contact       : Adverse symptoms may include the following: irritation redness         Inhalation       : Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations         Skin contact       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Skin contact       : Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths	Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits
Ingestion       : No known significant effects or critical hazards.         Over-exposure signs/symptoms         Eye contact       : Adverse symptoms may include the following: irritation redness         Inhalation       : Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations         Skin contact       : Adverse symptoms may include the following: irritation redness         Ingestion       : Adverse symptoms may include the following: irritation redness         Ingestion       : Adverse symptoms may include the following: irritation redness	Skin contact	
Over-exposure signs/symptoms         Eye contact       : Adverse symptoms may include the following: irritation redness         Inhalation       : Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations         Skin contact       : Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations         Ingestion       : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths	Ingestion	
irritation       irritation         redness       inhalation         Inhalation       : Adverse symptoms may include the following:         respiratory tract irritation       coughing         reduced fetal weight       increase in fetal deaths         skeletal malformations       skeletal malformations         Skin contact       : Adverse symptoms may include the following:         irritation       reduced fetal weight         increase in fetal deaths       skeletal malformations         Ingestion       : Adverse symptoms may include the following:         reduced fetal weight       increase in fetal deaths         skeletal malformations       skeletal malformations         Ingestion       : Adverse symptoms may include the following:         reduced fetal weight       increase in fetal deaths         skeletal malformations       increase in fetal deaths         increase in fetal deaths       skeletal malformations	· · · · · · · · · · · · · · · · · · ·	
Inhalation: Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformationsSkin contact: Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations	Eye contact	irritation
reduced fetal weight         increase in fetal deaths         skeletal malformations         Skin contact       : Adverse symptoms may include the following:         irritation         reduced fetal weight         increase in fetal deaths         skeletal malformations         irritation         reduced fetal weight         increase in fetal deaths         skeletal malformations         skeletal malformations         increase symptoms may include the following:         reduced fetal weight         increase in fetal deaths         skeletal malformations         increase in fetal deaths	Inhalation	<ul> <li>Adverse symptoms may include the following: respiratory tract irritation</li> </ul>
irritation       irritation         redness       reduced fetal weight         increase in fetal deaths       skeletal malformations         Ingestion       increase symptoms may include the following:         reduced fetal weight       increase in fetal deaths		reduced fetal weight increase in fetal deaths
Ingestion       skeletal malformations         Ingestion       Kdverse symptoms may include the following: reduced fetal weight increase in fetal deaths	Skin contact	irritation redness reduced fetal weight
increase in fetal deaths	Ingestion	skeletal malformations <b>A</b> dverse symptoms may include the following:
Delayed and immediate effects and also chronic effects from short and long term exposure		increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Product name RAL 1014 Ivory UD Polyester

# Section 11. Toxicological information

	•
Conclusion/Summary	: There are no data available on the mixture itself. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
<u>Long term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
Potential chronic health eff	<u>ects</u>
General	: May cause damage to organs through prolonged or repeated exposure. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: May cause genetic defects.
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
Numerical measures of toxic	<u>ity</u>
Acute toxicity estimates	

#### **Product/ingredient name** Oral (mg/ Dermal Inhalation Inhalation Inhalation (dusts and (vapors) kg) (mg/kg) (gases) (ppm) (mg/l) mists) (mg/ I) RAL 1014 Ivory UD Polyester 2259.7 14213.6 N/A N/A N/A barium sulfate N/A 2500 N/A N/A N/A 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H, 100 N/A N/A N/A N/A 5H)-trione 14000 N/A propylidynetrimethanol 10000 N/A N/A

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
titanium dioxide (<10 microns)	0	Daphnia - <i>Daphnia magna</i> Daphnia - <i>Daphnia magna</i> Fish	48 hours 48 hours 96 hours

#### Persistence and degradability

Not available.

United States	Page: 11/14
---------------	-------------

# Section 12. Ecological information

#### **Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<ul> <li>✓,3,5-tris(oxiranylmethyl)</li> <li>-1,3,5-triazine-2,4,6(1H,3H, 5H)-trione</li> </ul>	-0.8	-	Low
propylidynetrimethanol	-0.47	-	Low

#### Mobility in soil

Soil/water partition	: Not available
coefficient (Koc)	

# Section 13. Disposal considerations

the sewer unless fully compliant with the requirements of all authorities with jurisdictio Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in safe way. Care should be taken when handling emptied containers that have not bee cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	requirements of enviro regional local authority via a licensed waste di the sewer unless fully Waste packaging shou when recycling is not fo	uld be recycled. Incineration or landfill should only be considered easible. This material and its container must be disposed of in a
--	---	--

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

## 14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### **Additional information**

DOT

: None identified.

Date of issue 6 February 2024 Version 15

Product name RAL 1014 Ivory UD Polyester

### 14. Transport information

IMDG : None identified.

IATA : None identified.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

# Section 15. Regulatory information

#### United States

United States inventory (TSCA 8b) : All components are active or exempted.

#### SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

#### SARA 311/312

Classification : COMBUSTIBLE DUSTS SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 CARCINOGENICITY - Category 2 TOXIC TO REPRODUCTION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

#### Composition/information on ingredients

Name	%	Classification
titanium dioxide	≥20 - ≤50	CARCINOGENICITY - Category 2
1,3,5-tris(oxiranylmethyl)	≥1.0 - <5.0	COMBUSTIBLE DUSTS
-1,3,5-triazine-2,4,6(1H,3H,5H)-		ACUTE TOXICITY (oral) - Category 3
trione		SERIOUS EYE DAMAGE - Category 1
		SKIN SENSITIZATION - Category 1B
		GERM CELL MUTAGENICITY - Category 1B
		SPECIFIC TARGET ORGAN TOXICITY (REPEATED
		EXPOSURE) - Category 2
titanium dioxide (<10 microns)	≤1.0	CARCINOGÉNICITY - Category 2
propylidynetrimethanol	≤1.0	TOXIC TO REPRODUCTION - Category 2

#### SARA 313

Supplier notification	<ul> <li>Chemical name</li> <li>7,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H, 3H,5H)-trione</li> </ul>	<u>CAS number</u> 2451-62-9	<u>Concentration</u> 1 - 5
	lead massive	7439-92-1	0.0000019

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

United States Page: 13/
-------------------------

#### Product name RAL 1014 Ivory UD Polyester

# Section 15. Regulatory information

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

#### California Prop. 65

**WARNING**: Cancer - www.P65Warnings.ca.gov.

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

Health : 2 \* Flammability : 0 Physical hazards : 0

(\*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

# The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Health : 2 Flamma Date of previous issue Organization that prepared the SDS	bility : 0 Instability : 0 : 11/9/2023 : EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

#### Indicates information that has changed from previously issued version.

#### **Disclaimer**

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.