SAFETY DATA SHEET



Date of issue/Date of revision26 October 2023Version 3.02

Section 1. Identification		
Product name	: BLUE TRANSPARENT URETHANE	
Product code	: PCUT50105	
Other means of identification	: Not available.	
Product type	: Powder.	
Relevant identified uses of	the substance or mixture and uses advised against	
Product use	: Industrial applications.	
Use of the substance/ mixture	: Coating. Paints. Painting-related materials.	
Uses advised against	: Not applicable.	
Manufacturer <u>Emergency telephone</u> <u>number</u>	 PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272 (412) 434-4515 (U.S.) (514) 645-1320 (Canada) SETIQ Interior de la República: 800-00-214-00 (México) SETIQ Ciudad de México: (55) 5559-1588 (México) 	
Technical Phone Number	: 1-888-774-2001 (US and Canada)	

Section 2. Hazards identification

OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Classification of the substance or mixture	COMBUSTIBLE DUSTS	
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 78.1% (oral), 97.2% (dermal), 97.2% (inhalation)	
GHS label elements		
Signal word	Warning	
Hazard statements	May form combustible dust concentrations in air.	
Precautionary statements		
Prevention	Not applicable.	
Response	Not applicable.	

Product name BLUE TRANSPARENT URETHANE

Section 2. Hazards identification

	Photosensitive agents : In case of accidental eye contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation or blistering occurs after contact. In case of accidental skin contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation, rash or blistering occurs after contact.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	 Keep container tightly closed. Keep away from heat, sparks, open flames and hot surfaces No smoking. Prevent dust accumulation. Emits toxic fumes when heated.
Hazards not otherwise classified	 Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Product name	: BLUE TRANSPARENT URETHANE

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Descri	ption	of	necessary	<u>ı first</u>	aid	measures	
	-						

Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. In case of accidental eye contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation or blistering occurs after contact.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. In case of accidental skin contact, avoid direct exposure to the sun or other sources of UV light as severe irritation including burns may result. These reactions can be delayed – get medical attention if pain, irritation, rash or blistering occurs after contact.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed Potential acute health effects

Product name BLUE TRANSPARENT URETHANE

Section 4. First aid measures

Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sy	<u>imptoms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate	medical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Protection of first-aiders

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical powder.
Unsuitable extinguishing media	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	: Fine dust clouds may form explosive mixtures with air.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Product name BLUE TRANSPARENT URETHANE

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	-	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Special precautions	: If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

United States

Page: 5/11

Product name BLUE TRANSPARENT URETHANE

Section 7. Handling and storage

Conditions for safe storage,	: Do not store below the following temperature: 5°C (41°F). Store in accordance with
including any	local regulations. Store in a segregated and approved area. Store in original container
incompatibilities	protected from direct sunlight in a dry, cool and well-ventilated area, away from
	incompatible materials (see Section 10) and food and drink. Eliminate all ignition
	sources. Separate from oxidizing materials. Keep container tightly closed and sealed
	until ready for use. Containers that have been opened must be carefully resealed and
	kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate
	containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

S
2
: Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
<u>S</u>
: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
: Safety glasses with side shields.
: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
: polyethylene
Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Product name BLUE TRANSPARENT URETHANE

Section 8. Exposure controls/personal protection

Respiratory protection: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If work are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complyin with an approved standard if a risk assessment indicates this is necessary. The respiratory protection shall be in accordance to 29 CFR 1910.134.

Section 9. Physical and chemical properties

Appearance

Physical state	1	Solid.	
		Powder.	
Color	4	Blue.	
Odor	1	Not available.	
Odor threshold	1	Not available.	
рН	4	Not applicable.	
Melting point	1	Not available.	
Boiling point	1	Not available.	
Flash point	1	Closed cup: Not applicable.	
Auto-ignition temperature	:	Not applicable.	
Decomposition temperature	1	Not available.	
Flammability	1	Not available.	
Lower and upper explosive (flammable) limits	:	Not applicable.	
Evaporation rate	:	Not available.	
Vapor pressure	:	Not available.	
Vapor density	:	Not applicable.	
Relative density	:	1.19	
Density(lbs / gal)	1	9.93	
Solubility(ies)		Media	Result
	÷	cold water	Not soluble
Partition coefficient: n- octanol/water	:	Not applicable.	
Viscosity	:	Kinematic (40°C (104°F)): N	Not applicable.
Volatility	:	0% (v/v), 0% (w/w)	
% Solid. (w/w)	:	100	

Date of issue 26 October 2023 Version 3.02

Product name BLUE TRANSPARENT URETHANE

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.Chemical stability: The product is stable.Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.Conditions to avoid: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.Incompatible materials: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.Hazardous decomposition products: Depending on conditions, decomposition products may include the following materials: carbon oxides		
Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur. Conditions to avoid : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8. Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids. Hazardous decomposition : Depending on conditions, decomposition products may include the following materials:	Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
reactions Conditions to avoid : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8. Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids. Hazardous decomposition : Depending on conditions, decomposition products may include the following materials:	Chemical stability	: The product is stable.
Refer to protective measures listed in sections 7 and 8. Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids. Hazardous decomposition : Depending on conditions, decomposition products may include the following materials:		: Under normal conditions of storage and use, hazardous reactions will not occur.
oxidizing agents, strong alkalis, strong acids.Hazardous decomposition: Depending on conditions, decomposition products may include the following materials:	Conditions to avoid	
	Incompatible materials	

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity			
Conclusion/Summary	: There are no data available on the mixture itself.		
Irritation/Corrosion			
Conclusion/Summary			
Skin	: There are no data available on the mixture itself.		
Eyes	: There are no data available on the mixture itself.		
Respiratory	: There are no data available on the mixture itself.		
Sensitization			
Conclusion/Summary			
Skin	: There are no data available on the mixture itself.		
Respiratory	: There are no data available on the mixture itself.		
Mutagenicity			
Conclusion/Summary	: There are no data available on the mixture itself.		
Carcinogenicity			
Conclusion/Summary	: There are no data available on the mixture itself.		
Reproductive toxicity			
Conclusion/Summary	: There are no data available on the mixture itself.		
Teratogenicity			
Conclusion/Summary	: There are no data available on the mixture itself.		
<u>Specific target organ toxicity (single exposure)</u>			
Not available.			
Specific target organ toxic	Specific target organ toxicity (repeated exposure)		
<u></u>			

Not available.

Product name BLUE TRANSPARENT URETHANE

Section 11. Toxicological information

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Skin contact 1 No known significant effects or critical hazards. Ingestion 2 No known significant effects or critical hazards. Over-exposure signs/symptoms Eye contact 4 Adverse symptoms may include the following: irritation redness Inhalation 6 Adverse symptoms may include the following: irritation coughing Skin contact 9 No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary 1 Where are no data available on the mixture itself. Acrylate components of the mixture membrane may result in irritation symptoms, such as redness, bilstering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated exposure and eye contact. Short term exposure Potential immediate There are no data available on the mixture itself. effects Potential delayed effects There are no data available on the mixture itself. Potential immediate There are no data available on the mixture itself. <t< th=""><th>Eye contact</th><th>-</th><th>Exposure to airborne concentrations above statutory or recommended exposure limits</th></t<>	Eye contact	-	Exposure to airborne concentrations above statutory or recommended exposure limits
Skin contact : No known significant effects or critical hazards. Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: irritation redness Inhalation : Adverse symptoms may include the following: irritation redness Inhalation : Adverse symptoms may include the following: irrespiratory tract irritation coughing Skin contact : No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary : Free are no data available on the mixture itself. Acrylate components of the mixture have irritation symptoms, such as redness, blistering, dermattis etc. May cause allergic skin reactions with repeated exposure. The inhalation of alborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Ingetter exposure : There are no data available on the mixture itself.	Inhalation	:	
Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: irritation redness Inhalation : Adverse symptoms may include the following: respiratory tract irritation coughing Skin contact : No specific data. Ingestion : No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary : There are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborm and long-term exposure of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure : There are no data available on the mixture itself. Potential immediate : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. Potential immediate : There are no data available on the mixture itself. Long term exposure : There are no data available on the mixture itself. Potential delayed effects	Skin contact	:	
Eye contact : Adverse symptoms may include the following: irritation redness Inhalation : Adverse symptoms may include the following: respiratory tract irritation coughing Skin contact : No specific data. Ingestion : No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary : Iffere are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. Potential immediate : There are no data available on the mixture itself. effects : There are no data available on the mixture	•		•
irritation irritation irritation irritation respiratory tract irritation coughing Skin contact : No specific data. ingestion : No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary : Phere are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermaltits etc. May cause allergic skin reactions with repeated exposure. The inhalation of ariborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. This takes into account, where known, delayed and immediate effects and also chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure Potential immediate : There are no data available on the mixture itself. effects Potential delayed effects : There are no data available on the mixture itself. effects Potential delayed effects : There are no data available on the mixture itself. effects Potential delayed effects : There are no data availab		tom	<u>15</u>
skin contact : No specific data. Ingestion : No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary : There are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation. The stakes into account, where known, delayed and immediate effects and also chronic respiratory tract. Ingestion may cause nusea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure Potential limmediate : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. effects : There are no data available on the mixture itself. effects : There are no data available on the mixture itself.	Eye contact	:	irritation
Skin contact : No specific data. Ingestion : No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Conclusion/Summary : Iffere are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure : There are no data available on the mixture itself. Potential immediate : There are no data available on the mixture itself. Long term exposure : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Long term exposure : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Potential delayed effects : There are no data	Inhalation	:	respiratory tract irritation
Delayed and immediate effects and also chronic effects from short and long term exposureConclusion/Summary: If here are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.Short term exposure: There are no data available on the mixture itself.Potential immediate: There are no data available on the mixture itself.effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.effects: There are no data available on the mixture itself.Potential immediate: There are no data available on the mixture itself.effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential chronic health effects: There are no data available on the mixture itself.Potential chronic health effects:	Skin contact	1	
Conclusion/Summary : There are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Short term exposure Potential immediate : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Long term exposure Potential delayed effects : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Potential immediate : There are no data available on the mixture itself. Potential delayed effects : There are no data available on the mixture itself. Potential immediate : There are no data available on the mixture itself. <	-		•
have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.Short term exposure Potential immediate effects:There are no data available on the mixture itself. • There are no data available on the mixture itself.Long term exposure effects::There are no data available on the mixture itself.Potential immediate effects::There are no data available on the mixture itself.Long term exposure effects::There are no data available on the mixture itself.Potential immediate effects::There are no data available on the mixture itself.Potential delayed effects effects::There are no data available on the mixture itself.Potential delayed effects effects::There are no data available on the mixture itself.Potential delayed effects effects::There are no data available on the mixture itself.Potential chronic health effects::There are no data available on th		ts :	and also chronic effects from short and long term exposure
Potential immediate effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Long term exposure: There are no data available on the mixture itself.Potential immediate effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential chronic health effects: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity Mutagenicity: No known significant effects or critical hazards.	Conclusion/Summary	:	have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye
effectsPotential delayed effects: There are no data available on the mixture itself.Long term exposurePotential immediate: There are no data available on the mixture itself.effectsPotential delayed effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential chronic health effects: There are no data available on the mixture itself.Potential chronic health effects: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.	Short term exposure		
Long term exposurePotential immediate effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential chronic health effects: There are no data available on the mixture itself.General: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.		1	There are no data available on the mixture itself.
Potential immediate effects: There are no data available on the mixture itself.Potential delayed effects: There are no data available on the mixture itself.Potential chronic health effects: There are no data available on the mixture itself.General: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.	Potential delayed effects	:	There are no data available on the mixture itself.
effectsPotential delayed effects: There are no data available on the mixture itself.Potential chronic health effectsGeneral: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.	Long term exposure		
Potential chronic health effectsGeneral: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.		1	There are no data available on the mixture itself.
General: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.	Potential delayed effects	1	There are no data available on the mixture itself.
Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.	Potential chronic health effe	ect	<u>S</u>
Mutagenicity : No known significant effects or critical hazards.	General	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
	Carcinogenicity	:	No known significant effects or critical hazards.
	Mutagenicity	1	No known significant effects or critical hazards.
			-

Product name BLUE TRANSPARENT URETHANE

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains
	and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

United States Page: 9/11

Product name BLUE TRANSPARENT URETHANE

14. Transport information

Additional information

- DOT: None identified.IMDG: None identified.
- IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are active or exempted.

SARA 302/304 SARA 304 RQ

: Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : COMBUSTIBLE DUSTS

Composition/information on ingredients

No products were found.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 1 Flammability : 0 Physical hazards : 0 (*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)Health :1Flammability :0Instability :0Date of previous issue:6/5/2023

Product name BLUE TRANSPARENT URETHANE

Section 16. Other information

Organization that prepared the SDS	: EHS
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.